

1054  
Cm

**ACCEPTED**  
DEC 12 1986  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this pesticide is registered under EPA Reg. No. 8660-18

16 lb. Atrazine Label

STA-GREEN (R)

St. Augustine & Centipede Weed & Feed  
Weed Control Plus Lawn Fertilizer  
Use on St. Augustine, Centipede, Zoysia and Carpetgrass  
Lawns Only.  
28-3-7  
Controls Weeds While Fertilizing Your Lawn  
Treats 5,000 Square Feet

KEEP OUT OF REACH OF CHILDREN  
CAUTION  
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION, causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. If in eyes, flush with plenty of water. Get medical attention if irritation persists. Harmful if swallowed. Do not contaminate water used for irrigation or domestic purposes. Do not graze treated areas. Do not feed clippings to livestock.

Environmental Hazards: Do not apply directly to water. Not for use on or under trees, shrubs, bedding plants, or garden plants. Atrazine can travel (seep or leach) through soil and can enter groundwater. Users are advised not to apply atrazine to sand and loamy sand soils where the water table (groundwater) is close to the surface and where these soils are very permeable, i.e., well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater.

All crops - This pesticide is toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

ACTIVE INGREDIENT:	Atrazine (2-Chloro-4-ethylamino-isopropylamine-s-triazine)	1.406%
	Related Compounds	0.074%
INERT INGREDIENTS:		98.520%
	TOTAL	100.000%

EPA Reg. 8660-18

EPA Est. No. 8660-AL-1

NET WT. 16 LBS. (7.3 kg)

STA-GREEN PLANT FOOD COMPANY

STA-GREEN (R)

ST. AUGUSTINE & CENTIPEDE WEED & FEED

GUARANTEED ANALYSIS

28-3-7

- 28% Total Nitrogen (N).....28%
  - 1.2% Ammoniacal Nitrogen
  - 26.8% Urea Nitrogen\*
- 3% Available Phosphoric Acid (P2O5)..... 3%
- 7% Soluble Potash (K2O)..... 7%

Primary Plant Food Sources: Urea, Diammonium Phosphate, Muriate of Potash, and Sulfur Coated Urea.

\*Part of the nitrogen in this product has been sulfur-coated to provide 7.0% coated slow release nitrogen.

Chlorine (Cl), not more than 6.0%.

Fla. No. \_\_\_\_

**WHAT THIS PRODUCT DOES**

Sta-Green (R) St. Augustine & Centipede Weed & Feed controls and prevents weeds while feeding your lawn.

CONTROLS these common lawn weeds:

- |                   |                  |                     |
|-------------------|------------------|---------------------|
| black medic       | Florida betony   | pepperweed          |
| blue toadflax     | Florida pusley   | purslane            |
| buckhorn          | fragrant         | red sorrel          |
| burclover         | cudweed          | (sheep sorrel)      |
| Carolina geranium | (rabbit-tobacco) | rescuegrass         |
| (cranesbill)      | henbit           | shepherdspurse      |
| chickweed         | lippia           | sowthistle          |
| dandelion         | (matchweed)      | stinging nettle     |
| dichondra         | oxalis           | Venus looking-glass |
| dollarweed        | (yellow          | wild mustard        |
| eveningprimrose   | woodsorrel)      |                     |

PREVENTS these annual weeds:

- crabgrass      sedges      spotted spurge      bull paspalum

QUALITY FERTILIZER

Provides a quick-greening, long-feeding turf fertilizer. Contains quick release nitrogen to green your lawn in a few days and slow release nitrogen to feed for up to three months. Contains phosphorus and potash to help build quality turf.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Apply only when grass is dry.

**To Control Growing Broadleaf Weeds:**

- apply any time weeds are actively growing. If complete control is not obtained a second treatment may be required 2 months after the first.
- apply in the Fall to control henbit, chickweed and other winter weeds.

**To Prevent Annual Weeds:**

- apply in January, February or early March to prevent germination of annual weeds such as crabgrass, bull paspalum, sedges (from seed), and spotted spurge.
- don't apply to centipede or carpetgrass lawns during the period of winter dormancy.

**Spreader Settings** Always apply fertilizer with a spreader.

Sta-Green (R) Broadcast	3.5
Cyclone	4.25
Central	3.5
Central Drop	6.0
Scott	3.5
Ortho Rotary	2.5
Ortho Drop	4.0

For best results, water in product after application as fertilizers will not work without water.

For a beautiful, healthy lawn, get on a program of lawn care. Apply fertilizer, weed controls, and pest controls on a regular basis.

**CAUTION:** Do not apply on or under the branch spread (rootzone) area of trees, shrubs, bedding plants, flowers or garden plants.

Do not apply to newly seeded Zoysia, centipede, or carpetgrass lawns. Wait until they have required at least two mowings.

Do not plant sprigs for one month, or sow new grass seed for six months following application of this product.

**STORAGE AND DISPOSAL**

**STORAGE:** Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs. To prevent cross-contamination, do not store near other fertilizers, or near herbicides, insecticides, fungicides, or seeds.

