

8660-23
1 of 4

(FRONT PANEL)

USS

VERTAGREEN®

CRABGRASS

PREVENTER WITH TUPERSAN®

ACTIVE INGREDIENT:

Siduron [1-(2-methylcyclohexyl)-3-phenylurea]	6.4%
INERT INGREDIENTS:	<u>93.6%</u>
TOTAL	100.0%

Tupersan® is the trademark for Siduron, E.I. duPont de Nemours & Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

Kills Crabgrass Before It Appears

"The One You Can Seed With"

NET WEIGHT 9 LBS.

TREATS UP TO 5,000 SQ. FT. BARE GROUND SEEDING
TREATS UP TO 2,500 SQ. FT. ESTABLISHED LAWNS

E.I. duPont de Nemours & Co.
 1000 Market Street
 Wilmington, Delaware 19880
 8660-23

294

8660-23
2 of 4

(BACK PANEL)

NET WEIGHT 9 LBS.

TREATS UP TO 5,000 SQ. FT. BARE GROUND SEEDING
TREATS UP TO 2,500 SQ. FT. ESTABLISHED LAWNS

USS

VERTAGREEN®

CRABGRASS

PREVENTER WITH TUPERSAN®

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Avoid breathing dust or spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Remove and wash contaminated clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF IN EYES: Flush with water for 15 minutes.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Use with care when applying in areas adjacent to any body of water. Keep out of lakes, ponds and streams. Do not apply when weather conditions favor runoff or drift from target area.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE THIS PRODUCT ONLY FOR RECOMMENDED PURPOSES AND AT RECOMMENDED DOSAGE. READ THE FOLLOWING CAREFULLY BEFORE APPLICATION.

BEST AVAILABLE COPY

This product is designed for the preemergence control of annual weed grasses such as Smooth and Hairy Crabgrass, Foxtail, and Barnyardgrass, in newly seeded or established plantings of the following grasses only: Bluegrass, Fescue, Redtop, Smooth Brome, Perennial Ryegrass, Orchardgrass, and the following strains of Bentgrass: Pencross, Seaside, Highland, Astoria, Nimisila, C-1, C-7 and C-19. Do not use on other Bentgrass strains nor on Bermudagrass, as injury to turf may result.

Effect on golf course greens may vary with turf management practices and environmental conditions therefore, its use on golf greens is not recommended as injury to turf may result. Treatment will not control Annual Bluegrass (*Poa annua*), clover or most broadleaf weeds.

This product may be applied at any stage of turf development, including new seedings.

At least 1/2 inch of water must be provided by rainfall or irrigation within 3 days after treatment in order to carry the chemical into the root zone of germinating weeds.

DIRECTIONS FOR APPLYING

WHEN TO APPLY

Use in the spring before Crabgrass germinates.

AMOUNT TO APPLY

BARE GROUND SEEDINGS: In starting a new lawn or filling in open areas in established lawns in the spring, apply 9 lbs. per 5,000 sq. ft. (1.8 lbs. per 1,000 sq. ft.) as the last operation over newly seeded area. When overseeding to thicken an existing lawn, follow directions for established lawns. Follow regular watering practices for good seed germination.

ESTABLISHED LAWNS: Apply 9 lbs. per 2,500 sq. ft. (3.6 lbs. per 1,000 sq. ft.)

HOW TO APPLY

Use a fertilizer spreader per guide shown below.

SUGGESTED SPREADER SETTINGS

<u>Make</u>	<u>Newly Seeded Area Setting</u>	<u>Established Lawn Setting</u>
Wards 1091, 1093, 1095	6 3/4	7 1/2
Wards 1080, 1081	4 1/2	5 1/2
Central (Recessed Wheel)	6 3/4	7 1/2
Jackson & Sears	5	6 1/2
Lawn & Beauty	6 3/4	8
Scott	5 1/2	7 1/2

Spreader settings are approximate and are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed

BEST AVAILABLE COPY

4 3 4

STORAGE AND DISPOSAL

FOR HOMEOWNER USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. **PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

FOR PROFESSIONAL/COMMERCIAL USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for Guidance. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

WARRANTY STATEMENT

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured by:

**PARKER FERTILIZER CO.
201 4TH STREET
SYLACAUGA, AL 35150**

Date Printed: 05/08/92

Date Approved:

Supersedes:

Label Change: