


8660-28
1 of 4

(FRONT PANEL)

USS
VERTAGREEN®
LAWN FOOD
10-5-5 WITH
SEVIN® INSECTICIDE



ACTIVE INGREDIENT:

Carbaryl (1-naphthyl N-methylcarbamate)	1.00%
INERT INGREDIENTS:	<u>99.00%</u>
TOTAL	100.00%

This product contains 1 lb. Sevin® per 100 lbs.
SEVIN® is the registered trademark of Union Carbide Corporation for carbaryl insecticides.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

Controls Lawn Insects: Ants, Chinchbugs, Cutworms,
Earwigs, Fall Armyworms, Fleas, Millipedes,
Mosquitoes, Sod Webworms or Lawn Moths

NET WEIGHT 40 LBS.

(BACK PANEL)

NET WEIGHT 40 LBS.

USS

VERTAGREEN®

LAWN FOOD

10-5-5 WITH

SEVIN® INSECTICIDE

GUARANTEED ANALYSIS

Total Nitrogen (N)	10.00%
10.0% Ammoniacal Nitrogen	
Available Phosphoric Acid (P ₂ O ₅)	5.00%
Soluble Potash (K ₂ O)	5.00%

Sources of Primary Plant Nutrients: Ammonium Sulfate, Ammonium Phosphate and Muriate of Potash

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if inhaled or swallowed. Avoid breathing of dust. Avoid contact with skin and eyes. Wear regular long-sleeved work clothing. Wash hands and face before eating. Wash thoroughly and change to clean clothing after handling.

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Induce vomiting and seek medical attention immediately.
- IF IN EYES: Flush with water for 15 minutes and get medical attention.
- IF ON SKIN: Wash skin with plenty of soap and water.

NOTE FOR PHYSICIAN: Carbery is a moderate reversible, cholinesterase inhibitor. Atropine is antidotal.



ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic and estuarine invertebrates. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from target area. Do not contaminate water used for irrigation or domestic purposes. Do not apply directly to water and wetlands.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THE FOLLOWING CAREFULLY BEFORE APPLICATION. Use this product only for recommended purposes and at recommended dosage.

This product is designed for control of certain insects on lawns as follows: Ants, Chinchbugs, Cutworms, Earwigs, Fall Armyworms, Fleas, Millipedes, Mosquitoes, Sod Webworms or Lawn Moths.

WHEN TO APPLY

Apply 25 lbs. per 1,000 sq. ft. (0.25 lbs. technical Sevin per 1,000 sq. ft.) in early spring or early fall. Repeat application in 6 to 12 weeks during warm months or when reinfestation occurs.

HOW TO APPLY

To control surface pests, immediately after application water just enough to settle product on surface of soil around crown of grass plants. Heavier sprinkling can be resumed after 24 hours. For soil pests, water lawn heavily immediately after application to soak mixture into soil but do not flood lawn, which will wash away the insecticide.

Use a Fertilizer Spreader. Following settings are approximate for applying contents of this package at suggested rate of 25 lbs. per 1,000 sq. ft. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed.

SUGGESTED SPREADER SETTINGS

MAKE	SETTING
Vertagreen Rotary (Cyclone)	6
Central (Recessed Wheel)	8 1/2
Sears & Jackson	8 1/2
Scott	10 1/2

BEST AVAILABLE COPY

BEST AVAILABLE COPY

STORAGE AND DISPOSAL

FOR HOMEOWNER USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. **PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

FOR PROFESSIONAL/COMMERCIAL USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for Guidance. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

WARRANTY STATEMENT

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured by:

**PARKER FERTILIZER CO.
201 4TH STREET
SYLACAUGA, AL 35150**

Date Printed: 05/07/92
Date Approved:
Supersedes:
Label Change:

BEST AVAILABLE COPY