

5 AUG 1993

Daniel Paradiso, Jr.
The Andersons
dba Parker Fertilizer Company
201 West Fourth Street
Sylacauga, AL 35150

Dear Mr. Paradiso:

Subject: Corrected Label Text
Vertagreen Concentrated Ronstar For Turf
EPA Registration No. 8660-35
Your Submission Dated February 19, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following provision:

Correct the spelling of the chemical name in the active ingredient statement to read "...-A2-1,3,4-oxadiazolin...".

A stamped copy is enclosed for your records. Please submit five (5) final printed copies for the referenced label, incorporating the above change, before releasing the product for shipment.

Sincerely yours,

Joanne I. Miller
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosure

CONCURRENCES							
SYMBOL	H7505C						
SURNAME	D. KENNY						
DATE	8/3/93						

295

8660-35
1 of 4

(FRONT PANEL)

VERTAGREEN®
CONCENTRATED RONSTAR®
FOR TURF

FOR SALE TO USE AND STORAGE BY COMMERCIAL NURSERY, TURF AND LANDSCAPE PERSONNEL ONLY. Not for use on home lawns.

ACTIVE INGREDIENT:

Oxadiazon: (2-tert-butyl-4-[2,4-dichloro-5-isopropoxyphenyl]- Δ2-1,3,4-oxadiazolin-5-one)	10.00%
INERT INGREDIENTS:	<u>90.00%</u>
TOTAL	100.00%

Ronstar® is a Registered Trademark of Rhone-Poulenc Chemical Company

KEEP OUT OF REACH OF CHILDREN

WARNING

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

NET WEIGHT 50 LBS.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

5 AUG 1993

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

8660-35

EPA Reg. No. 8660-35

EPA Est No. 9158-OH-1

395

8660-35
2 of 4

(BACK PANEL)

NET WEIGHT 50 LBS.

VERTAGREEN®

CONCENTRATED RONSTAR®

FOR TURF

GUARANTEED ANALYSIS

Total Nitrogen (N)	34.00%
34% Urea Nitrogen	

Source of Plant Nutrients: Urea

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Causes eye and skin irritation. Avoid contact with skin, eyes, and clothing. Avoid contamination of feed and foodstuffs. Keep opened containers away from children and animals. Wash clothing and equipment after handling.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Use with care when applying in areas adjacent to any body of water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not apply directly to water.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THE FOLLOWING CAREFULLY BEFORE APPLICATION.

Use this product only for recommended purposes and at recommended dosages. For protection during application, wear long-sleeved shirt, trousers, and impervious gloves.

Ronstar® is a selective preemergent herbicide for the control of annual grasses and Broadleaf weeds in turf.

For use in established perennial Bluegrass, Bermudagrass, Perennial Ryegrass and St. Augustinegrass turf (such as fairways, parks, golf courses and lawns). This product controls the following: Crabgrass, Annual Bluegrass, Goosegrass, Florida Pusley, Oxalis, Stinging Nettle, Carpetgrass and Pigweed.

Rake turf area free of leaves, mowing if necessary so that the herbicide reaches the soil surface. Measure area to be treated and uniformly apply the required amount.

AMOUNT TO USE

Crabgrass and Goosegrass Control: For preemergent control, apply 20 to 40 pounds per acre (2 to 4 lbs. active ingredient) of Vertagreen Concentrated Ronstar® for Turf in early spring prior to seed germination. Application made after March or April may not be fully effective.

Annual Bluegrass Control for preemergent control, apply 40 pounds per acre (4 lbs. active ingredient) in late summer to early fall or in early spring prior to seed germination.

Pigweed, Florida Pusley, Oxalis, Stinging Nettle, and Carpetgrass control for preemergent control of these weeds, apply 40 pounds per acre (4 lbs. active ingredient) in early spring prior to seed germination.

For St. Augustinegrass turf, do not exceed the rate of 30 pounds per acre (3 lbs. active ingredient).

Vertagreen Concentrated Ronstar® for Turf may cause discoloration of Bermudagrass and St. Augustinegrass. This discoloration is temporary and normally will be outgrown within 2 to 3 weeks.

Red fescue and Bentgrass are not tolerant to Ronstar®. The use of this product on turf containing these should be limited to situations where they are undesirable grasses. Avoid contact with flowers and shrubs. Do not apply this product to newly seeded areas. Seeding into treated areas should be delayed until 4 months after treatment. Do not apply to Dichondra, Zoysia or Centipedegrass. This product should not be used on putting greens or tees because of the varying cultural practices used.

595

APPLICATION EQUIPMENT

Vertagreen Concentrated Ronstar® for Turf is to be mixed with water and applied as a spray. Mix with 50 to 150 gallons of water per acre (broadcast basis) using any properly calibrated spray unit.

STORAGE AND DISPOSAL

FOR PROFESSIONAL/COMMERCIAL USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. Store in a dry place. Do not store near other pesticides or seeds. Open dumping is prohibited. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for Guidance. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

WARRANTY STATEMENT

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. **EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.**

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. **FOLLOW DIRECTIONS CAREFULLY.** Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured by:

**PARKER FERTILIZER CO.
201 4TH STREET
SYLACAUGA, AL 35150**

Date Printed: 01/28/93

Date Approved:

Supersedes:

Label Change: