

PM 32 3862-119

3073

Removes lime, soap scum, hard water deposits, uric acid salts, and various discolorations from toilet bowls, urinals, shower stalls, ceramic tiles and sinks. This product has limited disinfectant efficacy and will kill only odor causing bacteria.

PRECAUTIONARY STATEMENTS

HAZARDS : TO HUMANS AND DOMESTIC ANIMALS DANGER

Corrosive. Keep Out of Reach of Children. Causes eye and skin damage (or skin irritation); produces chemical burns. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Do not breathe vapor or fumes. May be harmful or fatal if swallowed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage disposal.

Do not store on side.

Avoid creasing or impacting of side walls.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities by burning. If burned, stay out of smoke.

Metal Container: Triple rinse (or equivalent), then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PHOSPHORIC ACID DISINFECTANT BOWL CLEANER

Cleans, deodorizes, disinfects

Based on a Synergistic Combination of Quaternary Ammonium Compounds and an Acid Compatible Detergent System. Removes Stains and Hard Water Deposits

Active Ingredients

n-alkyl (80% C ₁₄ ; 30% C ₁₆ ; 5% C ₁₂ ; 5% C ₁₈) dimethyl benzyl ammonium chlorides	0.025%
n-alkyl (88% C ₁₂ ; 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	0.025%
Phosphoric Acid	20.000%
Inert Ingredients	79.950%
Total	100.000%

(disinfects against odor causing bacteria only)

KEEP OUT OF REACH OF CHILDREN DANGER

STATEMENT OF PRACTICAL TREATMENT

If swallowed, call a physician immediately. Drink promptly a large quantity of water. Do not induce vomiting. Avoid alcohol.

Eye Contact: Wash with water for 15 minutes. Get prompt medical attention.

Skin Contact: Wipe off the acid gently, immediately flood the surface with water, using soap freely, then cover with moist magnesium or baking soda. Get medical attention if irritation persists.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No. 3862-119

EPA Establishment No. 3862-GA-1

Net Contents:

MANUFACTURED BY:
ABC COMPOUNDING COMPANY, INC.
Post Office Box 16347
Atlanta, GA 30321

FOR COMMERCIAL/INDUSTRIAL USE ONLY

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

TO CLEAN AND DISINFECT TOILETS AND URINALS: Remove water by forcing it over the trap with swab mop. Saturate swab with disinfectant cleaner and wet all surfaces thoroughly. It is most important to swab under the rim of bowl or urinal to clean and disinfect water outlets. Allow this disinfectant cleaner to remain for at least 10 minutes until all rust, scale, and stains are loosened. Rinse by flushing.

TO CLEAN AND DISINFECT SINKS, BATH-TUBS, SHOWER STALLS, DRINKING FOUNTAINS, CERAMIC TILE FLOORS: Dilute one part of this disinfectant cleaner with two parts water and apply to wet all surfaces thoroughly with swab mop, sponge, brush or cloth. Allow disinfectant cleaner to remain for at least 10 minutes. Rinse with water after cleaning.

FOR HEAVILY SOILED AREAS: A preliminary cleaning is required before disinfection can occur. This product disinfects against odor causing bacteria only.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

14 MAY 1993

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.

3862-119

WITH RONSTAR®

19-4-8

ACTIVE INGREDIENT:

Oxadiazon*: [2-tart-butyl-4-(2,4-dichloro-5-isopropoxyphenyl)-

delta²-1,3,4-oxadiazolin-5-one] 1.00%

INERT INGREDIENTS: 99.00%

TOTAL 100.00%

*Ronstar® is a Registered Trademark of Rhone-Poulenc Chemical Company

KEEP OUT OF REACH OF CHILDREN

WARNING

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

19 MAY 1993

NET WEIGHT 50 LBS.

COVERS UP TO 11,000 SQ. FT.

FOR PROFESSIONAL USE

EPA Reg. No. 8660-36

EPA Est. No. 9192-OH-1

2044

8660-36

2 of 4

(BACK PANEL)

NET WEIGHT 50 LBS.

COVERS UP TO 11,000 SQ. FT.

VERTAGREEN®

FERTILIZER

FOR PROFESSIONAL USE

WITH RONSTAR®

12-A-8

GUARANTEED ANALYSIS

Total Nitrogen (N) 19.00%
1.6% Ammoniacal Nitrogen
17.4% Urea Nitrogen
Available Phosphoric Acid (P_2O_5) 4.00%
Soluble Potash (K_2O) 8.00%

Sources of Plant Nutrients: Ammonium Phosphate, Urea, Sulfur Coated Urea, Muriate of Potash
Chlorine (Cl), Maximum 2.00%

*Includes 4.0% Coated Slow Release Urea Nitrogen derived from Sulfur Coated Urea.

READ THE FOLLOWING CAREFULLY BEFORE APPLICATION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

May be fatal if inhaled. Wear protective clothing including long sleeved shirt and gloves when handling. Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Do not contaminate feed or foodstuffs. Keep opened containers away from children and animals. Do not feed forage from treated areas to livestock.

BEST AVAILABLE COPY

8660-36
3 of 4

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash thoroughly with soap and water.

IF IN EYES: Flush eyes with water for 15 minutes and get medical attention.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply directly to water. Avoid contamination of water intended for irrigation or domestic use. Apply this product only as specified on the label.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Use this product only for recommended purposes and at recommended dosages.

For sale to, use and storage by professional turf maintenance personnel only.

This product contains a quality fertilizer and a selective preemergence herbicide which controls Crabgrass, Annual Bluegrass (*Poa Annua*), Goosegrass, Florida Pusley, Oxalis, Stinging Nettle, Carpetgrass and Pigweed by killing plant seeds as they germinate. It does not control established weeds.

Use only on established turfs which are tolerant to the herbicide. Do not use on Bentgrass, Red Fescue, Dichondra, Centipedegrass.

Not for use on home lawns. Do not apply to putting greens or on tees.

FOR USE ON ORNAMENTAL TURF - Use on established perennial Bluegrass, Ryegrass and turf such as fairways and lawns.

Rake turf area free of leaves, so fertilizer granules reach the soil surface. Measure area and apply the required amount, using a fertilizer spreader, avoiding the type of spreader which applies product in a narrow concentrated band. Apply product evenly over the turf without skips or misses. A more uniform application can be made by applying half the required amount over the area to be treated and then applying the remaining amount at right angles to the first application.

Do not apply to wet turf.

AMOUNT TO USE

Crabgrass and Goosegrass Control: For preemergence control, apply 200 to 400 pounds per acre, or 4 1/2 to 9 lbs. per 1,000 sq. ft. (2 to 4 lbs. active ingredient per acre). Product should be applied prior to the end of April.

Annual Bluegrass (*Poa Annua*) Control: For preemergence control, apply 355 to 400 pounds per acre or 8 to 9 lbs. per 1,000 sq. ft. (3.55 to 4 lbs. active ingredient per acre) in early spring prior to weed seed germination.

BEST AVAILABLE COPY