

COMPANY SOUMBER SOUMBE SOUMBER SOUMBER SOUMBER SOUMBER SOUMBER SOUMBER SOUMBER SOUMBE SOUMBER SOUMBER SOUMBER SOUMBER SOUMBER SOUMBER SOUMBER SOUMBER

PRODUCT SERIAL NO.

LABEL APPROVAL APPROV

JAN 1 0 1994

RD To Fig. 1 1 /

Mr. Daniel Paradiso, Jr.
The Andersons
d\b\a Parker Fertilizer Co.
201 4th. Street
Sylacauga AL 35150

Subject: General Label Revisions of Use Directions Format. EPA Req. No. 8660-50

Dear Mr. Paradiso:

}

The proposed revised label is acceptable. Before releasing this product under the new label submit five copies of the final printed labels.

Note that this acceptance of your label does not relieve you of your obligation to comply with the Worker Protection Standard (WPS). If any of your products are covered by the WPS, you are required to submit, and receive the Agency's approval by April 21, 1994 of a revised label reflecting the required label statements as outlined in PR Notice 93-7. According to 40 CFR 156, subpart K, specifically § 156.200(c)(3): "No product to which this subpart applies shall be distributed or sold without amended labeling by any registrant after April 21, 1994."

Sincerely Yours,

Phil Hutton

Product Manager (18)

Insecticide-Rodenticide Branch Registration Division (H7505C)

(FRONT PANEL)

VERTAGREEN®

12 ROTENONE GARDEN DUST

ACTIVE INCREDIENTS:																						
Rotenone		•						٠					٠				•					1.00%
Other Associated																						
INERT INGREDIENTS:.		٠	•	•	•	•			•	٠	•	•	•	•	٠	•	٠	:	•	•	•	<u>97.40%</u>
	ΤΟΤΑΙ.													100 00%								

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

JAN 10 1994

Under the Foderal transition and transition and transition and transition are presented to the property of the pr

NET WEIGHT 1 LB.

(BACK PANEL)

NET WEIGHT 1 LB.

VERTAGREEN®

12 ROTENONE GARDEN DUST

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Keep out of reach of children. Do not breathe dust. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs. Do not use on puppies or kittens less than 4 weeks old.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician immediately. Induce vomiting by giving victim one or two glasses of water and insert finger in back of throat. Do not induce vomiting or give anything by mouth to an unconscious person.

IF ON SKIN: Wash exposed areas thoroughly with soap and water after using. IF INHALED: Avoid breathing dust. Remove victim to fresh air. Apply artificial respiration if indicated.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, potholes). Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of the Federal Law to use this product in a manner inconsistent with its labeling.

1% ROTENONE DUST may be used on Beans, Cabbage, Cauliflower, Cucumbers, Currents, Melons, Tomatoes, Ageratums, Asters, Azaleas, Begonias, Carnations, Clamatis, Cosmos, Dahlias, Gardenias, Geraniums, Iris, Lilac, Marigolds, Peonies, Phlox, Poppy, Roses, and Zinnias. Gives excellent control of Mexican Bean Beetle, Bean Leaf Beetle, certain Aphids (Plant Lice), Cabbage Worms, Leaf Tiers (except Celery), Flea Beetles, Currant Worms, Spittle Bugs, Sawfly Larvae, Raspberry Fruitworm, White Fly and Asparagus Beetles.

BEST AVAILABLE COPY

1% ROTENONE DUST when applied as directed may be used on the edible portions fruit and vegetables. Do not apply within 1 day of harvest.

1% ROTENONE DUST will not injure tender plant foliage.

1% ROTENONE DUST is effective against fleas and lice on dogs and cats. Dust the animal thoroughly. Repeat application when fleas or lice reappear. DO NOT USE ON PUPPIES OR KITTENS LESS THAN 4 WEEKS OLD.

AS A DUST: Sift from the shaker top carton, or better still, apply with a dust gun. Dust plant thoroughly, covering both the upper and lower sides of foliage, covering all insects to be controlled.

AS A SPRAY: Stir 4 to 6 tbsp. into a paste with a little water, then add sufficient water to make one gallon of spray. The mixture should be agitated occasionally to maintain an effective suspension. Spray plants thoroughly covering all insects to be controlled.

CAUTION: DO NOT APPLY WITHIN 1 DAY OF HARVEST.


STORAGE AND DISPOSAL

FOR HOMEOWNER USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

FOR PROFESSIONAL/COMMERCIAL USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for Guidance. CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.



WARRANTY STATEMENT

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured by:

PARKER FERTILIZER CO. 201 4TH STREET SYLACAUGA, AL 35150

Date Printed: 07/22/92

Date Approved: Supersedes: Label Change: