PM22 8660-63

JUT 22 1992

Daniel Paradiso, Jr. The Andersons d/b/a Parker Fertilizer Company 201 4th Street Sylacauga, AL 35150

Dear Mr. Paradiso:

]

)

Subject: Revised Labeling Clean-up Herbicide EPA Registration No. 8660-63 Your Submission Dated August 18, 1992

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

Reinstate "Avoid contact with eyes and skin" and "Keep a. children and pets off treated areas until spray is washed into soil and grass is dry".

On the second page delete the redundant storage and b. disposal statements: "Do not reuse empty container....".

c. Modify the "If swallowed" statement to read similar to the following:

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

d. Delete "Buyer assumes all risks of use, storage or handling of this product." This statement detracts from the labeling information required under FIFRA. Refer to November 16, 1966 PR Notice.

e. Update the Environmental Hazards Statement to include the following:

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by disposal of equipment washwaters.

f. Delete "Do not track from treated to untreated areas". We are not sure if this is a practical restriction.

g. On the front panel specify "Inactivated".

2. Submit one (1) copy of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

/s:/

Cynthia Giles-Parker Product Manager (22) Fungicide-Herbicide Branch Registration Division (H7505C) 2046

Enclosure

~

)

)

122 8660-63

8660-63 1 of 4

(FRONT PANEL)

CLEAN-UP

HERBICIDE

Quickly Inactivate on Contact With Soil

Re-Seed Within Five (5) Days

÷

•

Post Emergent Weed Control

ACTIVE INGREDIENTS: 11.30% Dimethylarsinic Acid (Cacodylic Acid). 1.95% 86.75% 100.00% TOTAL Total Arsenic (as elemental) all in water soluble form. 6.35%

Product contains 1.09 lbs. cacodylic acid equivalent per gallon.

ACCEPTED) with COMMENTS In BPA Letter Dx ~t

KEEP OUT OF REACH OF CHILDREN

not 22

)

CAUTION

SKE BACK PANEL FOR ADDITIONAL PRECAUTIONS

Under the Federal Insecticide ungicide, and Rodenticide Act as muended, for the pesticide registered under EPA Reg. No. $\Re l_0 (0.0 - 6.3)$

NET CONTENTS 1 QUART

EPA EST. NO. 9198-0H-1

8660-63 2 of 4

and and de

(BACK PANEL)

NET CONTENTS 1 QUART

CLEAN-UP

HERBICIDE

i 1

)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Wash after handling. Avoid contact with skin. Avoid breathing spray mist. Keep children and pets off treated areas until after first rain or sprinkling following treatment. Do not track from treated to untreated areas./ Do not contaminate or store near feed or foodstuffs :---الماد

STATEMENT OF PRACTICAL TREATMENT .

IF SWALLOWED: Induce vomiting and call a physician at once.

ENVIRONMENTAL HAZARDS

Do not apply directly, or allow spray to come in contact with, foliage, green bark, grafted unions, or scuffed, damaged or broken bark when spraying eround trees and ornamentals.

Do not contaminate waters used for domestic consumption or by animals, wildlife and aquatic life, or for irrigation purposes Do not graze treated areas, to livestock.

Do not reuse empty container. Wash thoroughly with water and detergent', grash if possible, and discard in a safe place.

8660-63 3 of 4

DIRECTIONS FOR USE

It is a violation of the Federal Law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE USING THIS PRODUCT.

GENERAL INFORMATION

)

)

Clean-Up Herbicide is useful for general post-emergent weed control. It is nonselective in its action. Its phytotoxic properties are quickly inactivated on contact with soil. It is a combination of herbicide and surfactant. It is unnecessary to add any other surfactant to the spray solution. Best results are obtained on young actively growing weeds. It produces top-kill only, so repeat applications are required for season long weed control of perennials.

Clean-Up Herbicide must be thoroughly dissolved. Fill the spray equipment reservoir about half full with water and add the required amount of herbicide with agitation. Finish filling the reservoir with water and apply. After use, clean equipment thoroughly by flushing with water. Do not store spray solution in tank for a prolonged period.

<u>LAWN RENOVATION:</u> Mow lawn to be renovated about 1 inch high before treatment. Mix 23 fl. oz. in 4 gallons of water and apply to 1,000 sq. ft. (11-1/2 tbsp. per gallon of water per 250 sq. ft.) Cover foliage thoroughly, preferably on a warm, sunny day. Foliage will usually turn brown in about five days. Bermudagrass and other deep-rooted parennials, or undercover foliage, may require a second treatment. Reapply five days later if green areas remain.

<u>SPOT TREAT</u>: Clean-Up can be used on a spot basis for control of individual weeds and grasses, such as Bermudagrass, tall Fescue (Kentucky 31), perennial Rye, Dock, Dandelion, etc. Mix 12 tbsp. per gallon of water and wet plant thoroughly. Use caution to wet only the plant to be killed, as this product kills all vegetation contacted. Reapply if necessary for complete kill.

When foliage is all brown, matted areas should be raked and bare areas scarified. About five days after last treatment, water thoroughly and then seed at rate recommended for new lawns. Seed must be raked into soil. Keep seeded areas well watered.

<u>NON-CROP</u>: Clean-Up Herbicide is useful for general weed control on drainage ditchbanks and rights-of-way, along sidewalks, driveways and fences, around buildings and ornamentals and on similar non-crop areas. Mix 2-1/4 to $4_71/2$ gallons in 100 gallons of water (6 to 12 tbsp. per gallon). Spray unwanted vegetation thoroughly to just short of run-off. Any spray equipment that gives good coverage may be used. Use coarse spray to prevent drif which could damage nearby desirable plants. If regrowth occurs, reapply as required.

6076

8660-63 4 of 4

STORAGE AND DISPOSAL

FOR HOMEOWNER USE ONLY:

)

)

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. **PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

FOR PROFESSIONAL/COMMERCIAL USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for Guidance. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

WARRANTY STATEMENT

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and wethod of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use_of this product are beyond the_control of the manufacturer. Buyer assumes all risks of use, storage or handling --

Manufactured by:

PARKER FERTILIZER CO. 201 4TH STREET SYLACAUGA, AL 35150

Date Printed: 07/22/92 Date Approved: Supersedes: Label Change: