

Reg # 8660-64

PM-23

195

8660-64
1 of 5

(FRONT PANEL)

VERTAGREEN®

WEED & FEED

20-5-10

For Lawns, Fairways and Ornamental Turf
KILLS WEEDS - FEEDS LAWNS

ACCEPTED
5 AUG 1993
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 8660-64

ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid	1.50%
**Dimethylamine Salt of Dicamba (3,6-dichloro-o-anisic acid)	0.28%

INERT INGREDIENTS:	98.22%
	Total
	100.00%

Equivalent to:

- *1.24% of 2,4-Dichlorophenoxyacetic Acid
- **0.23% of 3,6-dichloro-o-anisic acid

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF IN EYES: Flush with water for 15 minutes and get medical attention.

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

NET WEIGHT 20 LBS.

COVERS UP TO 5,000 SQ. FT.

EPA Reg. No. 8660-64

EPA Est. 9198-OH-1

295

8660-64
2 of 5

(BACK PANEL)

NET WEIGHT 20 LBS.

COVERS UP TO 5,000 SQ. FT.

VERTAGREEN®

WEED & FEED

20-5-10

GUARANTEED ANALYSIS

Total Nitrogen (N)	20.00%
Available Phosphoric Acid (P ₂ O ₅)	5.00%
Soluble Potash (K ₂ O)	10.00%

Sources of Plant Nutrients: Urea, Ammonium Phosphates, Muriate of Potash
 Chlorine (Cl), Maximum 10.00%

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing dust.
 Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

* * * * *

The following paragraph will only appear on those products
 sold to the professional/commercial market

* * * * *

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

395

8660-64
3 of 5

This product can reach groundwater from improper handling. To minimize contamination from spills during loading and cleaning of equipment, take the following steps:

Handling: When handling this product, wear chemical resistant gloves. Wash nondisposable gloves thoroughly with soap and water before removing. If spills occur, collect the material and dispose of by following disposal instructions on this label.

Cleaning of Equipment: When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Broadleaf Weeds Controlled: Buckhorn, Burdock, Chickory, Dandelion, Frenchweed, Ground Ivy, Heal-All, Lambsquarter, Mallow, Morning Glory, Pigweed, Plantain, Poison Ivy, Poison Oak, and Sow Thistle.

Hard to Kill Broadleaf Weeds Controlled: Common Chickweed, Mouse Ear Chickweed, Bur Clover, White Clover, Creeping Charlie (Ground Ivy), Curly Dock, Dog Fennel, Henbit, Knawel, Knotweed, Mustard, Oxalis, Peppergrass, Purslane, Red Sorrel, Sheep Sorrel, Wood Sorrell, Spotted Spurge, Yarrow.

FOR LAWNS, FAIRWAY AND OTHER ORNAMENTAL TURF.

WHEN TO APPLY

For best results, apply on lawns in the spring or early summer when weeds are young and actively growing. Late summer or early fall is also recommended to control weeds that have developed from seeds during the summer.

HOW TO APPLY

The contents of this bag covers 5,000 sq. ft. Apply evenly at the rate of about 4 lbs. per 1,000 sq. ft. (for example 10 ft. X 100 ft. = 1,000 sq. ft.). See chart below for suggested spreader settings. DO NOT mow grass for two days before and after application. DO NOT USE on newly seeded lawns until several mowings have been made. Reseeding should be delayed 3 weeks after application.

Do not use on Centipedegrass, St. Augustinegrass or Dichondra, nor on lawns or turf where desirable Bentgrass or Clover are present. Do not allow dust to come in contact with shrubs, flowers, trees, vegetables, or other valuable plants. Avoid application to areas under the branches or drip line of trees and shrubs.

SUGGESTED SPREADER SETTINGS
To Apply 4 Lbs. Per 1,000 Sq. Ft.

MAKE	SETTING
Scotts	4 1/2
Cyclone	3 1/2

NOTE: The above suggested spreader settings are only approximate. Age and condition of spreader can cause wide variation. Be sure to calibrate your spreader with each application. Close spreader when filling, stopping or turning. **DO NOT HAND SPREAD.** Avoid getting on concrete, stucco or asbestos siding, as the composition of certain fertilizer elements can cause permanent stain.

STORAGE AND DISPOSAL

FOR HOMEOWNER USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Store in a dry area. Do not store near other pesticides or seeds. Keep container closed and away from food, feedstuffs and domestic water supplies. **PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

FOR PROFESSIONAL/COMMERCIAL USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Store in a dry area. Do not store near other pesticides or seeds. Keep container closed and away from food, feedstuffs, and domestic water supplies. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

595

8660-64
5 of 5

WARRANTY STATEMENT

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. **FOLLOW DIRECTIONS CAREFULLY.** Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured By:

**PARKER FERTILIZER CO.
201 4TH STREET
SYLACAUGA, AL 35150**

Date Printed: 01/28/93
Date Approved:
Supersedes:
Label Change: