8660-65 - page 193 pm 23 Dr. H. R. McLane JAN 2 4 1997 Authorized Agent for Pursell Industries Pursell Industries, Inc. P.O. Box 450 Sylacauga, AL 35150 Dear Dr. McLane: Subject: Patterson Green-up Ferbam Fungicide EPA Registration No. 8650-68 Application Dated March 5, 1996 and Letters Dated March 5, 1996 and November 27, 1996 Requesting the Deletion of Use Sites The subject application has been processed in accordance with PR Notice 91-1 for the deletion of use sites from the subject product labeling. The proposed labeling submitted with your letter dated November 27, 1996 has been reviewed and found acceptable for registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFKA) as amended, provided that you: o Submit one (1) copy of the final printed label before you release the product for shipment under the subject label. If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA, Section 6(e). Your release for shipment of the product under the subject laabeling constitutes acceptance of this condition. A stamped copy of the label is enclosed for your records. Sincerely yours, BEST AVAILABLE COPY Joanne I. Miller Product Manager (23) Fungicide-Herbicide Branch Registration Division (7505C) Enclosure

E.Wilson: Diskette Thiram/Ferbam 01-24-97

		 CONCU	RRENCES			
SYMBOL	-					
DATE		 ******				
EPA Form 1320	-1 (12-70)		·······	I	OFFIC	AL FILE COPY

# Patterson's FERBAN FUNGICIDE

For use on Home Landscapes and Gardens. Controls Diseases on Ornamental Flowers and Shrubs, Home Grown Fruits, and Vegetables.

#### ACTIVE INGREDIENT:

Ferbam (Ferric dimethyl-dithiocarbamate) - 76.0% INERT INGREDIENTS: - 24.0% TOTAL 100.0%

## KEEP OUT OF REACH OF CHILDREN CAUTION

#### SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION: May cause irritation of eyes, nose, throat or skin. Avoid breathing dust or spray mist. Avoid contact with skin, eyes, and clothing. STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Flush with plenty of water. IF IN EYES: Flush eyes with plenty of water. Get medical attention.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS: Keep away from fire or sparks. DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on plants being grown for sale or other commercial use, of for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes and being grown in ormamental gardens or parks, lawns or grounds.

### STORAGE AND DISPOSAL

Do not contaminate; water, 500% or feed by storage or disposal. Keep container closed and away from 500%, feedstuffs and domestic water supplies. <u>PESTICIDE</u> <u>DISPOSAL</u>: Securely wrap original container in several layers of newspaper and discard in trash. <u>CONTAINER DISPOSAL</u>: Do not reuse empty container. Discard in trash.



INCORPORATED ITTA

201 4TH STREET - SYLACAUGA, AL 35150 U.S.A.

## FOR USL-ON HOME & GARDEN PLANTS

Apply with a suitable "garden type" pump or pressure sprayer. Use 2 level tablespoonfuls of Ferbam Fungicide per gallon of water, spraying thoroughly to cover all surfaces of foliage, flowers and fruit. Occasionally shake or agitate spray solution to assure a good mixture. Begin applications before diseases are apparent and continue at 7 to 14 day intervals as long as necessary. Do not apply later than 7 days before harvest or picking, unless otherwise indicated below.

Ornamentals-Fruits-Vegetables	Diseases Controlled		
Azaleas	Leaf Scorch		
Camellias	Petal Blight		
Carnations	Leaf Spot, Alternaria and Septoria		
·	Bilghts, Rust.		
Chrysanthemums	Septorla Leaf Spot, Rust		
Cyclamen	Botrytis Rot, Leaf Spot		
Geraniums	Bacterial Leaf Spot		
Juniper	Rust		
Roses	Black Spot, Rust		
Snapdragons	Rust, Leaf Spot		
Tulips	Botrytis Blight (Tulip Fire)		
Aster, Begonia, Gardenia, Hydrangea, Ivy, Laurel.	Leaf Spots		
Cutting-Rot, Damping-Off	Dip cutting in spray mixture before		
Diseases (Except Hydrangea)	planting		
Apples	Scab, Cedar-Apple Rusts, Black Rot (Fruit and		
	Leaf Spots), Brooks Spot, Apple Blotch, Bitter		
	Rot, Sooty Blotch, Fly Speck.		
Cherries	Brown Rot, Leaf Spot.		
**Grapes	Black Rot		
*Peaches	Brown Rot (Early Season Only), Scab,		
	Leaf Curl, Leaf Spot.		
Pears	Scab Leaf Blight, Fruit Spot, Sooty Blotch.		
**Raspberries	Anthracnose, Rust, Leaf Spot.		
Cabbage	Downy Mildew in plant beds,		
Lettuce	Damping-Off in plant beds.		
Snap or String Beans	Anthracnose		

Do not feed treated plant parts to meat or dairy animals.

\*Do not apply later than 21 days before harvest.

\*\*Do not apply later than 40 days before harvest. On Grapes, 7 day before harvest. (1 Oz. = 7 level tablespoonfuls of this product.)

#### WARRANTY STATEMENT

Pursell Industries, Inc. warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. Pursell Industries, Inc. and Seller MAKE NO OTHER WARRANTY EXPRESS OR IMPLIED. The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions, FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of Pursell industries, Inc. Buyer assumes all risks of use, storage or handling of this product. (68dciamd.pm5\03-05-96\Rev. 06-10-96)\Rev. 11-27-96 based on call from EMW) BEST AVAILABLE COP

373 د م ł ACCEPTED with COMMENTS In EPA Letter Dated JAN -2 / 1997 . . ļ Ę, \$ -¢) - ---......