AUG 1 9 1992

Mr. Daniel Paradiso
The Andersons Management Corporation
P.O. Box 119
Maumee, Ohio 43537

Dear Mr. Paradiso:

Subject: Revised Labeling

Vertagreen 5% Sevin Dust

EPA Reg. No. 8660-72

Your submission of June 25,1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you make the labeling change given below before you release the product for shipment bearing the amended labeling.

- 1. In the Environmental Hazards statement change "wetlands" to "areas where surface water is present or to intertidal areas below the mean high water mark."
- 2. Add a Statement of Practical Treatment for inhalation hazard to the label.
- 3. Delete the Storage and Disposal statement for Professional/Commercial use since your product is clearly labeled for homeowner use only.

Submit five (5) copies of your final printed labeling before you release the product for shipment. You also need to respond to our letter dated August 30, 1990 regarding the alternate confidential statement of formula. We must have your response within 45 days from the date of this letter.

8660-72 1 of 5

(FRONT PANEL)

VERTAGREEN®

5% SEVINO DUST

ACCEPTED with COMMENTS BEA Letter Duted

AUG 1 9 1992

For Control of Certain Insects on Vegetables, Strawberries, Ornamentals And For Ticks and Fleas on Cats and Dogs Under the Federal Insecticide. Fundeide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

ACTIVE INGREDIENT:

 Carbaryl (1-Naphthyl N-Methylcarbamate)
 5.00%

 INERT INGREDIENTS:
 95.00%

 TOTAL
 100.00%

SEVIN® is the registered trademark of Union Carbide Corporation for active ingredient 1-Naphthyl N-Methylcarbamate.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

NET WEIGHT 4 LBS.

EPA Est. 9198-QH-1

EPA Reg. No. 8660-72

(BACK PANEL)

NET WEIGHT 4 LBS.

VERTACREEN®

5% SEVING DUST

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Avoid contamination of food, feed, feeding troughs and watering receptacles. Wash thoroughly after handling and before eating or smoking.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF IN EYES: Flush eyes with plenty of water. If irritation persists get medical attention.

IF ON SKIN: Remove contaminated clothing and wash skin with plenty of water. NOTE TO PHYSICIAN: Carbaryl is a moderate. reversible, cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment of residues on blooming corps or weeds. Denot apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

8660-72 3 of 5

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply this product when insects or their damage appear. Make applications in the morning or evening when it is cool. Treat upper and lower surfaces of all foliage for complete coverage. For best results apply with a "dust gun". Repeat as necessary, generally at 7 day intervals. Do not apply in excess. Make applications when the foliage is dry. Subsequent planting of food or feed crops in treated soil must be with crops listed on this or other carbaryl product labels.

FOR CONTROL OF LISTED INSECTS:

TIME TO STOP USE BEFORE HARVEST

Use 1/3 lb./1,000 sq. ft.

POTATO, TOMATO, EGGPLANT, PEPPERS: Colorado Potato Beetle, Flea Beetles, Leafhopper, European Corn Borer, Fall Armyworm, Lace Bugs, Tomato Fruit Worm, Tomato

Hornworm, Tarnished Plant Bugs, Stink Bugs No limit
Use 3/4 lb./1,000 sq. ft.

<u>ASPARAGUS</u>:

Asparagus Beetle and Apache Cicada (Do not repeat application within 3 days) . . .

Use 2/31b./1.000 sq. ft.

3 Days
Use 3/41b./1.000 sq. ft.

8660-72 4 of 5

FOR CONTROL OF LISTED INSECTS:

TIME TO STOP USE BEFORE HARVEST

CABBAGE BROCCOLI BRUSSELS SPROUTS. CAULIFLOWER KOHLRABI:	
Flea Beetle, Harlequin Bug, Armyworms,	•
Imported Cabbage Worm, Corn Earworm	3 Days
	Use 3/4 lb./1.000 sq. ft.
STRAWBERRIES: Meadow Spittle Bug, Strawberry Leaf Roller and Strawberry Weevil	l Day Use 3/4 lb./1,000 sq. ft.

GRASSHOPPERS ON THE ABOVE CROPS: Apply at the dosages and limitations given for each crop and repeat as necessary to control Grasshoppers.

ORNAMENTALS: Vertagreen 5% Sevin Dust can be used on a wide range of ornamental plants, flowers, shrubs and small trees, namely Arbor Vitaes, Azaleas, Birch, Carnations, Chrysanthemums, Dogwoods, Elms, Gladiolus, Hydrangea, Juniper, Lilacs, Maple, Oak, Pines, and Roses. Do not use on Boston Ivy.

Apply to upper and lower leaf surface and all foliage for complete coverage to control such pests as Apple Aphids, Bagworms, Birch Leaf Miner, Blister Beetles, Boxelder Bugs, Boxwood Leaf Miner, Elm Leaf Aphid, Elm Leaf Beetle, Flea Beetles, Gypsy Moth, Japanese Beetles, Lace Bugs, Leafhoppers, Mealybugs, Rose Aphids, Thrips, and Rose Slugs.

<u>CATS AND DOGS</u>: For Ticks and Fleas, dust liberally over the entire animal, avoiding the dyes, and rub thoroughly into hair. Comb out dead Ticks a few hours after treatment. Repeat at weekly intervals if needed. Avoid treatment of kittens or puppies less than 4 months of age. Do not use this product on pregnant dogs.

In and around dog and cat quarters: For Ticks and Fleas, dust liberally in and around sleeping quarters, kennels and doghouses by means of a shaker can, hand or dust gun.

NOTE: Sevin does not control Spider Mites. Where infestations are encountered, use a recommended miticide. Injury to tender foliage may occur if applications are made when plants are wet or in the presence of high humidity of several days duration following treatment. Do not use on Boston Ivy.

8660-72 5 of 5

STORAGE AND DISPOSAL

FOR HOMEOWNER USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. **PESTICIDE DISPOSAL**: Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL**: Do not reuse bag. Discard bag in trash.

FOR PROFESSIONAL/COMMERCIAL USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a viciation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for Guidance. CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

WARRANTY STATEMENT

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CARFFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured by:

PARKER FERTILIZER CO. 201 4TH STREET SYLACAUGA, AL 35150

Date Printed: 06/26/92

Date Approved: Supersedes: Label Change:

