

PMJ-1 8660-80 1046

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

S 436824	301
D 189068	18

JUN 1 1993

Daniel Paradiso, Jr.
 The Andersons
 d/b/a Parker Fertilizer Company
 201 4th Street
 Sylacauga, AL 35150

Dear Mr. Paradiso:

Subject: Green-Up Turf Fungicide
 EPA Registration 8660-80
 Your Submission Dated February 1, 1992
 Revised Labeling

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comment listed below. A stamped copy is enclosed for your records. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

1. The last sentence under directions for compressed air sprayers regarding spot treatment appears to be incomplete and is confusing. Delete this sentence or revise to clarify the intended dosage rate.

Note that this acceptance of your label does not relieve you of your obligation to comply with the Worker Protection Standard. If any of your products are covered by this standard, you are required to submit, and receive the Agency's approval by April 21, 1994, a revised label reflecting the required label statements of 40 CFR 156, published in the **FEDERAL REGISTER** on August 21, 1992 (57 FR 38102).

Further guidance will be issued. According to 40 CFR 156, subpart K, "No product to which this subpart applies shall be distributed or sold without amended labeling by any registrant after April 21, 1994." Please call 1-800-777-2185 if you have any labeling questions regarding the Worker Protection Standard.

CONCURRENCES

SYMBOL	H7505C	H7505C					
SURNAME	D Greenup	C. Brown					
DATE	5/24/93	6/1/93					

2076

Should you have concerns about this letter, please contact Julie Faifax on (703) 305-7390.

Sincerely yours,



Clarence O. Lewis, III
Acting Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosure

H7505C: DGreenway: DLG: 305-5542: 5/24/93: B: Paradiso.1tr

PM21

8660-80

3076

8660-80
1 of 4

(FRONT PANEL)

ACCEPTED
with COMMENTS
in EPA Label Dated:

GREEN UP
TURF FUNGICIDE
CONTAINS DYRENE®

JUN 12 1993

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended for the pesticide
registered under EPA Reg. No.

8660-80

ACTIVE INGREDIENT:

2,4-Dichloro-6-(o-chloroanilino)-s-triazine 50.00%

INERT INGREDIENTS: 50.00%

Total 100.00%

U.S. Patent No. 2,720,480 & 3,074,946
Canadian Patent No. 546,027

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

NET WEIGHT 12 OZ.

COVERS UP TO 3,000 SQ. FT.

EPA Reg. No. 8660-80

EPA Est. No. 9198-OH-1

4070

8660-80

2 of 4

(BACK PANEL)

NET WEIGHT 12 OZ.

COVERS UP TO 3,000 SQ. FT.

GREEN UP

TURF FUNGICIDE

CONTAINS DYRENE®

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or inhaled. Avoid contact with eyes, skin, or clothing. Avoid breathing of dust or spray mist. Wash contaminated clothing with soap and hot water before re-use. Do not graze treated areas nor feed clippings to livestock. Do not contaminate feed, foodstuffs, water supplies or fish ponds. This product may cause a temporary allergic skin reaction in a few susceptible persons. This condition should be treated as an allergic dermatitis. There is no evidence of after effects or permanent injury. If sensitivity occurs, protective clothing should be worn during periods of exposure, such as during application or when contacting treated foliage.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters. Cover or incorporate spills.

5076

8660-80
3 of 4

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not use this product on seed crops intended for feed or forage. Do not graze treated areas. Protective clothing should be worn during periods of exposure, such as during application or when contacting treated foliage.

Turf Fungicide containing Pyrene gives effective control of Rhizoctonia Brown Patch, Sclerotinia Dollar Spot, Copper Spot, Rust, Snow Mild (Typhula), and Helminthosporium diseases such as Melting-Out of Kentucky Bluegrass, Red Leaf Spot of Bentgrasses, Leaf Blotch of Bermudagrass, Helminthosporium Blight of Fescues, Brown Blight of Rye Grasses, Zonate Eye Spot, and Helminthosporium Leaf Spot of Bluegrasses, Bentgrasses and Fescues.

HOW TO USE

In Garden Hose Sprayers: Place product into sprayer jar, fill with water and stir until a uniform mixture is obtained. Apply spray mixture uniformly to lawn area. For disease prevention use 4 oz. (approximately 1 cup) and spray 5 gals. to cover 1,000 sq. ft. For spot treatment of diseased areas, use 6 oz. (approximately 1-1/2 cups) and thoroughly wet these areas.

In Compressed Air Sprayers: For use in hand or knapsack-type sprayers, add 6 oz. to 2-1/2 gallons of water and apply to 1,000 sq. ft. (50 ft. x 20 ft.) of lawn or other turf area. For spot treatment of heavily diseased areas, add 6 oz. of water and thoroughly wet these areas.

WHEN TO APPLY

For Foliar Turfgrass Diseases: Begin application in the spring before the diseases appear and repeat at 10 to 14 day intervals. During extended periods of wet weather, applications every 7 days may be required. Continue treatments throughout the spring and summer months. If necessary, water the lawn before application.

For Control of Snow Mold: Apply after the first killing frost in the fall. A second application should be made when the lawn or other turfgrass area is free of snow in mid-winter. Apply a third application after the final melting of snow in late winter or early spring.

6076

8660-80
4 of 4

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. **PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

WARRANTY STATEMENT

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. **EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.**

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. **FOLLOW DIRECTIONS CAREFULLY.** Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured by:

**PARKER FERTILIZER CO.
201 4TH STREET
SYLACAUGA, AL 35150**

Date Printed: 01/28/93
Date Approved:
Supersedes:
Label Change: