# Green-Up Insect & Grub Control with DURSBAN\*

Insecticide

PM19 8660-94


Active Ingredient:	
Chlorpyrifos (0,0-diethyl 0-(3,5.6-trichloro-2-pyridyl)	
phosphorothioate)	2.32%
Inert Ingredients:	<u>97.68%</u>
Total	100.00%
*DURSBAN - Trademark of DowElanco	


# KEEP OUT OF REACH OF CHILDREN CAUTION

## See Back Panel For Additional Precautionary Statements

NET WEIGHT\_\_\_LBS.

TREATS UP TO \_\_\_\_\_ SQ. FT.





L Reg. No.

EPA Reg. No. 8660-94

EPA Est.: 8660-AL-1

(BACK PANEL)

NET WEIGHT\_\_\_LBS.

TREATS UP TO \_\_\_\_\_ SQ. FT.

# Green-Up Insect & Grub Control with DURSBAN\*

Insecticide

## KEEP OUT OF REACH OF CHILDREN PRECAUTIONARY STATEMENTS CAUTION

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

May be harmful if swallowed. Do not take internally. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Flush contaminated eyes with plenty of water and get medical attention if irritation develops or persists. Keep children and pets off treated areas until this material is washed into the soil and grass is dry.

#### STATEMENT OF PRACTICAL TREATMENT

**If swallowed:** Induce vomiting. Call a physician immediately. **If on skin**: In case of contact, remove contaminated clothing and immediately wash skin with soap and water. **If in eyes:** Flush eyes with plenty of water for 15 minutes. Call a physician. **If inhaled:** Remove victim to fresh air. Apply artificial respiration if indicated.

**NOTE TO PHYSICIAN:** Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply where nunoff is likely to occur. Use this product only as specified on this label.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with it's labeling.

Controls Chinch Bugs, Sod Webworms (Lawn Moths), Ants, Brown Dog Ticks, Crickets, Cutworms, Earwigs. Sowbugs (Pillbugs) and Hyperodes (Turfgrass) Weevils infesting lawns and other ornamental areas. Controls larvae of Japanese Beetle and European Chafer.

Apply this product uniformly over the turf area at the rate of 1 pound per 1000 sq. it. Make the first treatment when insects first appear and retreat as needed. For best results, product should be watered in either by rainfall or irrigation.

To control Hyperodes (Turfgrass) Weevils, apply at the rate of 2 pounds per 1000 st. ft. Treat suspected problem areas in mid-April and again in mid-May. Consult your local Agricultural Extension Service specialist for the best time to treat in your area.

For control of larvae of Japanese Beetle and European Chafer, apply at the rate of 2 pounds per 1000 sq. ft. For best results, follow with adequate sprinkling to wash material into turf. Consult your local Agricultural Extension Service for the best time to treat in your area.

#### SUGGESTED SPREADER SETTINGS (AVAILABLE AT FINAL PRINTING)

**NOTE:** The above spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of area treated. Close spreader when filling, stopping or turning. DO NOT HAND SPREAD.

#### STORAGE AND DISPOSAL

(THE FOLLOWING STATEMENT WILL BE USED IF SOLD IN THE HOMEOWNER MARKET): Do not contaminate water, food, or feed by storage and disposal. Keep container closed and away from food, feedstuffs, and domestic water supplies. **PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.


(THE FOLLOWING STATEMENT WILL BE USED IF SOLD IN THE COMMERCIAL MARKET): Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs, and domestic water supplies. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact you State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DIS-POSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary land'ill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out ot smoke.

#### WARRANTY STATEMENT

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WAR-RANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OF IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

> Manufactured by: PARKER FERTILIZER CO. 201 West Fourth St. Sylacauga, Alabama 35150



Z@₽3

EPA Reg. No. 8660-94 EPA Est.: 8660-AL-1