# MAY 25 1993

Mr. Daniel Paradiso, Jr. The Andersons Management Corp. P.O. Box 119 Maumee, OH 43537

Dear Mr. Paradiso:

SUBJECT: Revised Labeling

USS Grasshopper & cutworm Bait 5% Sevin

EPA Reg No. 8660-111

Your Letter Dated February 19, 1993

The labeling for the product referred to above submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable subject to the comment listed below. A stamped copy is enclosed for your records.

In your Hazards To Humans paragraph revise the sentence "Harmful if inhaled or swallowed." to read "Harmful if swallowed".

Sincerely yours,

DHE

Dennis H. Edwards, Jr. Product Manager 19 Insecticide-Rodenticide Branch Registration Division (H-7505C)

8660-111 1 of 4

(FRONT PANEL)

ACCEPTED
with CONDENTS

USS

## GRASSHOPPER & CUTWORM BAIT

### 5% SEVINO

# AN ATTRACTANT INSECTICIDE

MAY 25 1993
Under the Federal Breestelds Are Francische, and Reduction Are an americal, for the postelde registered under EPA Roy. No. \$160-111

For Control of Insect Pests Such As Ants, Armyworms, Crickets, Cutworms, Darkling Beetle, Sowbugs and Grasshoppers

#### ACTIVE INCREDIENT:

Carbaryl (1-naphthyl N-methylcarbamate)  INERT INCREDIENTS:		
	TOTAL.	100.02

Sevino is the registered trademark of Union Carbide Corporation for carbaryl insecticide.

## KEEP OUT OF REACH OF CHILDREN

## AND DOMESTIC ANIMALS

# CAUTION

#### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by drinking 1 or 2 glasses of water and touching the back of throat with fingers of blunt object. Do not induce vomiting or give anything by mouth to an unconscious person.

IF IN EYES: Flush with plenty of water. If irritation persists get medical attention.

IF ON SKIN: Wash thoroughly with soap and water.

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

READY TO USE

NET WEIGHT 1 LB.

EPA Est. 9198-0H-1

EPA Reg. No. 8660-111

8660-111 2 of 4

(BACK PANEL)

NET WEIGHT 1 LB.

USS

#### **GRASSHOPPER & CUTWORM BAIT**

#### 5% SEVINO

#### PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if inhaled or swallowed. Avoid breathing of dust. Do not take internally. Avoid contact with skin and eyes. Wear regular long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling.

NOTE TO PHYSICIAN: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal. Do not use 2-PA, opiates or cholinesterase inhibiting drugs.

AVOID CONTAMINATION OF FOOD, FEED, WATER SUPPLIES, STREAMS AND PONDS DURING APPLICATION OR WHEN CLEANING EQUIPMENT. Keep pets off treated areas.

# **ENVIRONMENTAL HAZARDS**

This product is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

May kill honey bees in substantial numbers. This product is highly toxic to bees exposed to direct treatment or residues on corps. Protective information day be obtained from your Cooperative Agricultural Extension Service.

Do not use when value of bees of pollinators is more important; than the control. Before applying, warn beekeepers to locate hives beyond bee flight range until one week after application or to take other equally effective precautions.

.....

# DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply granules as broadcast application over the soil. Treatments may be repeated as necessary. Dosages from (1/2 lb. to 1 lb. per 1,000 sw. ft. will control Ants, Armyworms, Crickets, Cutworms, Darkling Beetle, Sowbugs and Grasshoppers.

CROP 1.	DOSAGE RATE 000 SQ. FT.	DAYS BETWEEN FINAL APPLICATION AND HARVEST	
Cucumbers, Squash, Melons, Peanuts	1/2 1b.	None	
Peas	3/4 lb.	Alfalfa - 7 Days Peas - 3 Days Cotton - 7 Days	
Beans, Carrots, Corn, Eggplant, Okra, Peppers, Potatoes, Sweet Corn, Tomatoes	1 1b.	None	
Asparagus, Strawberries	1 1b.	1 Day	
Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Head Lettuce, Garden Beets (Roots), Horseradish, Parsnips, Rutabagas, & Turnips (Root	1 1b.	3 Days	
Sugar Beets, Collards, Endive, Garden Beets (Tops), Kale, Leaf Lettuce, Parsley, Spinach, Swiss Chard, Turnips (Tops)	1 lb.	14 Days	
Fruits: Apples, Apricots, Cherries, Citrus, Grapes, Nectarines, Peaches, Pears, Plums Ornamentals: Annual Plants, Berbacious Plants and Shrubs, Trees, Woody Plants	1 1b.	Apples - 1 Day Apricots - 3 Days Cherries - 1 Day Citrus - 5 Days Nectarines - 3 Days Peache: - 1 Day Pears - 1 Day Runs - 1 Day	

8660-111 4 of 4

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

#### WARRANTY STATEMENT

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured by:

PARKER FERTILIZER CO. 201 4TH STREET SYLACAUGA, AL 35150

Date Printed: 01/28/93

Date Approved: Supersedes: Label Change:

