

SEP 29 1992

Mr. Daniel Paradiso, Jr.
The Andersons
d/ba Parker Fertilizer Company
201 4th Street
Sylacauga, AL 35150

Dear Mr. Paradiso:

Subject: Revised labeling
Vertagreen^(R) Dairy Cattle Dust
EPA Registration No. 8660-135
Amendment application of July 24, 1992

The amendment referred to above, submitted in connection with registration under FIFRA, is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amendment labeling:

Revise the environmental hazards wetlands statement to:

"Do not apply directly to water, to areas where surface water is present or to intertidal areas below the means high water mark."

2. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide-Rodenticide Branch
Registration Division (H-7505C)

Enclosure

8660-135
1 of 4

(FRONT PANEL)

VERTAGREEN®

DAIRY CATTLE DUST

ACCEPTED
with COMMENTS
in EPA Letter Dated

SEP 29 1982

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

8660-135

ACTIVE INGREDIENTS:

Methoxychlor: 1,1,1-trichloro-2,2-bis(p-methoxyphenyl) 5.00%

INERT INGREDIENTS: 95.00%

Total 100.00%

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash skin with plenty of soap and water.

IF IN EYES: Flush with water for 15 minutes and get medical attention.

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

NET CONTENTS 1 LB.

4 7 6

8660-135
2 of 4

(BACK PANEL)

NET CONTENTS 1 LB.

VERTAGREEN®

DAIRY CATTLE DUST

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes, or clothing. Wash thoroughly after handling.

WORKER PROTECTION

Do not enter or allow entry into treated areas until sprays have dried/dusts have settled/vapors have dispersed, as applicable, to perform hand labor tasks. A person may enter the area to perform other tasks only if the person is wearing the personal protection equipment listed on the label for a pesticide handler.

Do not apply this product in a way that will contact unprotected workers, either directly or through drift. Only protected handlers wearing long pants, long-sleeved shirts, socks, shoes and chemical resistant gloves may be in the area during application.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

BEST AVAILABLE COPY

FARM BUILDINGS: To control Stable Flies, House Flies and Fleas, dust thoroughly all wall and floor surfaces inside the building including cracks, crevices, baseboards, and animal quarters, such as stalls, pens and bedding. Wetting vertical surfaces lightly before dusting will improve adherence of the dust and its residual effectiveness. Such treatment should be effective from 3 to 6 weeks, unless removed by weathering or mechanical means. This use should be supplemented with proper sanitary measures, including dusting or removal of breeding sources such as manure in and around buildings, and the proper treatment of the animals as detailed above. Do not use in poultry houses.

FARM ANIMALS: For the control of Hornflies on cattle (including lactating dairy animals) and the control of Ticks (keds) on sheep, use 10 heaping tablespoonfuls per animal, sprinkling over the animal and rubbing into the hair or wool.

On cattle, apply to poll, neck, back and upper sides. Never before was fly control so easy and effective--so economical. One application will last 2 to 3 weeks--2 lbs. is enough to protect an animal for the entire season.

On sheep, hand-dusting is quick and convenient to do right at shearing time. It's ideal to use in cold weather, since you eliminate the risk of chilling animals and of infections due to dipping. One pound can protect as many as five head for an entire season, and reinfestation can be avoided for as long as a year if treated sheep do not come in contact with infested animals. Dairy Cattle Dust has a very low order of toxicity to humans and livestock, so that it may be used as often as once every 3 weeks, if reinfestation should occur.

STORAGE AND DISPOSAL

FOR HOMEOWNER USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. **PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

FOR PROFESSIONAL/COMMERCIAL USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs, and domestic water supplies. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

BEST AVAILABLE COPY

WARRANTY STATEMENT

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. **EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.**

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. **FOLLOW DIRECTIONS CAREFULLY.** Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured By:

**PARKER FERTILIZER CO.
201 4TH STREET
SYLACAUGA, AL 35150**

Date Printed: 07/07/92

Date Approved:

Supersedes:

Label Change:

100-1000-1000-1000