

Mr. Daniel Paradiso, Jr.
The Andersons
d/b/a Parker Fertilizer Co.
201 W. Fourth St.
Sylacauga, AL 35150

Dear Mr. Paradiso:

Subject: VERTAGREEN FERTILIZER FOR PROFESSIONAL USE
WITH BALAN & SURFLAN
EPA Reg. No. 8660-139
Your submission dated May 22, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is not acceptable for the reason(s) outlined below:

1. Please provide an updated Confidential Statement of Formula for your product. The CSF signed Oct., 1985 lists EPA Reg. Nos. 1471-71, 77 & 100 as your sources. These products have since been transferred to EPA Reg. No. 02719-100, 102 & 103, respectively.

2. Under the Environmental Hazards section of the label, please revise your "disposal of wastes statement" under the Environmental hazards heading to read, "Do not contaminate water when disposing of equipment washwaters or rinsate".

Sincerely yours,

Robert J. Taylor
Product Manager 25
Fungicide-Herbicide Branch
Registration Division (H7505C)

RD:RTaylor:eja:6/15/92:3056800

296

8660-139
1 of 5

(FRONT PANEL)

VERTAGREEN®

FERTILIZER FOR PROFESSIONAL USE

WITH


BALAN® AND SURFLAN®

14-4-6

ACTIVE INGREDIENTS:

N-butyl-N-ethyl-a,a,a-trifluoro-2,6-dinitro-p-toluidine	0.86%
Oryzalin (3,5-dinitro-N,N-dipropylsulfanilamide)	0.86%
INERT INGREDIENTS:	<u>98.28%</u>
TOTAL	100.00%

Contains 34.4 pounds Benefin and Oryzalin per ton.
Balan® and Surflan® are the Registered Trademark of DowElanco.



KEEP OUT OF REACH OF CHILDREN

WARNING

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

NET WEIGHT 50 LBS.

Treats Up To 12,500 Sq. Ft.

376

8660-139
2 of 5

(BACK PANEL)

NET WEIGHT 50 LBS.

TREATS UP TO 12,500 SQ. FT.

VERTAGREEN®

FERTILIZER FOR PROFESSIONAL USE

WITH

BALAN® AND SURFLAN®

14-4-6

GUARANTEED ANALYSIS

Total Nitrogen (N)	14.00%
14.00% Ammoniacal Nitrogen	
Available Phosphoric Acid (P ₂ O ₅)	4.00%
Soluble Potash (K ₂ O)	6.00%

Sources of Plant Nutrients: Ammonium Sulfate, Ammonium Phosphate, and Muriate of Potash

Chlorine (Cl), maximum	6.00%
----------------------------------	-------

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Causes eye irritation. Do not get in eyes. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust and contact with skin or clothing. The granular formulation may cause skin sensitization reactions in certain individuals. Use eye protection and protective clothing such as coveralls, a long-sleeved shirt and impermeable gloves when handling this product. Wash thoroughly with soap and water after handling this product. Remove contaminated clothing and wash before reuse.

BEST AVAILABLE COPY

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink promptly a large quantity of milk, egg white, gelatin solution, or, if these are not available, large quantities of water. Avoid alcohol.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Call a physician.

IF INHALED: If breathing difficulty occurs, move individual to fresh air and get medical attention.

ENVIRONMENTAL HAZARDS

Do not contaminate any body of water by direct application, cleaning of equipment, or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For use on lawns and golf course turf. Will control crabgrass, foxtail, goosegrass and most other annual weed grasses in established warm season turf. Use in established Bahiagrass, Bermudagrass, Centipedegrass, St. Augustinegrass, Zoysiagrass and Tall Fescue.

READ ALL DIRECTIONS CAREFULLY BEFORE APPLYING.

1. This product fertilizes grass and controls smooth and hairy crabgrasses, goosegrass, barnyardgrass, green and yellow foxtail and annual bluegrass (*Poa Annua*) in established warm season turfs.
2. Apply in the early spring prior to the germination of these annual weedgrasses.
3. Apply this product at the rate of 174 lbs. per acre (1.5 lbs. actual Benefin plus 1.5 lbs. actual Oryzalin per acre).
4. Apply this product evenly over the area with no skips or misses. Calibrate and check application equipment prior to use.
5. For heavy weedgrass pressure areas a second application of 116 lbs. per acre may be made 8-10 weeks after initial application.
6. For *Poa Annua* (annual bluegrass) control this product must be applied in the late summer or early fall, 1 to 2 weeks prior to the expected germination of annual bluegrass.

BEST AVAILABLE COPY

PRECAUTIONS: Apply this product prior to the germination of annual weed grasses since it will not control established weeds. This product may thin established Annual Bluegrass or fine-leaved fescues. This product should not be used on areas planted the previous fall, which have not become well established or have not fully germinated. These areas should have been established well enough to require several mowings the previous fall.

In overseeded areas this product may thin some of the overseeded grasses. This product should not be used on Dichondra. It should not be used on newly sprigged areas of Bermudagrass, St. Augustinegrass or Centipede grass until these turfs are well established.

This product will not harm most nearby established trees and shrubs.

STORAGE AND DISPOSAL

FOR HOMEOWNER USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. **PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse bag. Discard bag in trash.

FOR PROFESSIONAL/COMMERCIAL USE ONLY:

Do not contaminate water, food or feed by storage and disposal. Keep container closed and away from food, feedstuffs and domestic water supplies. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for Guidance. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke

BEST AVAILABLE COPY

6 9 6

8660-139
5 of 5

WARRANTY STATEMENT

MANUFACTURER warrants that this product (1) conforms to the ingredient statement on the label and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. MANUFACTURER MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

The manufacturer's directions regarding use of this product are based upon tests believed to be reliable. All statements made concerning this product apply only when used as directed, under normal use conditions. FOLLOW DIRECTIONS CAREFULLY. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the manufacturer. Buyer assumes all risks of use, storage or handling of this product.

Manufactured by.

**PARKER FERTILIZER CO.
201 4TH STREET
SYLACAUGA, AL 35150**

Date Printed: 05/08/92
Date Approved:
Supersedes:
Label Change: