

8660-154



1/15/2002  
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

1/11

OFFICE OF  
PREVENTION, PESTICIDES  
AND TOXIC SUBSTANCES

Mr. Sanford R. Simon  
Director, Technical Services  
Pursell Industries, Inc.  
P.O. Box 540  
Sylacauga, AL 35150

JAN 15 2002

Dear Mr. Simon:

Subject: Parker® Fertilizer with 0.17% Dimension®  
EPA Registration Number 8660-154  
Application and Letter Dated November 26, 2001,  
Request To Amend Registration in Compliance with  
EPA PR Notices 2001-1 and 2001-6 and Format Changes  
as Described in Your Application

The proposed labeling amendments have been reviewed and found to be acceptable amendments to the subject registration of this pesticide product under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, provided that you revise the propose labeling as described below:

1. In a box at the end of the label the statement:  
"Dimension is a Registered trademark of Rohm & Haas Company." is incorrect. Revised this statement to reflect the present owner of this trademark.
2. The section "Conditions of Sale and Warranty statement should be preceded by the statements: "Read the entire "Directions for Use" and "Conditions of Sale and Warranty" statements before using this product. If terms are not acceptable, return the unopened product container at once to the seller" (you may specify a reasonable time limitation, if "at once" is not preferred.). The above requirement is to assure that you have complied with UCC Articles (Sections 2-719 and 2-316) that apply to the claims for limitation of remedy in the warranty statement. A copy of the UCC Articles are enclosed.
3. Submit one (1) copy of the final printed label prior to your shipment of this pesticide product under the enclosed revised stamped label.


If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA, section

2/11

6(e). Your release for shipment under this labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note that these amendments allowed do not involve exclusive use data; therefore, a letter of authorization was not required.

Sincerely yours,

  
for Joanne I. Miller  
Product Manager (23)  
Herbicide Branch  
Registration Division (7505C)

Enclosures (2)

3/11

FRONT PANEL

# Parker® Fertilizer with 0.17% Dimension®

Crabgrass Control for Home Lawns

For Outdoor Residential Use Only

Pre and Early Post Emergence Control of Crabgrass

- A selective herbicide plus Fertilizer that provides control of crabgrass and other weeds on established lawns
- Contains Polyon® timed-release nitrogen for a Beautiful, Green, Vibrant Lawn
- Contains the active ingredient found in Dimension® Turf Herbicide

## XX – XX – XX

**STOP - Read This Entire Label Before Use  
KEEP OUT OF REACH OF CHILDREN**

### CAUTION

Causes Eye Irritation, If in Eyes

See back panel for ingredients and additional precautionary statements

Net Contents: 17 lbs.      TREATS [or COVERS] 5,000 sq. ft.

**ACCEPTED  
with COMMENTS  
In EPA Letter Dated**

**JAN 15 2002**

**Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.**

8660-154

4/11

### BACK PANEL

#### Ingredients

ACTIVE INGREDIENT:	
Dithiopyr*	0.17%
OTHER INGREDIENTS**	99.83%
TOTAL	100.00%

\*CAS # 97886-45-8

\*\* Other ingredients in this product are Premium Parker Fertilizer, including Polyon® slow-release granules and dipropylene glycol to adhere the active ingredient on the fertilizer.

	A	H
EPA Reg. No. 8660-154	EPA Est. No. 8660-AL-1	8660-OH-1
First letter of run code on bag matches letter above EPA Est. No.		

#### GUARANTEED ANALYSIS

Total Nitrogen (N)	XX.00%
X.X% Ammoniacal Nitrogen	
X.X% Urea Nitrogen*	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> )	XX.00%
Soluble Potash(K <sub>2</sub> O)	XX.00%

Derived From: Polymer-coated urea, urea, diammonium phosphate, and muriate of potash

\*X.X% Slowly Available Urea Nitrogen From Polymer-coated urea.

F1061

#### PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

#### CAUTION:

- Causes eye irritation, if in eyes.
- Harmful if inhaled.
- Avoid contact with skin, eyes, or clothing.
- Wash thoroughly with soap and water after handling.
- If product gets on clothes, wash before reuse.
- Prolonged or repeated skin contact may cause allergic skin reactions in some individuals.

#### First Aid

The table below describes the first aid procedures for incidents involving Parker® Fertilizer with 0.17% Dimension®

In the case of accidental...	Immediately...
Contact with eyes	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
Inhalation of dust	<ul style="list-style-type: none"> <li>• Move person to fresh air</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
<p><b>NOTE:</b> Have the product label with you when calling a poison control center or doctor, or going for treatment. Active Ingredient: Dithiopyr, CAS # 97886-45-8</p>	

**Environmental Hazards**

- This product is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift and runoff from treated turf may adversely affect aquatic organisms in adjacent aquatic sites. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas.
- Do not contaminate water when cleaning equipment or disposing of equipment washwater.

**Directions for Use**  
**IMPORTANT: Follow label directions**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For outdoor residential use only.

**Using these directions**

These "Directions for Use" are designed to help you determine the appropriate application procedure for This product.

Before using This product, make sure that you read the entire "Directions for Use" section of this label.

**Before you Use**

Read and follow these guidelines when you use This product:

- Apply only to lawns and ornamental turf that are well established.
- Wait at least 12 weeks after using this product before reseeding, overseeding or sprigging of grass into areas that have been treated.
- Use of product on new lawns or grass that has been weakened or stressed by drought, excessive temperatures or pests, increases chance of injury to grass.
- When applying around ponds or other bodies of water, do not apply in windy conditions or where product can run-off into water.
- Keep people and pets off treated areas until dust has settled.
- Do not use grass clippings as mulch around vegetables or fruit trees.
- This product may be applied to flowers listed on this label.
- Do not make more than 1 application to the same area in the same year.

**How to use**

1. Apply this product at the rate of: 3. lbs per 1000 sq. ft. (1 bag treats 5000 sq. ft.)
2. Calibrate your spreader according to the spreader manufacturer's directions. Adjust settings as needed to apply the recommended rate of product.
3. Using a drop-type or rotary spreader, apply granules evenly over grass, avoiding streaking, skips or overlaps. Avoid using spreaders that apply product in narrow or concentrated bands.
4. Check calibration of spreader frequently to insure spreader is functioning properly and applying product evenly.

**Spreader Settings**

This 17 pound bag covers 5,000 sq. ft. Use the settings below to apply at a rate of 3.4 lbs per 1000 sq. ft.

Rotary Spreaders	Drop Spreaders
X	X
X	X
X	X
X	X
X	X

6/11

**Where to use**

This product can be used on the following types of grass when applied as directed:

**Cool Season Grasses**

Agrostis Stolonifera  
Bentgrass, creeping  
Bluegrass, Kentucky  
Fescue fine  
Fescue tall  
Festuca arundinacea  
Festuca rubra  
Lolium, perenne  
Poa pratensis  
Rye grass, perennial

**Warm Season Grasses**

Axonopus affinis  
Bahia  
Bermuda  
Buchloe dactyloides  
Buffalograss  
Carpetgrass  
Centipede  
Cynodon dactylon  
Eremochloa ophiuroide  
Kikuyugrass  
Paspalum notatum  
Pennisetum clandestinum  
St. Augustine  
Stenotaphrum secundatum  
Zoysia japonica  
Zoysiagrass

**When to apply**

- Product may be applied either in the Spring or Fall for the control of weeds.
- Product will provide up to 4 months of weed control when used as directed, although length of control can be affected by weather, grass conditions and weed pressures.
- To get control of listed weeds other than crabgrass, applications must be made before weeds emerge.
- Parker® Fertilizer with 0.17% Dimension® crabgrass control for home lawns will control crabgrass if applied before it emerges and up to 4 weeks after it emerges.

**Weeds Controlled**

**Pre- and Early Post Emergent**

- Crabgrass

**Pre-Emergent (Preventative)**

**Grass Weeds**

Annual Bluegrass	Goosegrass
Annual Ryegrass	Green Foxtail
Barnyardgrass	Kikuyugrass (seedling)
Crabgrass	Perennial Ryegrass
Crowfootgrass	Smutgrass (seedling)
	Yellow Foxtail

**Broadleaf Weeds**

Bittercress	Creeping Oxalis
Buttercup Oxalis	Henbit
Carolina Geranium	Parsley-piert
Chickweed	Pineappleweed
Common Lespedeza	Prostrate Spurge
Common Purslane	Spotted Spurge
Corn Speedwell	Yellow Woodsorrel

7/11

**TOLERANT TREES, SHRUBS, AND FLOWERS\*\***

When applied as directed under the conditions on this label, trees, shrubs, and flowers listed below have shown tolerance in field trials. However, this product has not been tested on all cultivars of each species or under all possible growing conditions. Follow directions given above to determine plant tolerance under your growing conditions. A limited area involving only a few plants should be treated and observed for signs of yellowing, wilting, or lack of growth prior to large-scale application.

Common Name	Botanical Name	Tolerant Cultivars
Abella, Dwarf	Abela X grandiflora	Nana
Ajuga	Ajuga reptans	Bronze
	Ajuga genevensis	Bronze Beauty
Almond, Flowering	Prunus glandulosa	
Apple*	Malus pumila	
Arborvitae	Thuja occidentalis	Nigra; Pyramidalis; Smaragh Techny; Woodwardii.

\* Ornamental Species only. DO NOT USE ON FOOD-PRODUCING TREES SHRUBS, AND FLOWERS.

\*\*Full list of Tolerant Trees, Shrubs, and Flowers listed as an addendum to this label.

**STORAGE AND DISPOSAL**

**Storage:** Store product in original container in a cool, dry, locked place out of reach of children and pets.  
**Disposal:**  
*If empty:* Do not reuse this container. Place in trash or offer for recycling if available.  
*If partly filled:* Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**Conditions of Sale and Warranty**

NOTICE: Buyer and user assumes all risk and liability of use, storage, an/or handling of this product not in accordance with the terms of this label.

**Product Information: 800-874-8892**

Manufactured By:  
 Pursell Industries, Inc.  
 P.O. Box 540  
 Sylacauga, AL 35150

STA-Green® is a registered trademark of Pursell Industries, Inc. POLYON® is a registered trademark of RLC Technologies, L.L.C. used by permission. The POLYON® design and the GREEN color of the POLYON® capsule are trademarks of RLC Technologies, L.L.C., used by permission. Dimension® is a registered trademark of Rohm & Haas Company. POLYON® Patent Nos. 4,711,659; 4,804,403; 4,969,947; 5,374,292

**THE PARKER® PROMISE**  
**YOUR SATISFACTION GUARANTEED OR YOUR MONEY BACK**  
 If you apply this product as directed and are not completely satisfied, Just send a proof of purchase from this package and a cash register receipt to the address below. We will promptly refund your money.

**ADDENDUM**

**Parker Fertilizer with 0.17% Dimension®  
Crabgrass Control for Home Lawns  
EPA Reg. No. 8660-154**

**TOLERANT TREES, SHRUBS, AND FLOWERS**

When applied as directed under the conditions on this label, trees, shrubs, and flowers listed below have shown tolerance in field trials. However, this product has not been tested on all cultivars of each species or under all possible growing conditions. Follow directions given above to determine plant tolerance under your growing conditions. A limited area involving only a few plants should be treated and observed for signs of yellowing, wilting, or lack of growth prior to large-scale application.

Common Name	Botanical Name	Tolerant Cultivars
Abella, Dwarf	Abella X grandiflora	Nana
Ajuga	Ajuga reptans	Bronze
	Ajuga genevensis	Bronze Beauty
Almond, Flowering	Prunus glandulosa	
Apple*	Malus pumila	
Arborvitae	Thuja occidentalis	Nigra; Pyramidalis; Smarag Techny; Woodwardii.
Arborvitae, Golden	Thuja orientalis	
Aster, Chinese	Callistephus chinensis	Dwarf Queen
Ash Green	Fraxinus pennsylvanica	
Ash, Mountain	Sorbus aucuparia	
Ash, Purple	Fraxinus americana	
Azalea	Rhododendron spp.	Brilliant; Buccaneer; Carror; Chimes (Belgian); Exbury; Fashion; Hardijzer Beauty; Hershey Red; Higasa; Hinocrimson; Holland (Hybrid); Marion Lee; Northern Lights; Orange Cup; Orchid Lights; Snow; Southern Charm.
Azalea, Flame	Rhododendron calendulaceum	
Azalea, Kirishima		
Bamboo, Heavenly		
Barberry	Berberis thunbergii	Aurea; Dwarf Pigmy; Green; Kobold; Pygmy Red; Rose Glow
Barberry, Purple		Atropurpurea
Bearberry(common)	Arctostaphylos uva-ursi	Massachusetts
Birch, River	Betula nigra	
Blueberry*	Vaccinium spp.	Bluecrop; Blue Jay; Jersey; North Blue; Northland
Bottlebrush	Callistemon citrinus	
Boxwood, Japanese		Japonica
Boxwood, Weller	Buxus sempervirens	
Broom	Cytisus spp.	Moonlight
Broom	Genista pilosa	Vancouver Gold
Bugle Carpet		
Camellia	Camellia japonica	Chansonette; Debutante; Mathotiana Supreme
Camellia	Camellia sasangua	
Carex, Variegated	Carex	
Cedar, Red	Juniperus virginiana	
Cockscomb, Plumosa	Celosia cristata	Red Kewpie
Coleus	Coleus blumei	
Copper leaf	Acalypha wilkesiana	
Cotoneaster	Cotoneaster apiculatus	
Coyotebrush	Baccharis pelularis	
Cycads	Cycads revoluta	
Cypress, Bald	Taxodium distichum	
Cypress, Italian	Cupressus sempervirens	Glauca
Cypress, Japanese False	Chamaecyparis obtus	Gracilis
Cypress, Leyland	Cupressocyparis leylandii	
Daffodil	Narcissus spp.	King Alfred
Daylily	Hemerocallis spp.	Aztec Gold; Bright Yellow (Hybrid); Single Gold (Evergreen); Wilson's Yellow
Dogwood	Cornus florida	
Dogwood, American	Cornus sericea	Flavimarica
Douglas Fir	Pseudotsuga menziesii	
Dusty Miller	Senecio cineraria	
Elm, Drake	Ulmus parvifolia	



9/11

Euonymus	Euonymus fortunei	Argento-variegata; Auereo-marginata; Colorata; Emerald Gaiety; Emerald'N Gold; Gold Edge; Gold Princess; Silver King; Tricolor; Vegetus.
Fan Palm, European	Chamaecrops humilis	
Fan Palm, Mexican	Washingtonia robusta	
Fescue	Festuca glauca	
Fetterbush	Leucothoe fontiana	Rainbow
Ficus	Ficus retusa	Nitidia
Forsythia	Forsythia X intermedia	Arnold Dwarf, Bronxensis Dwarf, Lynwood gold; Meadowlark; Spring Glory; Weeping.
Fir Fraser	Abies fraseri	
Gardenia	Gardenia jasminoides	Mystery; Radicans
Geranium	Pelargonium X hortorum	
Gum	Eucalyptus citriodora	
Hawthorn	Crataegus spp.	Cockspur white; Crimson Cloud; Enchantress; Jack Evans; Washington White
Heather, Twisted	Erica cinerea	Mediterranean Pink
Hibiscus	Hibiscus spp.	Blue Bird; Brilliant; hula Girl
Hemlock, Canada	Tsuga canadensis	
Holly	Ilex spp.	Blue Boy; Blue Girl;
	Ilex X meserveae	Burfodii; China Girl; Compacta; Forsteri; Hellerie; Japanese Northern Beauty; Needlepoint; nellie R. Stevens; Savannah
	Ilex X attenuata	
Holly, Chinese	Ilex comuta	
Holly, Japanese	Ilex crenata	
Holly, Yaupon	Ilex vomitoria	
Honeysuckle	Lonicera japonica	Clavey's Dwarf; Halliana; Tatarian Canadian White; Zebelli Red
Hosta	Hosta spp.	Hosta
Hosta	Hosta lancifolia	Albo Marginata
Ice Plant	Carpobrotus edulis	
Impatiens	Impatiens wallerana	
Iris	Iris spp.	Dwarf Blue; Wedgewood
Ivy, English	Hedera helix	Bulgaria, Thorndale
Jasmine, Asian	Trachelopermum asiaticum	
Juniper	Juniperus spp.	Arcadia; Armstrong; Bar Harbor
Juniper	Juniperus horizontalis	Blue Chip; Blue Pacific; Blue Rug; Blue Star; Broadmoor; Buffalo; Calgary Carpet; Emerald Sea; Emerald Spreader; Endora Compacta; Fruitlandi; Green; Gold Tip; Hetzi; hughes; Manhattan Blue; Parsoni; Pfitzeriana; Plumosa; Prince of Wales; Procumbens Dwarf; San jose; Sargent Blue; Sargent Green; Scandia; scopulorum Moonglow; Scopulorum skyrocker; Spartan
Juniper	Juniperus chinensis	Tamariscifolia
Juniper	Juniperus sabina	Weberi; Youngstown; Yukon Belle
King Palm	Archontophoenix cunninghamiana	
Laurel, Australian	Pittosporum tobira	
Laurel, Mountain	Kalmia latifolia	
Leucothoe	Leucothoe fontanesiana	
Lily, African	Agapanthus africanus	Albus; Peter pan
Lily, African blue		
Lily of the Valley	Pieris japonica	Mt. Fire
Lilyturf	Liriope muscari	Evergreen Giant; Lilac Beauty; majestic; monroe White; Variegata
Ligustrum, Japanese	Ligustrum japonicum	
Liriope, Green	Liriope spicata	
Maple, Japanese	Acer japonicum	
Maple, Norway	Acer platanoides	
Maple, Red	Acer rubrum	
Maple, Silver	Acer saccharinum	
Maple, Sugar	Acer saccharum	
Marigold	Tagetes patula	Honeycomb; Variegata; Wheeler's Dwarf
Mock Orange*	Philadelphus spp.	Golden; Snowflake Double White
Mondo Grass	Ophiopogon japonicus	
Moss Rose	Portulaca Grandiflora	Sunnyside
Myrtle, Crape	Lagerstoemia indica	Faurei; Langer; Muskogee; Standard Pink
Myrtle, Wax	Myrica cerifer	
Nadina	Nadina domestica	Compacta; Nana
Oak, Laurel	Quercus laurifolia	
Oak, Pin	Quercus palustris	
Oak, Red	Quercus rubra	
Oak, Southern L.	Quercus virginiana	
Oak, Willow	Quercus phellos	

Oleander	Nerium oleander	Hardy Red; Petite Pink; Sister Agnes
Oteospermum	Osteospermum fruticosum	Wirligig
Palm, Bangalow		
Pampas Grass	Cortadaria selloana	
Paper Flower	Bougainvillea glabra	Barbara Karst
Pachysandra	Pachysandra terminalis	
Peach*	Prunus persica	
Periwinkle, Dwarf	Vinca minor	
Petunia	Petunia X hybrida	Picoti
Photinia, Red Tip	Photinia X fraseri	
Pieris	Pieris japonica	
Pine, Australian	Pinus nigra	
Pine, Japanese Black	Pinus thumbergiana	
Pine, Loblolly	Pinus taeda	
Pine, Longleaf	Pinus palustris	
Pine, Mugho	Pinus mugho	
Pine, Scotch	Pinus sylvestris	
Pine, Slash	Pinus eliotti	
Pine, Swiss Mt.	Pinus mugo	
Pine, Virginia	Pinus virginiana	
Pine, White	Pinus strobus	
Pineapple, Guava	Feijoa fellowaiana	
Pittosporum, Japan		
Potentilla	Potentilla fruticosa	Abbotswood
Privet	Ligustrum japonicum	Golden Vicary; Regal; Texanum; Wax; Yellow Tipped
Privet, Glossy	Ligustrum lucidum	
Pyracantha	Pyracantha koidzumii	Gnome; Lalander; Victory
Queen Palm	Arecastrum rammanzoffianum	
Quince, Japanese*		
Rhododendron	Rhododendron spp.	Album; Cunningham White; Fashion; Hardy; PJM; Purple Gem; Silvery Pink
Rhododendron, Carolina	Rhododendron carolinianum	
Rhododendron, Catawba	Rhododendron catawbiense	
Rodie Max (Rosebay)	Rhododendron maximum	
Rose	Rosa banksiae	Luta
Rosemary*	Rosmarinus officinalis	
Rosemary, Bog	Andromeda polifolia	Nana
Salvia	Salvia farinacea	Rhea
Sedum	Sedum spurium	Dragon Blood Red; Red Carpet; Yellow
Spiraea	Astilbe X arendsii	Fanall
Spiraea	Spiraea spp.	Anthony Waterer Red; Dolchica; Froebeli Pink; Goldenflame Red; Snowmound White; Van Houtte White
Spiraea, Garland	Spiraea spp.	
Spruce, Black Hills	Picea glauca	
Spruce, Colorado Blue	Picea pungens	
Spruce, norway	Picea abies	
Spruce, White	Picea glauca	Conica
Sourwood	Oxydendrum arboreum	
Sweetflag, Grassy-Le		
Sweetgum	Liquidambar styraciflua	
Sycamore	Plantanus accidentalis	
Tree Fern (Tiki Fern)	Asparagus virgatus	
Trumpet Flower, evening	Gelsemium sempervirens	
Tulip	Tulip spp.	Apeldoorn
Verbena, Shrub	Lantana sellowiana	
Vervain	Verbena spp.	St. Paul
Viburnum	Viburnum spp.	American Cranberry Bush; Arrowood; Common Snowball; European Cranberry Bush; Linden; Mohican; Wright
Windmill Palm	Trachycarpus fortunei	
Xylosma	Xylosma congestum	
Yaupon	Ilex vomitoria	Dwarf
Yew	Taxus cuspidata; Taxus X media	Denisiformis

\* Ornamental Species only. DO NOT USE ON FOOD-PRODUCING TREES, SHRUBS, AND FLOWERS

## AD CLAIMS

[May be used on some product labels.]

1. Contains POLYON® Timed-Release Fertilizer, used by professional turf managers.
2. It's [POLYON] the green inside.
3. Time-Release Fertilizer – POLYON® – If it's not green ...it's not POLYON™
4. Contains TriKote® Timed-Release Fertilizer.
5. Pre and early Post Emergence Control of Crabgrass
6. Covers XXXX sq. ft.
7. Money-Back Guarantee.
8. Look for other quality STA-GREEN® lawn and garden products. For more information about POLYON® and PARKER® products visit us on the Internet at [www.fertilizer.com](http://www.fertilizer.com) or call our Consumer Service Hotline at 1-800-874-8892.
9. Never apply by hand.
10. Typically a lawn will utilize 1 to 4 pounds of nitrogen per 1,000 sq. ft. per growing season. When used as directed, this product provides x.xx lbs. of nitrogen per 1,000 sq. ft. Consult your local County Extension Service for questions regarding a regular fertilizer program suitable for your geographical region.
11. Will not harm listed ornamentals or shrubs.
12. Non-Staining
13. Provides up to 4 months control of crabgrass
14. Use Before or After germination of crabgrass for preemergent and early postemergent control
15. Control Crabgrass for up to 120 days
16. Also controls other grasses and broadleaf weeds such as annual bluegrass, goosegrass, yellow foxtail, spotted spurge, chickweed, oxalis, henbit and other weeds listed on this label.
17. Feeds for up to 2 months at 72° F.
18. If you apply Parker® Fertilizer with 0.17% Dimension® crabgrass control for home lawns as directed and are not completely satisfied, send proof of purchase from this package & the cash register receipt to the address below. We will promptly refund your money.
19. Parker® products with POLYON timed-release nitrogen work differently from other slow-release products. POLYON timed-release nitrogen releases in response to soil temperature rather than moisture level. Other slow release products release according to the amount of moisture present in the soil...the more moisture the quicker the nutrient release...putting your grass at risk from burning. Because Parker® products contain POLYON timed-release nitrogen, your grass is fed for up to 2 months at 72° F
20. IMPORTANT – It is important to follow directions as indicated on this quality lawn care product as over application may cause injury to your lawn. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Be sure to calibrate spreader before beginning, adjusting if necessary. Consult Owner's Manual.
21. NEVER APPLY BY HAND
22. [Used when staining fertilizer nutrients such as ferrous sulfate are used in formula] – This product may [or will] stain sidewalks and driveways. Sweep [vacuum] off any product which may have drifted onto these areas.
23. What the numbers mean:

XX	XX	XX
Nitrogen (N)	Phosphorous (P)	Potassium (K)
Contains Timed-Release Nitrogen for growing a thick green lawn	Improves Root Growth	Improves Plant Hardiness & Drought Resistance