|  | United States Environme<br>Office of Pesticide Pri<br>Washington, DC 20   | ntal Protection Ager<br>ograms (H7505C)   |   |                     | Registratic   |  |
|--|---|---|---|---------------------|---|--|
|  | Application for   |   | e:  | ×                   | Other   |  |
|  |   | Section I   |   |                     |   |  |
| I. Company/Product Number  |   |   | oduct Manage  | er                  | 3. Proposed Clas  | sification   |
| 8660-154   |   |   | Miller  |                     |   | r  |
| 4. Company/Product (Name)  | 0.47  | PM  |   |                     | None  | Restricted   |
| Herbicide Granules Formula   |   |   | 23  |                     |   |  |
| <ul> <li>Name and Address of Applicant<br/>Sylorr Plant Corporation</li> <li>PO Box 142642</li> <li>St. Louis, Missouri 63114-064</li> </ul>   | (include ZIP Code)  | (b)(i<br>to:  |   |                     |   | FRA Section 3(c)(3)<br>ition and labelling   |
| Check if this is a n   | new address   |   | A Reg. No   |                     |   |  |
|  |   | Section II  |   |                     | ······································  |  |
| Amendment - Explain be<br>Resubmission in response<br>X Notification - Explain belo  | e to Agency letter dated  | [   |   | * Application.      | nse to Agency letter  | SEP 1 0 2004   |
| . Material in Which This Product W   |   | Section III   |   |                     |   |  |
|  | /ill Be Packaged:   |   |   |                     |   |  |
|  | /ill Be Packaged:<br>Unit Packaging<br>Yes  |   | er-Soluble Pac  | ckaging             | 2. Type of Contai   | ner  |
| Child-Resistant Packaging  | Unit Packaging  |   |   | ckaging ;           | Metal<br>Plastic  | ner  |
| hild-Resistant Packaging   | Unit Packaging<br>Yes<br>No   | Wat   | Yes<br>No   | ckaging             | Metal   | ner  |
| hild-Resistant Packaging<br>Yes *<br>No<br>* Certification must be   | Unit Packaging<br>Yes<br>No<br>If "YES," No   | . per if "Y   | Yes<br>No   |                     | Metal<br>Plastic<br>Glass   | ner<br>(Specify)   |
| hild-Resistant Packaging<br>Yes *<br>No<br>* Certification must be<br>submitted.   | Unit Packaging<br>Yes<br>No<br>If "YES," No<br>Unit package wgt col   | . per if "Y   | Yes<br>No<br>′ES,"<br>age wgt C   | No. per<br>ontainer | Metal<br>Plastic<br>Glass<br>Paper<br>Other   | (Specify)  |
| Child-Resistant Packaging<br>Yes *<br>No<br>* Certification must be<br>submitted.  | Unit Packaging<br>Yes<br>No<br>If "YES," No<br>Unit package wgt col   | . per If ")<br>ntainer Pack   | Yes<br>No<br>′ES,"<br>age wgt C   | No. per<br>ontainer | Metal<br>Plastic<br>Glass<br>Paper<br>Other   | (Specify)  |
| Child-Resistant Packaging<br>Yes *<br>No<br>* Certification must be<br>submitted.<br>Label   | Unit Packaging<br>Yes<br>No<br>If "YES," No<br>Unit package wgt col<br>n<br>Container   | . per If ")<br>ntainer Pack   | Yes<br>No<br>′ES,"<br>age wgt C   | No. per<br>ontainer | Metal<br>Plastic<br>Glass<br>Paper<br>Other   | (Specify)  |
| Hild-Resistant Packaging Yes * No  * Certification must be submitted. Location of Net Contents Informatio Label Manner in Which Label Is Affixed To  | Unit Packaging<br>Yes<br>No<br>If "YES," No<br>Unit package wgt cor<br>On<br>Container  | A. Size(s) of Re  | Yes<br>No<br>'ES,"<br>age wgt c<br>tail Container   | No. per<br>ontainer | Metal<br>Plastic<br>Glass<br>Paper<br>Other<br>5. Location of Lab<br>On Label<br>On Labeling  | (Specify)  |
| Child-Resistant Packaging Yes * No  Certification must be submitted. Label Label Manner in Which Label Is Affixed To Contact Point (Complete items of  | Unit Packaging<br>Yes<br>No<br>If "YES," No<br>Unit package wgt col<br>n<br>Container<br>D Product  | A. Size(s) of Re<br>Lithographed<br>Paper glued<br>Stenciled<br>Section IV<br>cation of the indiv   | Yes<br>No<br>'ES,"<br>age wgt c<br>tail Container   | No. per<br>ontainer | Metal<br>Plastic<br>Glass<br>Paper<br>Other<br>5. Location of Lat<br>On Label<br>On Labeling  | (Specify)<br>bel Directions<br>accompanying product<br>s this application)   |
| Child-Resistant Packaging Yes * No  Certification must be submitted.  Label Label Manner in Which Label Is Affixed To Contact Point (Complete items of   | Unit Packaging<br>Yes<br>No<br>If "YES," No<br>Unit package wgt col<br>n<br>Container<br>D Product  | A. Size(s) of Re  | Yes<br>No<br>'ES,"<br>age wgt c<br>tail Container   | No. per<br>ontainer | Metal<br>Plastic<br>Glass<br>Paper<br>Other<br>5. Location of Lat<br>On Label<br>On Labeling  | (Specify)<br>el Directions<br>accompanying product<br>s this application)<br>(include Area Code)<br>56 Ext 2737                                    |
| Child-Resistant Packaging Yes * No * Certification must be submitted. Label Label Label Contact Point (Complete items of Name Jennifer D. Morton I certify that the statements I h I acknowledge that any knowin both under applicable law.                  | Unit Packaging Yes No If "YES," No Unit package wgt cor On Container D Product directly below for identific Ti Certification nave made on this form a | Wate<br>Per If "Yntainer Pack<br>4. Size(s) of Re<br>Lithographed<br>Paper glued<br>Stenciled<br>Section IV<br>Cation of the individue<br>Regulatory Affa<br>and all attachmen<br>statement may be              | Yes<br>No<br>YES,"<br>age wgt<br>tail Container   | No. per<br>ontainer | Metal<br>Plastic<br>Glass<br>Paper<br>Other<br>5. Location of Lab<br>On Label<br>On Label<br>On Labeling<br>Sessary, to process<br>Telephone No.<br>1-800-242-110                               | (Specify)<br>el Directions<br>accompanying product<br>s this application)<br>(include Area Code)   |
| Child-Resistant Packaging<br>Yes *<br>No<br>* Certification must be<br>submitted.<br>• Location of Net Contents Informatio<br>Label<br>• Manner in Which Label Is Affixed To<br>Label<br>• Manner in Which Label Is Affixed To<br>Name<br>Jennifer D. Morton | Unit Packaging Yes No If "YES," No Unit package wgt cor On Container D Product directly below for identific Ti Certification nave made on this form a | Wate<br>Per If "Yntainer Pack<br>4. Size(s) of Res<br>Lithographed<br>Paper glued<br>Stenciled<br>Section IV<br>cation of the indiv<br>the<br>Regulatory Affa<br>and all attachmen<br>statement may be<br>3. Ti | Yes<br>No<br>YES,"<br>age wgt<br>tail Container   | No. per<br>ontainer | Metal<br>Plastic<br>Glass<br>Paper<br>Other<br>5. Location of Lab<br>On Label<br>On Label<br>On Labeling<br>essary, to process<br>Telephone No.<br>1-800-242-110<br>and complete.<br>sonment or | (Specify)<br>pel Directions<br>accompanying product<br>s this application)<br>(include Area Code)<br>56 Ext 2737<br>6 Date Application<br>Received |
| Child-Resistant Packaging Yes * No * Certification must be submitted. Label Label Label Contact Point (Complete items of Name Jennifer D. Morton I certify that the statements I h I acknowledge that any knowin both under applicable law.                  | Unit Packaging Yes No If "YES," No Unit package wgt cor On Container D Product directly below for identific Ti Certification nave made on this form a | Wate<br>Per If "Yntainer Pack<br>4. Size(s) of Res<br>Lithographed<br>Paper glued<br>Stenciled<br>Section IV<br>cation of the indiv<br>the<br>Regulatory Affa<br>and all attachmen<br>statement may be<br>3. Ti | Yes<br>No<br>YES,"<br>age wgt<br>tail Container<br>idual to be con<br>irs Specialis<br>ts thereto are<br>e punishable b<br>tle<br>egulatory Aff | No. per<br>ontainer | Metal<br>Plastic<br>Glass<br>Paper<br>Other<br>5. Location of Lab<br>On Label<br>On Label<br>On Labeling<br>essary, to process<br>Telephone No.<br>1-800-242-110<br>and complete.<br>sonment or | (Specify)<br>pel Directions<br>accompanying product<br>s this application)<br>(include Area Code)<br>56 Ext 2737<br>6 Date Application<br>Received |

- -----

,

# Herbicide Granules Formula D-17

For Outdoor Residential Use Only

# **Crabgrass Control for Home Lawns**

# TREATS [or COVERS] 5,000 sq ft

Pre- and Early Post-Emergence Control of Crabgrass

- A selective herbicide plus Fertilizer that provides control of crabgrass
- Contains Polyon® timed-release nitrogen for a Beautiful, Green, Vibrant Lawn
- Contains the active ingredient found in Dimension® Turf Herbicide

[See Appendix A for consolidated list of marketing claims]

| Active Ingredient: |               |
|--------------------|---------------|
| Dithiopyr*         | 0.17%         |
| Other Ingredients: | <u>99.83%</u> |

[Other ingredients in this product are Fertilizer, including Polyon® slow-release granules and dipropylene glycol to adhere the active ingredient on the fertilizer.]

KEEP OUT OF REACH OF CHILDREN CAUTION See back panel for additional precautionary statements.

Net Wt 17 lb (7.7 kg)

# NOTIFICATION

Back Panel

### GUARANTEED ANALYSIS

| Total Nitrogen (N)                | XX.00% |
|-----------------------------------|--------|
| X.X% Ammoniacal Nitrogen          |        |
| X.X% Urea Nitrogen*               |        |
| Available Phosphate (P2O5)        | XX.00% |
| Soluble Potash (K <sub>2</sub> O) | XX.00% |

Derived From: Polymer-coated urea, urea, diammonium phosphate and muriate of potash.

\*X.X% Slowly available urea nitrogen from polymer-coated urea.

#### [OPTIONAL USE TIP BOX]

| "To | Do" | List |  |
|-----|-----|------|--|
|     |     |      |  |

- Measure lawn
- Subtract non-lawn areas
- Apply at recommended rate

[\*CTR™, Composite Timed Release is your Guarantee that a QUICK and LONG LASTING FEEDING will be systematically delivered to your lawn.]

\*CTR is the name for the coated urea in this product.

## **GENERAL USE DIRECTIONS**

- Determine size of area to be treated measure length and width in feet, then multiply to determine coverage area in sq ft (length x width). Next subtract nonlawn areas.
- 2. Use the spreader setting chart to determine appropriate setting.
- 3. Treat as directed thorough coverage is important. Water in as indicated on the label
- 4. Keep children and pets off treated areas until this material is washed into turf and grass is dry.
- 5. Do not use food utensils such as spoons or measuring cups for food purposes after use in measuring pesticides.

[Alternate Step 3: Treat as directed.]

[Alternate Step 4: Be sure to water in after application.]

### STOP. Read this entire label before use.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For outdoor residential use only.* 

IMPORTANT: Follow label directions.

#### Using these directions

These "Directions for Use" are designed to help you determine the appropriate application procedure for this product.

Before using this product, make sure that you read the entire "Directions for Use" section of this label.

#### Before you Use

Read and follow these guidelines when you use this product:

- Apply only to lawns and ornamental turf that are well established.
- Wait at least 12 weeks after using this product before reseeding, overseeding or sprigging of grass into areas that have been treated.
- Use of product on new lawns or grass that has been weakened or stressed by drought, excessive temperatures or pests, increases chance of injury to grass.
- When applying around ponds or other bodies of water, do not apply in windy conditions or where product can run-off into water.
- Do not use grass clippings as mulch around vegetables or fruit trees.
- This product may be applied to flowers listed on this label.
- Do not make more than trapplication to the same area in the same year.

#### HOW TO [USE] [APPLY]

- 1. Apply this product at the rate of: 3.4 lb per 1,000 sq ft (1 bag treats 5,000 sq ft)].
- 2. Calibrate your spreader according to the spreader manufacturer's directions. Adjust settings as needed to apply the recommended rate of product.
- 3. Using a drop-type or rotary spreader, apply granules evenly over grass, avoiding streaking, skips or overlaps. Avoid using spreaders that apply product in narrow or concentrated bands.
- 4. Check calibration of spreader frequently to insure spreader is functioning properly and applying product evenly.

#### Spreader Settings

This 17 lb bag covers 5,000 sq ft. Use the settings below to apply at a rate of 3.4 lb per 1,000 sq ft.

| Rotary Spreaders | Drop Spreaders |
|------------------|----------------|
| X                | Х              |
| Х                | Х              |
| x                | Х              |

#### WHERE TO USE

This product can be used on the following types of grass when applied as directed:

**Cool Season Grasses:** [Agrostis Stolonifera], Bentgrass (creeping), Bluegrass (Kentucky), Fescue fine, Fescue tall, [Festuca arundinacea], [Festuca rubra], [Lolium (perenne)] [Poa pratensis], Ryegrass (perennial)

Warm Season Grasses: [Axonopus affinis], Bahia, Bermuda, [Buchloe dactyloides,] Buffalograss, Carpetgrass, Centipede, [Cynodon dactylon,] [Eremochloa ophiuroide], Kikuyugrass, [Paspalum notatum], [Pennisetum clandestinum], St. Augustine, [Stenotaphrum secundatum], [Zoysia japonica], Zoysiagrass.

#### WHEN TO APPLY

- Product may be applied either in the Spring or Fall for the control of weeds.
- Product will provide up to 4 months of weed control when used as directed, although length of control can be affected by weather, grass conditions and weed pressures.
- To get control of listed weeds other than crabgrass, applications must be made before weeds emerge.
- This product [or brand name of product] will control crabgrass if applied before it emerges and up to 4 weeks after it emerges.

#### Weeds Controlled

Pre- and Early Post-Emergent Crabgrass

#### Pre-Emergent (Preventative)

#### Grass Weeds:

Annual Bluegrass, Annual Ryegrass, Barnyardgrass, Crabgrass, Crowfootgrass, Goosegrass, Green Foxtail, Kikuyugrass (seedling), Perennial Ryegrass, Smutgrass (seedling), Yellow Foxtail

#### **Broadleaf Weeds:**

Bittercress, Buttercup Oxalis, Carolina Geranium, Chickweed, Common Lespedeza Common Purslane, Corn Speedwell, Creeping Oxalis, Henbit, Parsley-piert, Pineappleweed, Prostrate Spurge, Spotted Spurge, Yellow Woodsorrel

8/27/04

When applied as directed under the conditions on this label, trees, shrubs, and flowers listed [below] have shown tolerance in field trials. However, this product has not been tested on all cultivars of each species or under all possible growing conditions. Follow directions given above to determine plant tolerance under your growing conditions. A limited area involving only a few plants should be treated and observed for signs of yellowing, wilting, or lack of growth prior to large-scale application.

\*\*FULL LIST OF TOLERANT TREES, SHRUBS, AND FLOWERS LISTED IN APPENDIX B.

### STORAGE AND DISPOSAL

**Storage:** Store product in original container in a cool, dry, locked place out of reach of children and pets. **Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

### **PRECAUTIONARY STATEMENTS**

#### Hazards to Humans and Domestic Animals

**CAUTION.** Causes eye irritation, if in eyes. Harmful if inhaled. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. If product gets on clothes, wash before reuse. Prolonged or repeated skin contact may cause allergic skin reactions in some individuals.

#### **First Aid**

This table below describes the first aid procedures for incidents involving this product.

| In the case of accidental | Immediately  |  |
|---------------------------|--|--|
| Contact with eyes         | <ul> <li>Hold eye open and rinse slowly and gently<br/>with water for 15-20 minutes. Remove<br/>contact lenses, if present, after the first 5<br/>minutes, then continue rinsing eye.</li> <li>Call a Poison Control Center or doctor for<br/>treatment advice.</li> </ul> |  |
| Inhalation of dust        | <ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>Call a Poison Control Center of doctor for further treatment advice.</li> </ul>        |  |

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

#### Environmental Hazards

- This product is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift and runoff from treated turf may adversely affect aquatic organisms in adjacent aquatic sites. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas.
- Do not contaminate water when cleaning equipment or disposing of equipment washwater.

# NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

**[Satisfaction Guaranteed:** If you apply this product [with POLYON time-released nitrogen] as directed and are not completely satisfied. Just send a proof of purchase from this package and the original cash register receipt to the address below. We will refund the purchase price you paid.

When applied as directed, this product meets the guidelines for metals adopted by the Association of American Plant Food Control Officials.

Information regarding the contents and levels of metals in this product is available on the Internet at <u>http://www.regulatory-info-sb.com</u>.

#### [Product Information] [Questions or comments?] Call 1-800-332-5553.

Made in USA by Earth Care Division of United Industries Corp. PO Box 142642 St. Louis, MO 63114-0642

EPA Reg. No. 8660-154

EPA Est. No. 9688-MO-1

© 2004

# **APPENDIX A**

#### HERBICIDE GRANULES FORMULA D-17 MARKETING CLAIMS

- 1. Contains POLYON® Timed-Release Fertilizer, used by professional turf managers.
- 2. It's [POLYON] the green inside
- 3. Time-Release Fertilizer POLYON® If it's not green ...it's not POLYON™
- 4. Contains TriKote® Timed-Release Fertilizer
- 5. Pre and early Post Emergence Control of Crabgrass
- 6. Covers XXXX sq. ft.
- 7. Money-Back Guarantee
- Look for other quality STA-GREEN lawn and garden products. For more information about POLYON® and other products visit us on the Internet at <u>www.fertilizer.com</u> or call our Consumer Service Hotline at 1-800-874-8892.
- 9. Never apply by hand.
- 10. Typically a lawn will utilize 1 to 4 pounds of nitrogen per 1,000 sq. ft. per growing season. When used as directed, this product provides xxx lbs. of nitrogen per 1,000 sq. ft. Consult your local County Extension Service for questions regarding a regular fertilizer program suitable for your geographical region.
- 11. Will not harm listed ornamentals or shrubs.
- 12. Non-Staining
- 13. Provides up to 4 months control of crabgrass
- 14. Use Before or After germination of crabgrass for pre-emergent and early postemergent control.
- 15. Controls crabgrass for up to 120 days
- 16. Also controls other grasses and broadleaf weeds such as annual bluegrass, goosegrass, yellow foxtail, spotted spurge, chickweed, oxalis, henbit and other weeds listed on this label.
- 17. Feeds for up to 2 months at 72° F
- 18. Herbicide Granules Formula D-17 works differently from other slow-release products. POLYON timed-release nitrogen releases in response to soil temperature rather than moisture level. Other slow release products release according to the amount of moisture [present in the soil...the more moisture the quicker the nutrient release...putting your grass at risk from burning. Because fertilizer products contain POLYON timed-release nitrogen, your grass is fed for up to 2 months at 72° F.
- 19. IMPORTANT It is important to follow directions as indicated on this quality lawn care product as over application may cause injury to your lawn. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Be sure to calibrate spreader before beginning, adjusting if necessary. Consult Owner's Manual.
- 20. NEVER APPLY BY HAND

- 21. [Used when staining fertilizer nutrients such as ferrous sulfate are used in formula] This product may [or will] stain sidewalks and driveways. Sweep [vacuum] off any product which may have drifted onto these areas.
- 22. What the numbers mean:

| XX   | XX              | XX   |
|--|-----------------|--|
| Nitrogen (N)   | Phosphorous (P) | Potassium (K)                                    |
| Contains Timed-<br>Release Nitrogen for<br>growing a thick green<br>lawn | Improves Root   | Improves Plant Hardiness &<br>Drought Resistance |

- 24. Greens in 72 hours.
- 25. Timed-Release for Extended Feeding.
- 26. Prevents Crabgrass Up to 4 weeks after germination.
- 27. Promotes Thick, Green Growth
- 28. Stops Crabgrass and Many Other Grassy & Broadleaf Weeds\* Before They Start. (\*See back for a complete list of weeds controlled).

#### APPENDIX B

**TOLERANT TREES, SHRUBS, AND FLOWERS** When applied as directed under the conditions on this label, trees, shrubs, and flowers listed below have shown tolerance in field trials. However, this product has not been tested on all cultivars of each species or under all possible growing conditions. Follow directions given above to determine plant tolerance under your growing conditions. A limited area involving only a few plants should be treated and observed for signs of yellowing, wilting, or lack of growth prior to large-scale application.

| Common Name             | Botanical Name             | Tolerant Cultivars  |
|-------------------------|----------------------------|---|
| Abella, Dwarf           | Abella X grandiflora       | Nana  |
| Ajuga                   | Ajuga reptans              | Bronze  |
|                         | Ajuga genevensis           | Bronze Beauty   |
| Almond, Flowering       | Pruhus gladulosa           |   |
| Apple*                  | Malus pumija               |   |
| Arborvitae              | Thuja occidentails         | Nigra; Pyramidalis; Smaragh   |
|                         |                            | Techny; Woodwardii.   |
| Arborvitae, Golden      | Thuja orientails           |   |
| Aster, Chinese          | Callistephus chinensis     | Dwarf Queen   |
| Ash Green               | Fraxinus pennsylvanica     |   |
| Ash, Mountain           | Sorbus aucuparia           |   |
| Ash, Purple             | Fraxinus americana         |   |
| Azalea                  | Rhododendron spp.          | Brilliant; Buccaneer; Carror; Chimes (Belgian); Exbury; Fashion; Hardijzer Beauty; Hershey Red; Higasa;     |
|                         |                            | Hinocrimson; Holland (Hybrid); Marion Lee; Northern Lights; Orange Cup; Orchid Lights; Snow; Southern Charn |
| Azalea, Flame           | Rhododendron calendulaceum |   |
| Azalea, Kirishima       |                            |   |
| Bamboo, Heavenly        |                            |   |
| Barberry                | Berberis thunbergii        | Aurea; Dwarf Pigmy; Green; Kobold; Pygmy Red; Rose Glow   |
| Barberry, Purple        |                            | Atropurpurea  |
| Bearberry(common)       | Arctostaphylos uva-ursti   | Massachusetts   |
| Birch, River            | Betula nigra               |   |
| Blueberry*              | Vaccinium spp.             | Bluecrop; Blue Jay; Jersey; North Blue; Northland   |
| Bottlebrush             | Callistemon citrinus       |   |
| Boxwood, Japanese       |                            | Japonica  |
| Boxwood, Weller         | Buxus semperirens          |   |
| Broom                   | Cytisus spp.               | Moonlight   |
| Broom                   | Genista pilosa             | Vancouver Gold  |
| Bugle Carpet            |                            |   |
| Camellia                | Camellia japonica          | Chansonette; Debutante; Mathotiana Supreme  |
| Carnellia               | Camellia sasangua          |   |
| Carex, Variegated       | Carex                      |   |
| Cedar, Red              | Juniperus virginiana       |   |
| Cockscomb, Plumosa      | Celosia cristata           | Red Kewpie  |
| Coleus                  | Coleus blumei              |   |
| Copper leaf             | Acalypha wilkesiana        |   |
| Cotoneaster             | Cotoneaster apiculatus     |   |
| Coyotebrush             | Baccharis pelularis        |   |
| Cycads                  | Cycads revoluta            |   |
| Cypress, Bald           | Taxodium distichum         |   |
| Cypress, Italian        | Cupressus sempervirens     | Glauca  |
| Cypress, Japanese False | Chamaecyparis obtus        | Gracilis  |
| Cypress, Leyland        | Cupressocyparis leylandii  |   |

\*Ornamental Species only. DO NOT USE ON FOOD-PRODUCING TREES, SHRUBS, AND FLOWERS

| Daffodil           | Narcissus spp.                 | King Alfred   |
|--------------------|--------------------------------|---|
| Daylilly           | Hemerocallis spp.              | Aztec Gold; Bright Yellow (Hybrid); Single Gold (Evergreen); Wilson's Yellow  |
| Dogwood            | Cornus florida                 |   |
| Dogwood, American  | Cornus sericea                 | Flavarimaea   |
| Douglas Fir        | Pseudotsuga menziesii          |   |
| Dusty Miller       | Senecio cineraria              |   |
| Elm, Drake         | Ulmus parvifolia               |   |
| Euonymus           | Euonymus fotunei               | Argento-variegata; Auereo-marginata; Colorata; Emerald Gaiety; Emerald'N Gold; Gold Edge; Gold Princess<br>Silver King; Tricolor; Vegetus.  |
| Fan Palm, European | Chamaerops humilis             |   |
| Fan Palm, Mexican  | Washingtonia robusta           |   |
| Fescue             | Festuca glauca                 |   |
| Fetterbush         | Leucothoe fontiana             | Rainbow   |
| Ficus              | Ficus retusa                   | Nitidia   |
| Forsythia          | Forsythia X intermedia         | Arnold Dwarf; Bronxensis Dwarf; Lynwood gold; Meadowlark; Spring Glory; Weeping.  |
| Fir Fraser         | Abies fraseri                  |   |
| Gardenia           | Gardenia jasminoides           | Mystery; Radicans   |
| Geranium           | Pelargonium X hortorum         |   |
| Gum                | Eucalyptus citriodora          |   |
| Hawthorn           | Crataegus spp.                 | Cockspur white; Crimson Cloud; Enchantress; Jack Evans; Washington White  |
| Heather, Twisted   | Erica cinerea                  | Mediterranean Pink  |
| Hibiscus           | Hibiscus spp.                  | Blue Bird; Brilliant; hula Girl   |
| Hemlock, Canada    | Tsuga canadensis               |   |
| Holly              | llex spp.                      | Blue Boy; Blue Girl;  |
|                    | llex X meserveae               | Burfodii; China Girl; Compacta; Forsteri; Hellerie; Japanese Northern Beauty; Needlepoint; nellie R. Stevens<br>Savanah   |
| Holly              | Ilex X attenuata               |   |
| Holly, Chinese     | Ilex comuta                    |   |
| Holly, Japanese    | llex crenata                   |   |
| Holly, Yaupon      | Ilex vomitoria                 |   |
| Honeysuckle        | Lonicera japonica              | Clavey's Dwarf; Halliana; Tatarian Canadian White; Zebelli Red Hosta  |
| Hosta              | Hosta sop.                     | Albo Marginata  |
| Hosta              | Hosta lancifolia               |   |
| Ice Plant          | Carpobrotus edulis             |   |
| Impatients         | Impatiens wallerana            |   |
| Iris               | Iris spp.                      | Dwarf Blue; Wedgewood   |
| Ivy, English       | Hedera helix                   | Bulgaria, Thorndale   |
| Jasmine, Asian     | Trachelopermum asiaticum       |   |
| Juniper            | Juniperus spp.                 | Arcadia; Armstrong; Bar Harbor  |
| Juniper            | Juniperus horizontalis         | Blue Chip; Blue Pacific; Blue Rug; Blue Star; Broadmoor; Buffalo; Calgary Carpet; Emerald Sea; Emerald<br>Spreader; Endora Compacta; Fruitlandi; Green; Gold Tip; Hetzi; hughes; Manhattan Blue; Parsoni; Pfitzeriar<br>Plumosa; Prince of Wales; Procumbens Dwarf; San jose; Sargent Blue; Sargent Green; Scandia; scopulorur<br>Moonglow; Scopulorum skyrocker; Spartan |
| Juniper            | Juniperus chinensis            | Tamariscifolia  |
| Juniper            | Juniperus sabina               | Weberi; Youngstown; Yukon Belle   |
| King Palm          | Archontophoenix cunninghamiana |   |
| Laurel, Australian | Pittosporum tobina             |   |
| Laurel, Mountain   | Kalmia latifolia               |   |
| Leucothoe          | Leucothoe fontanesiana         |   |

\*Ornamental Species only. DO NOT USE ON FOOD-PRODUCING TREES, SHRUBS, AND FLOWERS

| Lily, African        | Agapanthus africanus    | Albus; Peter pan   |
|----------------------|-------------------------|--|
| Lily, African blue   |                         |  |
| Lily of the Valley   | Pieris japonica         | Mt. Fire   |
| Lilyturf             | Liriope muscari         | Evergreen Giant; Lilac Beauty; majestic; monroe White; Variegata |
| Ligustrum, Japanese  | Ligustrum japonicum     |  |
| Liriope, Green       | Liriope spicata         |  |
| Maple, Japanese      | Acer japonicum          |  |
| Maple, Norway        | Acer platanoides        |  |
| Maple, Red           | Acer rubrum             |  |
| Maple, Silver        | Acer saccharinum        |  |
| Maple, Sugar         | Acer saccharum          |  |
| Marigold             | Tagetes patula          | Honeycomb; Variegata; Wheeler's Dwarf                            |
| Mock Orange*         | Philadelphus spp.       | Golden; Snowflake Double White                                   |
| Mondo Grass          | Ophiopogon japonicus    |  |
| Moss Rose            | Portulaca Grandiflora   | Sunnyside  |
| Myrtle, Crape        | Lagerstoemia indica     | Faurei; Langer; Muskogee; Standard Pink                          |
| Myrtle, Wax          | Myrica cerifer          |  |
| Nadina               | Nadina domestica        | Compacta; Nana   |
| Oak, Laurel          | Quercus laurifolia      |  |
| Oak, Pin             | Quercus palustris       |  |
| Oak, Red             | Quercus rubra           |  |
| Oak, Southern L      | Quercus virginiana      |  |
| Oak, Willow          | Quercus pheilos         |  |
| Oleander             | Nerium oleander         | Hardy Red; Petite Pink; Sister Agnes                             |
| Oteospermum          | Osteospermum fruticosum | Wirligig   |
| Palm, Bangalow       |                         |  |
| Pampas Grass         | Cortadaria selloana     |  |
| Paper Flower         | Bougainvillea glabra    | Barbara Karst  |
| Pachysandra          | Pachysandra terminalis  |  |
| Peach*               | Prunus persica          |  |
| Periwinkle, Dwarf    | Vinca minor             |  |
| Petunia              | Petunia X hybrida       | Picoti   |
| Photinia, Red Tip    | Photinia X fraseri      |  |
| Pieris               | Pieris japonica         |  |
| Pine, Australian     | Pinus nigra             |  |
| Pine, Japanese Black | Pinus thumbergiana      |  |
| Pine, Lobiolly       | Pinus teada             |  |
| Pine, Longleaf       | Pinus palustris         |  |
| Pine, Mugho          | Pinus mugho             |  |
| Pine, Scotch         | Pinus sylvestris        |  |
| Pine, Slash          | Pinus elliotti          |  |
| Pine, Swiss Mt.      | Pinus mugo              |  |
| Pine, Virginia       | Pinus virginiana        |  |
| Pine, White          | Pinus strobus           |  |
| Pineapple, Guava     | Feijoa fellowaiana      |  |
| Pittosporum, Japan   |                         |  |
| Potentilla           | Potentills fruticosa    | Abbotswood   |
| Privet               | Ligustrum japanicum     | Golden Vicary; Regal; Texanum; Wax; Yellow Tipped                |
| Privot, Glossy       | Ligustrum lucidum       |  |

\*Ornamental Species only. DO NOT USE ON FOOD-PRODUCING TREES, SHRUBS, AND FLOWERS

3

8/27/04

| Queen Palm              | Arecastrum rammanzoffanum       |  |
|-------------------------|---------------------------------|--|
| Quince, Japanese*       |                                 |  |
| Rhododendron            | Rhododendron spp.               | Album; Cunningham White; Fashion; Hardy; PJM; Purple Gem; Silvery Pink                               |
| Rhododendron, Carolina  | Rhododendron carolinianum       |  |
| Rhododendron, Catawba   | Rhododendron catawbiense        |  |
| Rodie Max (Rosebay)     | Rhododendron maximum            |  |
| Rose                    | Rosa banksiaae                  | Luta   |
| Rosemary*               | Rosmarinus officinalis          |  |
| Rosemary, Bog           | Andromeda polifolia             | Nana   |
| Salvia                  | Salvia farinacea                | Rhea   |
| Sedum                   | Sedumn spurium                  | Dragon Blood Red; Red Carpet; Yellow   |
| Spiraea                 | Astilbe X arendsii              | Fanall   |
| Spiraea                 | Spiraea spp.                    | Anthony Waterer Red; Dolchica; Froebeli Pink; Goldenflame Red; Snowmound White; Van Houtte White     |
| Spiraea, Garland        | Spiraea spp.                    |  |
| Spruce, Black Hills     | Picea glauca                    |  |
| Spruce, Colorado Blue   | Picea pungens                   |  |
| Spruce, norway          | Picea ables                     |  |
| Spruce, White           | Picea glauca                    | Conica   |
| Sourwood                | Oxydendrum arboreum             |  |
| Sweetflag, Grassy-Le    |                                 |  |
| Sweetgum                | Liquidambar styraciflua         |  |
| Sycamore                | Plantanus accidentails          |  |
| Tree Fern (Tiki Fern)   | Asparagus virgatus              |  |
| Trumpet Flower, evening | Gelsemium sempervirens          |  |
| Tulip                   | Tulip.spp.                      | Apeldoom   |
| Verbana, Shrub          | Lantana sellowiana              |  |
| Vervain                 | Verbena spp.                    | St.Paul  |
| Vibumum                 | Vibumum spp.                    | American Cranberry Bush; Arrowood; Common Snowball; European Cranberry Bush; Linden; Mohican; Wright |
| Windmill Palm           | Trachycarpus fortunei           |  |
| Xylosma                 | Xylosma_congestum               |  |
| Yaupon                  | Ilex vomitoria                  | Dwarf  |
| Yew                     | Taxus cuspidatra; Taxus X media | Denisiformis   |

\* Ornamental Species only. DO NOT USE ON FOOD-PRODUCING TREES, SHRUBS, AND FLOWERS

# United Industries Corp.

August 30, 2004

Document Processing Desk (NOTIF) Office of Pesticide Programs United States Environmental Protection Agency Room 266A Crystal Mall 2 1801 South Bell Street Arlington, VA 22202

- Attention: Ms. Joanne Miller Product Manager 23 Insecticide Branch Registration Division (7505C)
- Subject: Notification per PR Notice 98-10 Herbicide Granules Formula D-17 EPA Reg. No. 8660-154

Dear Ms. Miller:

Please find enclosed notification per PR Notice 98-10 to highlight the text "Do not make more than 1 application to the same area in the same year," as requested by the state of New York. We are also taking this opportunity to remove redundant language and correct label formatting inconsistencies.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

The following documents are enclosed in support of this submission:

- 1. Application for Pesticide (EPA Form 8570-1)
- 2. One copy of the proposed label with changes highlighted
- 3. Five copies of the proposed label
- 4. One copy of the EPA stamped approved label

Please call me at 1-800-242-1166, Ext. 2737 you have questions or need further information. Thank you very much for your attention to our application.

Sincerely

Jennifer D. Morton Regulatory Specialist

