02/92/9000



Please read instructions on reverse before comple	ting form.	Form Approve	ed. OMB No. 2070-0060. App	
United States Enviro	onmental Protection	Agency	– – – – – –	OPP Identifier Number
Office of Pesticion	de Programs (H7505	ic)	Registration	
SEPA Washington, I			Amendment	
Application	n for Pestic	ide: L	x Other	
	Section I			
Company/Product Number		2.Product Manager	3. Proposed Classifica	ation
8660-154		J. Miller		
4. Company/Product (Name)		PM#	None	Restricted
Herbicide Granules Formula D-17		23		
5. Name and Address of Applicant (include ZIP C Sylorr Plant Corporation		6 Expedited Review. I (b)(i), my product is similar o	n accordance with FIFRA r identical in composition	, , , ,
PO Box 142642 St. Louis, Missouri 63114-0642		to:		
		EPA Reg. No.		
Check if this is a new address		Product Name		
	Section II			NOTIFICATION
Amendment - Explain below		Final printed label in re	sponse to Agency letter date	
Resubmission in response to Agency letter of Notification - Explain below.	dated	"ME TOO" Application Other - explain below	•	MAY 2 5 2006
Explanation: Use additional page	ge(s) if necessary.	(For section I and Section II)	
Notification per PR Notice 98-10 to add informational statements to the Directions for Use section in order to aid consumer understanding of the product and application tips. We are also taking this opportunity to add 2 optional fertilizer marketing claims and an optional marketing statement inviting consumers to call our customer satisfaction hotline or visit our website.				
	Section III			
1. Material in Which This Product Will Be Packaged:			1	
Child-Resistant Packaging Unit Packaging	j	Water-Soluble Packaging	2. Type of Container	
Yes Yes		Yes	Metal	
No No		No	Plastic	
			Glass	
If "YES,"	No. per	If "YES," No. per	Paper	
* Certification must be Unit package wgt	container	Package wgt container	Other (Sp	ecify)
submitted.				
Location of Net Contents Information	4. Size(s) o	f Retail Container	5. Location of Label D	irections
Label Container			On Label On Labeling acco	ompanying product
lo sa a constituent de la seguina de la constituent de la constitu	<u> </u>			
6. Manner in Which Label Is Affixed To Product Lithographed Paper glued Stenciled				
	Costion N/			
Contact Point (Complete items directly below for id.)	Section IV		necessary to process this	s application)
	Title		Telephone No. (incl	
			l ' '	·
Jennifer D. Morton		Affairs Specialist	1-800-242-1166 E	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate, and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6 Date Application Received (Stamped)				
2. Signature 3. Title Regulatory Affairs Specialist				
4. Typed Name	Į!	5. Date		
Jennifer D. Morton		April 25, 2006		

Front Panel

Herbicide Granules Formula D-17

For Outdoor Residential Use Only.

Crabgrass Control for Home Lawns

TREATS [or COVERS] 5,000 sq ft

Pre- and Early Post-Emergence Control of Crabgrass

- A selective herbicide plus Fertilizer that provides control of crabonass
- Contains Polyon® timed-release nitrogen for a Beautiful, Green, Vibrant Lawn
- Contains the active ingredient found in Dimension® Turf Herbicide

[See Appendix A for consolidated list of marketing claims]

Active Ingredient:

Other Ingredients: 99.83%

*CAS # 97886-45-8

[Other ingredients in this product are Fertilizer, including Polyon® slow-release granulos and dipropylene glycol to adhere the active ingredient on the fertilizer.]

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements.

Net Wt 17 lb (7.7 kg)

Back Panel

GUARANTEED ANALYSIS

Total Nitrogen (N).....XX.00%

X.X% Ammoniacal Nitrogen

X.X% Urea Nitrogen*

Available Phosphate (P₂O₅).....XX.00% Soluble Potash (K₂O).....XX.00%

Derived From: Polymer-coated urea, urea, diammonium phosphate and muriate of potash.

*X.X% Slowly available urea nitrogen from polymer-coated urea.

[OPTIONAL USE TIP BOX]

"To Do" List

- Measure lawn
- Subtract non-lawn areas
- Apply at recommended rate

[*CTR™, Composite Timed Release is your Guarantee that a QUICK and LONG LASTING FEEDING will be systematically delivered to your tawn.]

*CTR is the name for the coated urea in this product.

GENERAL USE DIRECTIONS

- 1. Determine size of area to be treated measure length and width in feet, then multiply to determine coverage area in sq ft (length x width). Next subtract nonlawn areas.
- 2. Use the spreader setting chart to determine appropriate setting.
- 3. Treat as directed thorough coverage is important. Water in as indicated on
- 4. Keep children and pets off treated areas until this material is washed into turf and grass is dry.
- Do not use food utensils such as spoons or measuring cups for food purposes after use in measuring pesticides.

[Alternate Step 3: Treat as directed.]

[Alternate Step 4: Be sure to water in after application.]

NUTIFICATION

Page 1 of 9

STOP. Read this entire label before use.

[This product is specially formulated to complement the phosphorus already present in some soils and give your turf the additional primary nutrients needed for a good turf feeding. A soil test can help you determine if your soil has an adequate supply of phosphorus and if this is the best product for your soil type. Proper watering and mowing practices along with regular feedings will help promote a beautiful green lawn.

PROJECT GUIDE

For a thicker, greener, more beautiful lawn, follow [Vigoro's] annual lawn care program. It's easy to follow and can be started at anytime by simply applying the product that corresponds with the current season.

[Vigoro] offers complete lawn care programs for all areas. See your local store associate or visit vigoro.com for more information about a customized program that is right for your area and turf type.]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For outdoor residential use only.

IMPORTANT: Follow label directions.

Using these directions

These "Directions for Use" are designed to help you determine the appropriate application procedure for this product.

Before using this product, make sure that you read the entire "Directions for Use" section of this label.

Before you Use

Read and follow these guidelines when you use this product:

- · Apply only to lawns and ornamental turf that are well established.
- Wait at least 12 weeks after using this product before reseeding, overseeding or sprigging of grass into areas that have been treated.
- Use of product on new lawns or grass that has been weakened or stressed by drought, excessive temperatures or pests, increases chance of injury to grass.
- When applying around ponds or other bodies of water, do not apply in windy conditions or where product can run-off into water.
- Do not use grass clippings as mulch around vegetables or fruit trees.
- This product may be applied to flowers listed on this label.
- Do not make more than 1 application to the same area in the same year.

HOW TO [USE] [APPLY]

- Apply this product at the rate of: 3.4 lb per 1,000 sq ft (1 bag treats 5,000 sq ft)).
- Calibrate your spreader according to the spreader manufacturer's directions. Adjust settings as needed to apply the recommended rate of product.
- Using a drop-type or rotary spreader, apply granules evenly over grass, avoiding streaking, skips or overlaps. Avoid using spreaders that apply product in narrow or concentrated bands.
- Check calibration of spreader frequently to insure spreader is functioning properly and applying product evenly.

To avoid gaps and streaks, first spread border of lawn and then fill in center with uniform, parallel passes. Walk at a steady pace so as to apply evenly throughout the lawn.

Spreader Settings

This 17 lb bag covers 5,000 sq ft. Use the settings below to apply at a rate of 3.4 lb per 1,000 sq ft.

Rotary Spreaders	Drop Spreaders
X	X
X	X
X	X

WHERE TO USE

This product can be used on the following types of grass when applied as directed:

Cool Season Grasses: [Agrostis Stolonifera], Bentgrass (creeping), Bluegrass (Kentucky), Fescue fine, Fescue tall, [Festuca arundinacea], [Festuca rubra], [Lolium (perenne)] [Poa pratensis], Ryegrass (perennial)

Warm Season Grasses: [Axonopus affinis], Bahia, Bermuda, [Buchloe dactyloides,] Buffalograss, Carpetgrass, Centipede, [Cynodon dactylon,] [Eremochloa ophiuroide], Kikuyugrass, [Paspalum notatum], [Pennisetum clandestinum], St. Augustine, [Stenotaphrum secundatum], [Zoysia japonica], Zoysiagrass.

WHEN TO APPLY

- Product may be applied either in the Spring or Fall for the control of weeds.
- Product will provide up to 4 months of weed control when used as directed, although length of control can be affected by weather, grass conditions and weed pressures.
- To get control of listed weeds other than crabgrass, applications must be made before weeds emerge.



 This product [or brand name of product] will control crabgrass if applied before it emerges and up to 4 weeks after it emerges.

Weeds Controlled

Pre- and Early Post-Emergent Crabgrass

Pre-Emergent (Preventative)

Grass Weeds:

Annual Bluegrass, Annual Ryegrass, Barnyardgrass, Crabgrass, Crowfootgrass, Goosegrass, Green Foxtail, Kikuyugrass (seedling), Perennial Ryegrass, Smutgrass (seedling), Yellow Foxtail

Broadleaf Weeds:

Bittercress, Buttercup Oxalis, Carolina Geranium, Chickweed, Common Lespedeza Common Purslane, Com Speedwell, Creeping Oxalis, Henbit, Parsley-piert, Pineappleweed, Prostrate Spurge, Spotted Spurge, Yellow Woodsorrel

TOLERANT TREES, SHRUBS, AND FLOWERS**

When applied as directed under the conditions on this label, trees, shrubs, and flowers listed [below] have shown tolerance in field trials. However, this product has not been tested on all cultivars of each species or under all possible growing conditions. Follow directions given above to determine plant tolerance under your growing conditions. A limited area involving only a few plants should be treated and observed for signs of yellowing, wilting, or lack of growth prior to large-scale application.

**FULL LIST OF TOLERANT TREES, SHRUBS, AND FLOWERS LISTED IN APPENDIX B.

Always use a fertilizer spreader. See spreader settings chart for spreader setting rates. Water thoroughly after application.

STORAGE AND DISPOSAL

Storage: Store product in original container in a cool, dry, locked place out of reach of children and pets. **Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Causes eye irritation, if in eyes. Harmful if inhaled. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. If product gets on clothes, wash before reuse. Prolonged or repeated skin contact may cause allergic skin reactions in some individuals.

First Aid

This table below describes the first aid procedures for incidents involving this product

EN: 8660-154-N5

In the case of accidental	Immediately	
Contact with eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. 	
Inhalation of dust	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control Center of doctor for further treatment advice. 	

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

Environmental Hazards

- This product is toxic to fish and highly toxic to other aquatic organisms
 including oysters and shrimp. Use with care when applying to turf areas
 adjacent to any body of water. Drift and runoff from treated turf may adversely
 affect aquatic organisms in adjacent aquatic sites. Do not apply directly to
 water, or to areas where surface water is present, or to intertidal areas below
 the mean high water mark. Do not apply when weather conditions favor drift
 from treated areas.
- Do not contaminate water when cleaning equipment or disposing of equipment washwater.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

[Satisfaction Guaranteed: If you apply this product [with POLYON time-released nitrogen] as directed and are not completely satisfied. Just send a proof of purchase from this package and the original cash register receipt to the address below. We will refund the purchase price you paid.

When applied as directed, this product meets the guidelines for metals adopted by the Association of American Plant Food Control Officials.

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.regulatory-info-sb.com.

[Product Information] [Questions or comments?] Call 1-800-332-5553.



Made in USA by Earth Care Division of United Industries Corp. PO Box 142642 St. Louis, MO 63114-0642

EPA Reg. No. 8660-154

EPA Est. No. 9688-MO-1

© 2006

APPENDIX A

HERBICIDE GRANULES FORMULA D-17 MARKETING CLAIMS

- Contains POLYON® Timed-Release Fertilizer, used by professional turf managers.
- 2. It's [POLYON] the green inside
- Time-Release Fertilizer POLYON® If it's not green ...it's not POLYON™
- 4. Contains TriKote® Timed-Release Fertilizer
- 5. Pre and early Post Emergence Control of Crabgrass
- 6. Covers XXXX sq. ft.
- 7. Money-Back Guarantee
- 8. Look for other quality STA-GREEN lawn and garden products. For more information about POLYON® and other products visit us on the Internet at www.fertilizer.com or call our Consumer Service Hotline at 1-800-87.4-8892.
- 9. Never apply by hand.
- 10. Typically a lawn will utilize 1 to 4 pounds of nitrogen per 1,000 sq. ft. per growing season. When used as directed, this product provides xxx lbs. of nitrogen per 1,000 sq. ft. Consult your local County Extension Service for questions regarding a regular fertilizer program suitable for your geographical region.
- 11. Will not harm listed ornamentals or shrubs.
- 12. Non-Staining
- 13. Provides up to 4 months control of crabgrass
- Use Before or After germination of crabgrass for pre-emergent and early postemergent control.
- 15. Controls crabgrass for up to 120 days
- Also controls other grasses and broadleaf weeds such as annual bluegrass, goosegrass, yellow foxtail, spotted spurge, chickweed, oxalis, henbit and other weeds listed on this label.
- 17. Feeds for up to 2 months at 72° F
- 18. Herbicide Granules Formula D-17 works differently from other slow-release products. POLYON timed-release nitrogen releases in response to soil temperature rather than moisture level. Other slow release products release according to the amount of moisture [present in the soil...the more moisture the quicker the nutrient release...putting your grass at risk from burning. Because fertilizer products contain POLYON timed-release nitrogen, your grass is fed for up to 2 months at 72° F.
- 19. IMPORTANT It is important to follow directions as indicated on this quality lawn care product as over application may cause injury to your lawn. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Be sure to calibrate spreader before beginning, adjusting if necessary. Consult Owner's Manual.
- 20. NEVER APPLY BY HAND

- 21. [Used when staining fertilizer nutrients such as ferrous sulfate are used in formula] This product may [or will] stain sidewalks and driveways. Sweep [vacuum] off any product which may have drifted onto these areas.
- 22. What the numbers mean:

XX	XX	XX
Nitrogen (N)	Phosphorous (P)	Potassium (K)
Contains Timed- Release Nitrogen for growing a thick green lawn	Improves Root	Improves Plant Hardiness & Drought Resistance

- 24. Greens in 72 hours.
- 25. Timed-Release for Extended Feeding.
- 26. Prevents Crabgrass Up to 4 weeks after germination.
- 27. Promotes Thick, Green Growth
- 28. Stops Crabgrass and Many Other Grassy & Broadleaf Weeds* Before They Start. (*See back for a complete list of weeds controlled).
- 29. Up to 4 Months of Crabgrass & Weed Control
- Zero Phosphate Fertilizer Specially Formulated for Lawns Located near Lakes
 Streams
- 31. Early spring application
- 32. Visit us on the internet or call our customer satisfaction hotline.

Herbicide Granules Formula D-17 EPA Reg. No. 8660-154 FN: 8660-154-N5 4/25/06

APPENDIX B

TOLERANT TREES, SHRUBS, AND FLOWERS When applied as directed under the conditions on this label, trees, shrubs, and flowers listed below have shown tolerance in field trials. However, this product has not been tested on all cultivars of each species or under all possible growing conditions. Follow directions given above to determine plant tolerance under your growing conditions. A limited area involving only a few plants should be treated and observed for signs of yellowing, wilting, or lack of growth prior to large-scale application.

Common Name	Botanical Name	Tolerant Cultivars
Abella, Dwarf	Abella X grandiflora	Nana
Ajuga	Ajuga reptans	Bronze
	Ajuga genevensis	Bronze Beauty
Almond, Flowering	Pruhus gladulosa	
Apple*	Malus pumija	
Arborvitae	Thuja occidentails	Nigra; Pyramidalis; Smaragh
		Techny; Woodwardii.
Arborvitae, Golden	Thuja orientails	
Aster, Chinese	Callistephus chinensis	Dwarf Queen
Ash Green	Fraxinus pennsylvanica	
Ash, Mountain	Sorbus aucuparia	
Ash, Purple	Fraxinus americana	
Azalea	Rhododendron spp.	Brilliant; Buccaneer; Carror; Chimes (Belgian); Exbury; Fashion; Hardijzer Beauty; Hershey Red; Higasa; Hinocrimson; Holland (Hybrid); Marion Lee; Northern Lights; Orange Cup; Orchid Lights; Snow; Southern Charn
Azalea, Flame	Rhododendron calendulaceum	
Azalea, Kirishima		
Bamboo, Heavenly		
Barberry	Berberis thunbergii	Aurea; Dwarf Pigmy; Green; Kobold; Pygmy Red; Rose Glow
Barberry, Purple		Atropurpurea
Bearberry(common)	Arctostaphylos uva-ursti	Massachusetts
Birch, River	Betula nigra	
Blueberry*	Vaccinium spp.	Bluecrop; Blue Jay; Jersey; North Blue; Northland
Bottlebrush	Callistemon citrinus	
Boxwood, Japanese	,,,,,,,, .	Japonica
Boxwood, Weller	Buxus semperirens	
Broom	Cytisus spp.	Moonlight
Broom	Genista pilosa	Vancouver Gold
Bugle Carpet		
Camellia \	Camellia japonica	Chansonette; Debutante; Mathotiana Supreme
Camellia	Camellia sasangua	
Carex, Variegated	Carex	
Cedar, Red	Juniperus virginiana	
Cockscomb, Plumosa	Celosia cristata	Red Kewpie
Coleus	Coleus blumei	
Copper leaf	Acalypha wilkesiana	
Cotoneaster	Cotoneaster apiculatus	
Coyotebrush	Baccharis pelularis	
Cycads	Cycads revoluta	
Cypress, Bald	Taxodium distichum	
Cypress, Italian	Cupressus sempervirens	Glauca
Cypress, Japanese False	Chamaecyparis obtus	Gracilis
Cypress, Leyland	Cupressocyparis leylandii	

^{*}Ornamental Species only. DO NOT USE ON FOOD-PRODUCING TREES, SHRUBS, AND FLOWERS



Daffodil	Narcissus spp.	King Alfred
Daylilly	Hemerocallis spp.	Aztec Gold; Bright Yellow (Hybrid); Single Gold (Evergreen); Wilson's Yellow
Dogwood	Cornus florida	
Dogwood, American	Comus sericea	Flavarimaea
Douglas Fir	Pseudotsuga menziesii	
Dusty Miller	Senecio cineraria	
Elm, Drake	Ulmus parvifolia	
Euonymus	Euonymus fotunei	Argento-variegata; Auereo-marginata; Colorata; Emerald Gaiety; Emerald'N Gold; Gold Edge; Gold Princes Silver King; Tricolor; Vegetus.
Fan Palm, European	Chamaerops humilis	
Fan Palm, Mexican	Washingtonia robusta	
Fescue	Festuca glauca	
Fetterbush	Leucothoe fontiana	Rainbow
Ficus	Ficus retusa	Nitidia
Forsythia	Forsythia X intermedia	Arnold Dwarf; Bronxensis Dwarf; Lynwood gold; Meadowlark; Spring Glory; Weeping.
Fir Fraser	Abies fraseri	
Gardenia	Gardenia jasminoides	Mystery; Radicans
Geranium	Pelargonium X hortorum	
Gum	Eucalyptus citriodora	
Hawthorn	Crataegus spp.	Cockspur white; Crimson Cloud; Enchantress; Jack Evans; Washington White
Heather, Twisted	Erica cinerea	Mediterranean Pink
Hibiscus	Hibiscus spp.	Blue Bird; Brilliant; hula Girl
Hemlock, Canada	Tsuga canadensis	
Holly	llex spp.	Blue Boy; Blue Girl;
	llex X meserveae	Burfodii; China Girl; Compacta; Forsteri; Hellerie; Japanese Northern Beauty; Needlepoint; nellie R. Stever Savanah
Holly	llex X attenuata	
Holly, Chinese	llex comuta	
Holly, Japanese	llex crenata	
Holly, Yaupon	Ilex vomitoria	
Honeysuckle	Lonicera japonica	Clavey's Dwarf; Halliana; Tatarian Canadian White; Zebelli Red Hosta
Hosta	Hosta spp.	Albo Marginata
Hosta	Hosta lancifolia	
Ice Plant	Carpobrotus edulis	
Impatients	Impatiens wallerana	
Iris \	Iris spp.	Dwarf Blue; Wedgewood
Ivy, English	Hedera helix	Bulgaria, Thorndale
Jasmine, Asian	Trachelopermum asiaticum	
Juniper	Juniperus spp.	Arcadia; Armstrong; Bar Harbor
Juniper	Juniperus horizontalis	Blue Chip; Blue Pacific; Blue Rug; Blue Star; Broadmoor; Buffalo; Calgary Carpet; Emerald Sea; Emerald Spreader; Endora Compacta; Fruitlandi; Green; Gold Tip; Hetzi; hughes; Manhattan Blue; Parsoni; Pfitzeria Plumosa; Prince of Wales; Procumbens Dwarf; San jose; Sargent Blue; Sargent Green; Scandia; scopulor Moonglow; Scopulorum skyrocker; Spartan
Juniper	Juniperus chinensis	Tamariscifolia
Juniper	Juniperus sabina	Weberi; Youngstown; Yukon Belle
	Archontophoenix cunninghamiana	in the state of th
King Palm		
King Palm Laurel Australian		
King Palm Laurel, Australian Laurel, Mountain	Pittosporum tobina Kalmia latifolia	

 $[\]hbox{*Ornamental Species only. DO NOT USE ON FOOD-PRODUCING TREES, SHRUBS, AND FLOWERS}$



Lily, African	Agapanthus africanus	Albus; Peter pan
Lily, African blue		
Lily of the Valley	Pieris japonica	Mt. Fire
Lilyturf	Liriope muscari	Evergreen Giant; Lilac Beauty; majestic; monroe White; Variegata
Ligustrum, Japanese	Ligustrum japonicum	
Liriope, Green	Liriope spicata	
Maple, Japanese	Acer japonicum	
Maple, Norway	Acer platanoides	
Maple, Red	Acer_rubrum	
Maple, Silver	Acer saccharinum	
Maple, Sugar	Acer saccharum	
Marigold	Tagetes patula	Honeycomb; Variegata; Wheeler's Dwarf
Mock Orange*	Philadelphus spp.	Golden; Snowflake Double White
Mondo Grass	Ophiopogon japonicus	
Moss Rose	Portulaca Grandiflora	Sunnyside
Myrtle, Crape	Lagerstoemia indica	Faurei; Langer; Muskogee; Standard Pink
Myrtle, Wax	Myrica cerifer	
Nadina	Nadina domestica	Compacta; Nana
Oak, Laurel	Quercus laurifolia	
Oak, Pin	Quercus palustris	
Oak, Red	Quercus rubra	
Oak, Southern L	Quercus virginiana	
Oak, Willow	Quercus phellos	
Oleander	Nerium oleander	Hardy Red; Petite Pink; Sister Agnes
Oteospermum	Osteospermum fruticosum	Wirligig
Palm, Bangalow	•	
Pampas Grass	Cortadaria selloana	
Paper Flower	Bougainvillea glabra	Barbara Karst
Pachysandra	Pachysandra terminalis	
Peach*	Prunus persica	
Periwinkle, Dwarf	Vinca minor	
Petunia	Petunia X hybrida	Picoti
Photinia, Red Tip	Photinia X fraseri	
Pieris	Pieris japonica	
Pine, Australian	Pinus nigra	
Pine, Japanese Black	Pinus thumbergiana	
Pine, Loblotly	Pinus teada	
Pine, Longleaf	Pinus palustris	
Pine, Mugho	Pinus mugho	
Pine, Scotch	Pinus sylvestris	
Pine, Slash	Pinus elliotti	
Pine, Swiss Mt.	Pinus mugo	
Pine, Virginia	Pinus virginiana	
Pine, White	Pinus strobus	
Pineapple, Guava	Feijoa fellowaiana	
Pittosporum, Japan		
Potentilla	Potentills fruticosa	Abbotswood
Privet	Ligustrum japanicum	Golden Vicary; Regal; Texanum; Wax; Yellow Tipped
Privot, Glossy	Ligustrum lucidum	<u> </u>
Pyracantha	Pyracantha koidzumii	Gnome; Lalandei; Victory

Pyracantha | Pyracantha koldzumii | Gnome; Lalandei; Victor
*Ornamental Species only. DO NOT USE ON FOOD-PRODUCING TREES, SHRUBS, AND FLOWERS



Herbicide Granules Formula D-17 EPA Reg. No. 8660-154 FN: 8660-154-N5 4/25/06

Queen Palm	Arecastrum rammanzoffanum	
Quince, Japanese*		
Rhododendron	Rhododendron spp.	Album; Cunningham White; Fashion; Hardy; PJM; Purple Gem; Silvery Pink
Rhododendron, Carolina	Rhododendron carolinianum	
Rhododendron, Catawba	Rhododendron catawbiense	
Rodie Max (Rosebay)	Rhododendron maximum	
Rose	Rosa banksiaae	Luta
Rosemary*	Rosmarinus officinalis	
Rosemary, Bog	Andromeda polifolia	Nana Nana
Salvia	Salvia farinacea	Rhea
Sedum	Sedumn spurium	Dragon Blood Red; Red Carpet; Yellow
Spiraea	Astilbe X arendsii	Fanall Fanall
Spiraea	Spiraea spp.	Anthony Waterer Red; Dolchica; Froebell Pink; Goldenflame Red; Snowmound White; Van Houtte White
Spiraea, Garland	Spiraea spp.	
Spruce, Black Hills	Picea glauca	
Spruce, Colorado Blue	Picea pungens	
Spruce, norway	Picea ables	
Spruce, White	Picea glauca	Conica
Sourwood	Oxydendrum arboreum	
Sweetflag, Grassy-Le		
Sweetgum	Liquidambar styraciflua	
Sycamore	Plantanus accidentails	
Tree Fern (Tiki Fern)	Asparagus virgatus	
Trumpet Flower, evening	Gelsemium sempervirens	
Tulip	Tulip.spp.	Apeldoorn
Verbana, Shrub	Lantana sellowiana	
Vervain	Verbena spp.	St.Paul St.Paul
Viburnum	Viburnum spp.	American Cranberry Bush; Arrowood; Common Snowball; European Cranberry Bush; Linden; Mohican; Wright
Windmill Palm	Trachycarpus fortunei	
Xylosma	Xylosma congestum	
Yaupon	llex vomitoria	Dwarf
Yew	Taxus cuspidatra; Taxus X media	Denisiformis

^{*} Ornamental Species only. DO NOT USE ON FOOD-PRODUCING TREES, SHRUBS, AND FLOWERS



United Industries Corp.

April 25, 2006

Document Processing Desk (NOTIF)
Office of Pesticide Programs
United States Environmental Protection Agency
Room 266A Crystal Mall 2
1801 South Bell Street
Arlington, VA 22202

Attention:

Ms. Joanne Miller

Product Manager 23 Insecticide Branch

Registration Division (7505C)

Subject:

Notification per PR Notice 98-10

Herbicide Granules Formula D-17

EPA Reg. No. 8660-154

Dear Ms. Miller:

Please find enclosed notification per PR Notice 98-10 to add informational statements to the Directions for Use section in order to aid consumer understanding of the product and application tips. We are also taking this opportunity to add 2 optional fertilizer marketing statements and an optional marketing statement inviting consumers to call our customer satisfaction hotline or visit our website.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

The following documents are enclosed in support of this submission:

- 1. Application for Pesticide (EPA Form 8570-1)
- 2. One copy of the proposed label with changes highlighted
- 3. Five copies of the proposed label
- 4. One copy of the EPA stamped approved label

Please call me at 1-800-242-1166, Ext. 2737 you have questions or need further information. Thank you very much for your attention to our application.

Sincerely,

Jonnifer D. Morton Regulatory Specialist