

PM23

8660-159

7/23/99

10711

JUL 23 1999

Mr. Sanford R. Simon /
Director, Technical Services
Pursell Industries, Inc.
P.O. Box 540
Sylacauga, AL 35150

Dear Mr. Simon:

Subject: Parker Turf Fertilizer plus Dimension® 110 Crabgrass Preventer
(Alternate Brand Name "Pursell Polygon™ Turf Fertilizer Plus Dimension®
110 Crabgrass Preventer")

EPA Registration No. 8660-159

Application Dated June 18, 1999, Request To

Amend the Labeling: To Use "First Aid" instead
of "Statements of Practical Treatment", Added a Toll-free
Telephone number for Product Information, Use of Common
Name of Chemical Rather Than Chemical Name, Addition of
Chemical Abstracts Number for Chemical, Use of "Other"
Instead of "Inert" in the Ingredient Statement, Added
a Description of Product Formulation, Placing Ingredient
Statement on Back Panel, Added the Primary Hazard Directly
under the Signal word, Use of New Format to Communicate
Consumer Information, Storage and Disposal Statement
To Discourage Disposal of Unused Product, Revised
Application Rates That Do Not Exceed 0.22 lbs. A.I.
per Acre, and To Add List of Advertising Claims

The proposed labeling to amend the subject registration
has been reviewed and is acceptable under the Federal Insecticide,
fungicide and Rodenticide Act (FIFRA) as amended, provided
that you:

1. Delete your document identification information where it occurs in the proposed labeling.
2. Add the EPA Worker Protection Standard exclusionary statement as required for this product (EPA PR Notice 93-11) and that reads: "Not for use on plants being grown for sale or other commercial use, or for seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or lawns and grounds, in a residential setting".
3. The instructions indicate that 11 different rates may be selected for this product. On your labeling only one of the 11 is going to appear on the ~~package label~~ label. You did not submit a label reflecting each of the 11 dosages. In

SYMBOL							
SURNAME							
DATE							

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

20711

-2-

submission of the required final printed labeling a label for each dosage must be submitted. The "How to Use" section "1.", and the "When to Apply" section must match the rate selected. Note, you must select a rate above 3.0 lbs per 1,000 square feet if you claim 4 months of weed control.

Correct the "AD CLAIMS" to reflect the rate selected. Note: The claim for Early Post Emergent control is not acceptable unless the rate selected is above 4.6 lbs. per 1,000 square feet. If you select a dosage less than 4.6 lbs. per 1,000 square feet, you must delete all claims for early post-emergence control of crabgrass.

- 4. revise the Astarisk on "Apple" in Table of "Tolerant Trees, shrubs and flowers" to read "DO NOT USE ON FOOD-PRODUCING TREES, SHRUBS AND FLOWERS".
- 5. Submit one (1) copy of the final printed label before releasing the product for shipment bearing the subject labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

Joanne L. Miller
Product Manager (23)
Herbicide Branch
Registration Division (7505C)

enclosure

E.Wilson:Diskette:Dithiopyr:07-23-99

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

3 of 11

FRONT PANEL

Pursell Polyon® Turf Fertilizer Plus Dimension® 110 Crabgrass Preventer

Crabgrass Control for Home Lawns

For Outdoor Residential Use Only

Pre Emergence and Control of Crabgrass and other listed weeds, and
Early Post Emergence Control of Crabgrass

- A selective herbicide plus Fertilizer that provides control of crabgrass and other weeds on established lawns
- Contains Polyon® timed-release nitrogen for a Beautiful, Green, Vibrant Lawn
- Contains the active ingredient found in Dimension® Turf Herbicide

XX - XX - XX

**STOP - Read This Entire Label Before Use
KEEP OUT OF REACH OF CHILDREN**

CAUTION

Causes Eye Irritation, If in Eyes

See back panel for additional precautionary statements

Net Contents:

16, 17, 18, 19, 20, 21, 22, 23, 24, 25, or 26 Pounds
TREATS [or COVERS] 5,000 sq. ft.

**ACCEPTED
with COMMENTS
In EPA Letter Dated**

JUL 23 1999

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.**

8660-159

BACK PANEL

Ingredients

ACTIVE INGREDIENT:	
Dithiopyr*	0.11%
OTHER INGREDIENTS**	99.89%
TOTAL	100.00%

*CAS # 97886-45-8

** Other ingredients in this product are Premium Sta-Green Fertilizer, including Polyon® slow-release granules and dipropylene glycol to adhere the active ingredient on the fertilizer.

	A	H
EPA Reg. No. 8660-159	EPA Est. No. 8660-AL-1	8660-OH-1
First letter of run code on bag matches letter above EPA Est. No.		

GUARANTEED ANALYSIS

Total Nitrogen (N)	XX.00%
X.X% Ammoniacal Nitrogen	
X.X% Urea Nitrogen*	
Available Phosphate (P ₂ O ₅)	XX.00%
Soluble Potash(K ₂ O)	XX.00%

Derived From: Polymer-coated urea, urea, diammonium phosphate, and muriate of potash

*X.X% Slowly Available Urea Nitrogen From Polymer-coated urea.

F1061

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION:

- Causes eye irritation, if in eyes.
- Harmful if inhaled.
- Avoid contact with skin, eyes, or clothing.
- Wash thoroughly with soap and water after handling.
- If product gets on clothes, wash before reuse.
- Prolonged or repeated skin contact may cause allergic skin reactions in some individuals.

First Aid

The table below describes the first aid procedures for incidents involving this product.

In the case of accidental...	Immediately...
Contact with eyes	<ul style="list-style-type: none"> • Open eyelids and rinse eye slowly and gently with water. • Continue to rinse eye for 10-15 minutes. • Call a doctor if irritation persists.
Inhalation of dust	<ul style="list-style-type: none"> • Move person to fresh air • Call a doctor or poison control center if breathing difficulty develops.
<p>NOTE: When calling a poison control center, have this product label accessible. If advised to seek treatment at an emergency room or doctor's office, bring this product label to show medical personal.</p> <p>Active Ingredient: Dithiopyr, CAS # 97886-45-8</p>	

Environmental Hazards

- This product is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift and runoff from treated turf may adversely affect aquatic organisms in adjacent aquatic sites. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas.
- Do not contaminate water when cleaning equipment or disposing of equipment washwater.

Directions for Use
IMPORTANT: Follow label directions

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For outdoor residential use only.

Using these directions

These "Directions for Use" are designed to help you determine the appropriate application procedure for Pursell Polyon® Turf Fertilizer Plus Dimension® 110 Crabgrass Preventer.

Before using This product, make sure that you read the entire "Directions for Use" section of this label.

Before you Use

Read and follow these guidelines when you use this product:

- Apply only to lawns and ornamental turf that are well established.
- Wait at least 12 weeks after using this product before reseeding, overseeding or sprigging of grass into areas that have been treated.
- Use of product on new lawns or grass that has been weakened or stressed by drought, excessive temperatures or pests, increases chance of injury to grass.
- When applying around ponds or other bodies of water, do not apply in windy conditions or where product can run-off into water.
- Keep people and pets off treated areas until dust has settled
- Do not use grass clippings as mulch around vegetables or fruit trees.
- This product may be applied to flowers listed on this label.
- Do not make more than 1 application to the same area in the same year.

How to use

1. Apply this product at the rate of: X.X lbs per 1000 sq. ft. (1 bag treats 5000 sq. ft.) [Registrant to use table below to insert appropriate rate, based on bag weight]
2. Calibrate your spreader according to the spreader manufacturer's directions. Adjust settings as needed to apply the recommended rate of product.
3. Using a drop-type or rotary spreader, apply granules evenly over grass, avoiding streaking, skips or overlaps. Avoid using spreaders that apply product in narrow or concentrated bands.
4. Check calibration of spreader frequently to insure spreader is functioning properly and applying product evenly.

Spreader Settings

This bag treats [covers] 5,000 sq. ft.		
Rotary Spreaders		Drop Spreaders
X		X
X		X
Bag Wt (pounds)	Lbs. of product per 1000 sq. ft	Lbs. of Al per acre
16	3.2	0.153
17	3.4	0.163
18	3.6	0.172
19	3.8	0.182
20	4.0	0.192
21	4.2	0.201
22	4.4	0.211
23	4.6	0.220

This table for registrant use in determining application rate for given bag sizes. Only one rate will be given on the final label. Multiple rates are not to be listed on final printed label.

Bag Wt (pounds)	Lbs. of product per 1000 sq. ft	Lbs. of AI per acre
24	4.8	0.229
25	5.0	0.239
26	5.2	0.249

Where to use

This product can be used on the following types of grass when applied as directed:

Cool Season Grasses

- Agrostis Stolonifera
- ✓ Bentgrass, creeping
- ✓ Bluegrass, Kentucky
- ✓ Fescue fine
- ✓ Fescue tall
- Festuca arundinacea
- Festuca rubra
- Lolium, perenne
- Poa pratensis
- ✓ Rye grass, perennial

Warm Season Grasses

- Axonopus affinis
- Bahia
- ✓ Bermuda
- ✓ Buchloe dactyloides
- Buffalograss
- ✓ Carpetgrass
- Centipede
- Cynodon dactylon
- Eremochloa ophiuroide
- Kikuyugrass
- Paspalum notatum
- Pennisetum clandestinum
- ✓ St. Augustine
- Stenotaphrum secundatum
- Zoysia japonica
- ✓ Zoysiagrass

When to apply

- Product may be applied either in the Spring or Fall for the control of weeds.
- Product will provide up to 3 months (4 months for rates \geq 3.6lbs. per 1,000 sq. ft.) of weed control when used as directed, although length of control can be affected by weather, grass conditions and weed pressures.
- To get control of listed weeds other than crabgrass, applications must be made before weeds emerge.
- This product [or brand name of product] will control crabgrass if applied before it emerges and up to 4 weeks after it emerges.

Weeds Controlled

Preemergent [and Early Post Emergent control] (for rates \Rightarrow 4.6 lbs. per 1,000 sq.ft.)

Crabgrass

Pre-Emergent (Preventative)

Grass Weeds

- Annual Bluegrass
- Annual Ryegrass
- Barnyardgrass
- Crabgrass
- Crowfootgrass
- Goosegrass
- Green Foxtail
- Kikuyugrass (seedling)
- Perennial Ryegrass
- Smutgrass (seedling)
- Yellow Foxtail

Broadleaf Weeds

- Bittercress
- Buttercup Oxalis
- Carolina Geranium
- Chickweed
- Common Lespedeza
- Common Purslane
- Corn Speedwell
- Creeping Oxalis
- Henbit
- Parsley-piert
- Pineappleweed
- Prostrate Spurge
- Spotted Spurge
- Yellow Woodsorrel

TOLERANT TREES, SHRUBS, AND FLOWERS**

When applied as directed under the conditions on this label, trees, shrubs, and flowers listed below have shown tolerance in field trials. However, this product has not been tested on all cultivars of each species or under all possible growing conditions. Follow directions given above to determine plant tolerance under your growing conditions. A limited area involving only a few plants should be treated and observed for signs of yellowing, wilting, or lack of growth prior to large-scale application.

Common Name	Botanical Name	Tolerant Cultivars
Abella, Dwarf	Abella X grandiflora	Nana
Ajuga	Ajuga reptans	Bronze
	Ajuga genevensis	Bronze Beauty
Almond, Flowering	Prunus glandulosa	
Apple*	Malus pumila	
Arborvitae	Thuja occidentalis	Nigra; Pyramidalis; Smaragd Techny; Woodwardii.

* Ornamental Species only. DO NOT USE ON FOOD-PRODUCING TREES AND PLANTS.
**Full list of Tolerant Trees, Shrubs, and Flowers listed as an addendum to this label.

Storage and Disposal

Take the following precautions:

IMPORTANT: Precautions during storage and disposal

- Keep out of reach of children
- Do not reuse empty product bags.

Storage conditions

Store Pursell Polyon® Turf Fertilizer Plus Dimension® 110 Crabgrass Preventer in a cool and dry location. The storage area should be locked and inaccessible to children and pets.

Disposal

Securely wrap the empty product bag in several layers of newspaper, and place bag in trash.

Important: If all of product can not be used according to label directions, make sure bag is securely sealed or wrapped up before disposing.

Conditions of Sale and Warranty

NOTICE: Buyer and user assumes all risk and liability of use, storage, an/or handling of this product not in accordance with the terms of this label.

Product Information: 800-874-8892

Manufactured By:
Pursell Industries, Inc.
P.O. Box 540
Sylacauga, AL 35150

POLYON® is a registered trademark of RLC Technologies, L.L.C. used by permission. The POLYON® design and the GREEN color of the POLYON® capsule are trademarks of RLC Technologies, L.L.C., used by permission. POLYON® Patent Nos. 4,711,659; 4,804,403; 4,969,947; 5,374,292 Dimension® is a registered trademark of Rohm & Haas Company.

THE PURSELL® PROMISE
YOUR SATISFACTION GUARANTEED OR YOUR MONEY BACK
 If you apply this PURSELL product with POLYON® timed-release nitrogen as directed and are not completely satisfied, just send a proof of purchase from this package and a cash register receipt to the address below. We will promptly refund your money.

ADDENDUM

**Pursell Polyon® Turf Fertilizer Plus
Dimension® 110 Crabgrass Preventer
EPA Reg. No. 8660-159**

TOLERANT TREES, SHRUBS, AND FLOWERS

When applied as directed under the conditions on this label, trees, shrubs, and flowers listed below have shown tolerance in field trials. However, this product has not been tested on all cultivars of each species or under all possible growing conditions. Follow directions given above to determine plant tolerance under your growing conditions. A limited area involving only a few plants should be treated and observed for signs of yellowing, wilting, or lack of growth prior to large-scale application.

Common Name	Botanical Name	Tolerant Cultivars
Abella, Dwarf	Abella X grandiflora	Nana
Ajuga	Ajuga reptans	Bronze
	Ajuga genevensis	Bronze Beauty
Almond, Flowering	Prunus glandulosa	
Apple*	Malus pumila	
Arborvitae	Thuja occidentalis	Nigra; Pyramidalis; Smaragh Tehny; Woodwardii.
Arborvitae, Golden	Thuja orientalis	
Aster, Chinese	Callistephus chinensis	Dwarf Queen
Ash Green	Fraxinus pennsylvanica	
Ash, Mountain	Sorbus aucuparia	
Ash, Purple	Fraxinus americana	
Azalea	Rhododendron spp.	Brilliant; Buccaneer; Carror; Chimes (Belgian); Exbury; Fashion; Hardijzer Beauty; Hershey Red; Higasa; Hinocrimson; Holland (Hybrid); Marion Lee; Northern Lights; Orange Cup; Orchid Lights; Snow; Southern Charm.
Azalea, Flame	Rhododendron calendulaceum	
Azalea, Kirishima		
Bamboo, Heavenly		
Barberry	Berberis thunbergii	Aurea; Dwarf Pigmy; Green; Kobold; Pygmy Red; Rose Glow
Barberry, Purple		Atropurpurea
Bearberry (common)	Arctostaphylos uva-ursi	Massachusetts
Birch, River	Betula nigra	
Blueberry*	Vaccinium spp.	Bluecrop; Blue Jay; Jersey; North Blue; Northland
Bottlebrush	Callistemon citrinus	
Boxwood, Japanese		Japonica
Boxwood, Weller	Buxus sempervirens	
Broom	Cytisus spp.	Moonlight
Broom	Genista pilosa	Vancouver Gold
Bugle Carpet		
Camellia	Camellia japonica	Chansonette; Debutante; Mathotiana Supreme
Camellia	Camellia sasangua	
Carex, Variegated	Carex	
Cedar, Red	Juniperus virginiana	
Cockscomb, Plumosa	Celosia cristata	Red Kewpie
Coleus	Coleus blumei	
Copper leaf	Acalypha wilkesiana	
Cotoneaster	Cotoneaster apiculatus	
Coyotebrush	Baccharis pelularis	
Cycads	Cycads revoluta	
Cypress, Bald	Taxodium distichum	
Cypress, Italian	Cupressus sempervirens	Glauca
Cypress, Japanese False	Chamaecyparis obtus	Oracilis
Cypress, Leyland	Cupressocyparis leylandii	
Daffodil	Narcissus spp.	King Alfred
Daylily	Hemerocallis spp.	Aztec Gold; Bright Yellow (Hybrid); Single Gold (Evergreen); Wilson's Yellow
Dogwood	Cornus florida	
Dogwood, American	Cornus sericea	Flavimarua
Douglas Fir	Pseudotsuga menziesii	
Dusty Miller	Senecio cineraria	
Elm, Drake	Ulmus parvifolia	
Euonymus	Euonymus fortunei	Argento-variegata; Auereo-marginata; Colorata; Emerald Gaiety;

		Emerald'N Gold; Gold Edge; Gold Princess; Silver King; Tricolor; Vegetus.
Fan Palm, European	Chamaerops humilis	
Fan Palm, Mexican	Washingtonia robusta	
Fescue	Festuca glauca	
Fetterbush	Leucothoe fontiana	Rainbow
Ficus	Ficus retusa	Nitida
Forsythia	Forsythia X intermedia	Arnold Dwarf; Bronkensis Dwarf; Lynwood gold; Meadowlark; Spring Glory; Weeping
Fir Fraser	Abies fraseri	
Gardenia	Gardenia jasminoides	Mystery; Radicans
Geranium	Pelargonium X hortorum	
Gum	Eucalyptus citriodora	
Hawthorn	Crataegus spp.	Cockspur white; Crimson Cloud; Enchantress; Jack Evans; Washington White
Heather, Twisted	Erica cinerea	Mediterranean Pink
Hibiscus	Hibiscus spp.	Blue Bird; Brilliant; hula Girl
Hemlock, Canada	Tsuga canadensis	
Holly	Ilex spp.	Blue Boy; Blue Girl;
	Ilex X meserveae	Burfodii; China Girl; Compacta; Forsteri; Hellerie; Japanese Northern Beauty; Needlepoint; nellie R. Stevens; Savannah
Holly	Ilex X attenuata	
Holly, Chinese	Ilex comuta	
Holly, Japanese	Ilex crenata	
Holly, Yaupon	Ilex vomitoria	
Honeysuckle	Lonicera japonica	Clavey's Dwarf; Halliana; Tatarian Canadian White; Zebelli Red
Hosta	Hosta spp.	Hosta
Hosta	Hosta lancifolia	Albo Marginata
Ice Plant	Carpobrotus edulis	
Impatiens	Impatiens wallerana	
Iris	Iris spp.	Dwarf Blue; Wedgewood
Ivy, English	Hedera helix	Bulgaria; Thorndale
Jasmine, Asian	Trachelopermum asiaticum	
Juniper	Juniperus spp.	Arcadia; Armstrong; Bar Harbor
Juniper	Juniperus horizontalis	Blue Chip; Blue Pacific; Blue Rug; Blue Star; Broadmoor; Buffalo; Calgary Carpet; Emerald Sea; Emerald Spreader; Endora Compacta; Fruitlandi; Green; Gold Tip; Hetzi; Hughes; Manhattan Blue; Parsoni; Pfitzeriana; Plumosa; Prince of Wales; Procumbens Dwarf; San Jose; Sargent Blue; Sargent Green; Scandia; scopulorum MoonGlow; Scopulorum skyrocketer; Spartan
Juniper	Juniperus chinensis	Tamariscifolia
Juniper	Juniperus sabina	Weberi; Youngstown; Yukon Belle
King Palm	Archontophoenix cunninghamiana	
Laurel, Australian	Pittosporum tobina	
Laurel, Mountain	Kalmia latifolia	
Leucothoe	Leucothoe fontanesiana	
Lily, African	Agapanthus africanus	Albus; Peter pan
Lily, African blue		
Lily of the Valley	Pieris japonica	Mt. Fire
Lilyturf	Liriope muscari	Evergreen Giant; Lilac Beauty; majestic; monroe White; Variegata
Ligustrum, Japanese	Ligustrum japonicum	
Liriope, Green	Liriope spicata	
Maple, Japanese	Acer japonicum	
Maple, Norway	Acer platanoides	
Maple, Red	Acer rubrum	
Maple, Silver	Acer saccharinum	
Maple, Sugar	Acer saccharum	
Marigold	Tagetes patula	Honeycomb; Variegata; Wheeler's Dwarf
Mock Orange*	Philadelphus spp.	Golden; Snowflake Double White
Mondo Grass	Ophiopogon japonicus	
Moss Rose	Portulaca Grandiflora	Sunny's de
Myrtle, Crape	Lagerstoemia indica	Faurei; Langer; Muskogee; Standard Pink
Myrtle, Wax	Myrica cerifer	
Nadina	Nadina domestica	Compacta; Nana
Oak, Laurel	Quercus laurifolia	
Oak, Pin	Quercus palustris	
Oak, Red	Quercus rubra	
Oak, Southern L.	Quercus virginiana	
Oak, Willow	Quercus phellos	
Oleander	Nerium oleander	Hardy Red; Petite Pink; Sister Agnes

Osteospermum	Osteospermum fruticosum	Wirligig
Palm, Bangalow		
Pampas Grass	Cortadaria selloana	
Paper Flower	Bougainvillea glabra	Barbara Karst
Pachysandra	Pachysandra terminalis	
Peach*	Prunus persica	
Periwinkle, Dwarf	Vinca minor	
Petunia	Petunia X hybrida	Picotti
Photinia, Red Tip	Photinia X fraseri	
Pieris	Pieris japonica	
Pine, Australian	Pinus nigra	
Pine, Japanese Black	Pinus thumbergiana	
Pine, Loblolly	Pinus taeda	
Pine, Longleaf	Pinus palustris	
Pine, Mugho	Pinus mugho	
Pine, Scotch	Pinus sylvestris	
Pine, Slash	Pinus elliotti	
Pine, Swiss Mt.	Pinus mugo	
Pine, Virginia	Pinus virginiana	
Pine, White	Pinus strobus	
Pineapple, Guava	Feijoa fellowaiana	
Pittosporum, Japan		
Potentilla	Potentilla fruticosa	Abbotswood
Privet	Ligustrum japonicum	Golden Vicary; Regal; Texanum; Wax; Yellow Tipped
Privet, Glossy	Ligustrum lucidum	
Pyracantha	Pyracantha koidzumii	Gnome; Lalandei; Victory
Queen Palm	Arecastrum rammanzoffanum	
Quince, Japanese*		
Rhododendron	Rhododendron spp.	Album; Cunningham White; Fashion; Hardy; PJM; Purple Gem; Silvery Pink
Rhododendron, Carolina	Rhododendron carolinianum	
Rhododendron, Catawba	Rhododendron catawbiense	
Rodie Max (Rosebay)	Rhododendron maximum	
Rose	Rosa banksiaae	Luta
Rosemary*	Rosmarinus officinalis	
Rosemary, Bog	Andromeda polifolia	Nana
Salvia	Salvia farinacea	Rhea
Sedum	Sedum spurium	Dragon Blood Red; Red Carpet; Yellow
Spiraea	Astilbe X arendsii	Fanall
Spiraea	Spiraea spp.	Anthony Waterer Red; Dolchica; Froebeli Pink; Goldenflame Red; Snowmound White; Van Houtte White
Spiraea, Garland	Spiraea spp.	
Spruce, Black Hills	Picea glauca	
Spruce, Colorado Blue	Picea pungens	
Spruce, norway	Picea abies	
Spruce, White	Picea glauca	Conica
Sourwood	Oxydendrum arboreum	
Sweetflag, Grassy-Le		
Sweetgum	Liquidambar styraciflua	
Sycamore	Plantanus accidentalis	
Tree Fern (Tiki Fern)	Asparagus virgatus	
Trumpet Flower, evening	Gelsemium sempervirens	
Tulip	Tulip spp.	Apeldoorn
Verbana, Shrub	Lantana sellowiana	
Vervan	Verbena spp.	St. Paul
Viburnum	Viburnum spp.	American Cranberry Bush; Arrowwood; Common Snowball; European Cranberry Bush; Linden; Mohican; Wight
Windmill Palm	Trachycarpus fortunei	
Xylosma	Xylosma congestum	
Yaupon	Ilex vomitoria	Dwarf
Yew	Taxus cuspidata; Taxus X media	Densifortnis

* Ornamental Species only. DO NOT USE ON FOOD-PRODUCING TREES, SHRUBS, AND FLOWERS

AD CLAIMS

[May be used on some product labels.]

1. Contains POLYON® Timed-Release Fertilizer, used by professional turf managers.
2. It's [POLYON] the green inside.
3. Time-Release Fertilizer – POLYON® – If it's not green ...it's not POLYON™
4. Contains TriKote® Timed-Release Fertilizer.
5. Pre and early Post Emergence Control of Crabgrass
6. Covers XXXX sq. ft.
7. Money-Back Guarantee.
8. Look for other quality Polyon® lawn and garden products. For more information about POLYON® and other PURSELL products visit us on the Internet at www.fertilizer.com or call our Consumer Service Hotline at 1-800-874-8892.
9. Never apply by hand.
10. Typically a lawn will utilize 1 to 4 pounds of nitrogen per 1,000 sq. ft. per growing season. When used as directed, this product provides x.xx lbs. of nitrogen per 1,000 sq. ft. Consult your local County Extension Service for questions regarding a regular fertilizer program suitable for your geographical region.
11. Will not harm listed ornamentals or shrubs.
12. Non-Staining
13. Provides up to 4 months control of crabgrass
14. Use Before or After germination of crabgrass for preemergent and early postemergent control
15. Controls crabgrass for up to 120 days.
16. Also controls other grasses and broadleaf weeds such as annual bluegrass, goosegrass, yellow foxtail, spotted spurge, chickweed, oxalis, henbit and other weeds listed on this label.
17. [Fertilizer] Feeds for up to 2 months at 72° F.
18. If you apply Pursell Polyon® Turf Fertilizer Plus Dimension® 110 Crabgrass Preventer as directed and are not completely satisfied, send proof of purchase from this package & the cash register receipt to the address below. We will promptly refund your money.
19. Pursell Polyon® Turf Fertilizer Plus Dimension® 110 Crabgrass Preventer works differently from other slow-release products. POLYON timed-release nitrogen releases in response to soil temperature rather than moisture level. Other slow release products release according to the amount of moisture [present in the soil...the more moisture the quicker the nutrient release...putting your grass at risk from burning. Because Pursell products contain POLYON timed-release nitrogen, your grass is fed for up to 2 months at 72° F
20. IMPORTANT – It is important to follow directions as indicated on this quality lawn care product as over application may cause injury to your lawn. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Be sure to calibrate spreader before beginning, adjusting if necessary. Consult Owner's Manual.
21. NEVER APPLY BY HAND
22. [Used when staining fertilizer nutrients such as ferrous sulfate are used in formula] – This product may [or will] stain sidewalks and driveways. Sweep [vacuum] off any product which may have drifted onto these areas.
23. What the numbers mean:

XX	XX	XX
Nitrogen (N)	Phosphorous (P)	Potassium (K)
Contains Timed-Release Nitrogen for growing a thick green lawn	Improves Root	Improves Plant Hardiness & Drought Resistance

