OFFICE OF PESTICIDES PROGRAMS	8660-167 DATE OF ISSUANCE
REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	TERM OF ISSUANCE Conditional
NOTICE OF PESTICIDE: REREGISTRATION	NAME OF PESTICIDE PRODUCT
(Under the Federal Insecticide, Fungicide, and Rodensicide Act, as amended)	Dimension® 6-25G
AME AND ADDRESS OF REGISTRANT (Include ZIP code)	
Pursell Industries, Inc.	
P.O. Box 540	
L Sylacauga, AL 35150	<u></u>
	m that accepted in connection with this registration must be to use of the label in commerce. In any correspondence on this
product always refer to the above U.S. EPA registration number	
On the basis of information furnished by the registrant, the ab the Federal Insecticide, Fungicide, and Rodenticide Act.	pove named pesticide is hereby Registered/Reregistered under
A copy of the Tabeling accepted in connection with this Regis	stration/Reregistration is returned herewith.
nealth and the environment, the Administrator, on his motion,	may at any time suspend or cancel the registration of a pest- e in connection with the registration of a product under this exclusive use of the name or to its use if it has been covered
by others.	
oy others.	cordance with FIFRA section scribed in page 2 of this
Inis product is registered in acc 3(c)(5), provided that you: • Comply with the conditions des	cordance with FIFRA section  scribed in page 2 of this  ion.  d with, the registration will be  ith FIFRA section 6(e). Your release
Inis product is registered in acc 3(c)(5), provided that you: o Couply with the conditions des Notice of Pesticide Registrati If those conditions are not complied subject to cancellation in accordance wi	cordance with FIFRA section  scribed in page 2 of this  ion.  d with, the registration will be  ith FIFRA section 6(e). Your release
Inis product is registered in acc 3(c)(5), provided that you: o Couply with the conditions des Notice of Pesticide Registrati If those conditions are not complied subject to cancellation in accordance wi	cordance with FIFRA section  scribed in page 2 of this  ion.  d with, the registration will be  ith FIFRA section 6(e). Your release
Inis product is registered in acc 3(c)(5), provided that you:  o Couply with the conditions des Notice of Pesticide Registrati  li those conditions are not complied subject to cancellation in accordance wi for shipment of the product constitutes	cordance with FIFRA section  scribed in page 2 of this  ion.  d with, the registration will be  ith FIFRA section 6(e). Your release
Inis product is registered in accordance of Comply with the conditions des Notice of Pesticide Registrati  If those conditions are not complied subject to cancellation in accordance with for shipment of the product constitutes  Joann Product	cordance with FIFRA section scribed in page 2 of this ion.  I with, the registration will be ith FIFRA section 6(e). Your release acceptance of those conditions.  The I. Miller lict Manager (23)
Inis product is registered in accordance of Council with the conditions des Notice of Pesticide Registrati  If those conditions are not complied subject to cancellation in accordance with for shipment of the product constitutes  Joann Product is registered in accordance with the product constitutes.	cordance with FIFRA section scribed in page 2 of this ion. I with, the registration will be ith FIFRA section 6(e). Your release acceptance of those conditions.  The I. Miller
Inis product is registered in acc 3(c)(5), provided that you:  o Comply with the conditions des Notice of Pesticide Registrati  li those conditions are not complied subject to cancellation in accordance wi for shipment of the product constitutes  Joann Product Registration in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the condition of the product constitutes are not complied to cancellation in accordance with the product constitutes are not complete to cancellation in accordance with the condition of the product constitutes are not complete to cancellation in accordance with the condition of the product constitutes are not condition are not conditions are not conditions are not conditions are not	cordance with FIFRA section  scribed in page 2 of this ion.  d with, the registration will be ith FIFRA section 6(e). Your release acceptance of those conditions.  me I. Miller lict Manager (23) icide Branch
Inis product is registered in accordance of Council with the conditions des Notice of Pesticide Registrati  If those conditions are not complied subject to cancellation in accordance with for shipment of the product constitutes  Joann Product is registered in accordance with the product constitutes.	cordance with FIFRA section  scribed in page 2 of this ion.  d with, the registration will be ith FIFRA section 6(e). Your release acceptance of those conditions.  me I. Miller lict Manager (23) icide Branch
Inis product is registered in acc 3(c)(5), provided that you:  o Comply with the conditions des Notice of Pesticide Registrati  li those conditions are not complied subject to cancellation in accordance wi for shipment of the product constitutes  Joann Product Registration in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the product constitutes are not complied to cancellation in accordance with the condition of the product constitutes are not complied to cancellation in accordance with the product constitutes are not complete to cancellation in accordance with the condition of the product constitutes are not complete to cancellation in accordance with the condition of the product constitutes are not condition are not conditions are not conditions are not conditions are not	cordance with FIFRA section  scribed in page 2 of this ion.  d with, the registration will be ith FIFRA section 6(e). Your release acceptance of those conditions.  me I. Miller lict Manager (23) icide Branch
Inis requer is registered in acc 3(c).5), provided that you:  o Comply with the conditions des Notice of Pesticide Registrati  li those conditions are not complied subject to cancellation in accordance with for shipment of the product constitutes  Joann Product Registration in accordance with the product constitutes.	cordance with FIFRA section  scribed in page 2 of this ion.  d with, the registration will be ith FIFRA section 6(e). Your release acceptance of those conditions.  me I. Miller lict Manager (23) icide Branch



JUN 25 1998

## Page 2 of Notice of Registration

EPA Registration No. 8660-167

### Pursell Industries, Inc.

- 1. Add the phrase "EPA Registration No. 8660-167 to the label before you release the product for shipment.
- 2. Delete the statement under "Directions of Use" that reads:
  "Coserve restrictions for use of this product in the State of New York."; and add the following statement: "In the state of New York this product may only be used by professional applicators and at no more than 0.5 los. active ingredient acre per year, which is equivalent to \_\_\_\_\_ los. of Dimension 6-25G per 1000 sq. ft. per year. This product is prohibited from use in the state of New York in Nassau and Suffolk counties.
- 3. Remove one of the single asterisks in the section "Application Directions". The heading inside the table should read: Weeds Controlled and Use Rate Recommendations\*. Revise the New York restrictions to read as in 2 above or refer to them such as: "\*See New York restrictions under "Directions of Use" above."
- 4. Submit one label and respective Comfidential Statement of Formula that reflects each percent active ingredient (a.i.) between 0.06% and 0.25% a.i. for each product shipped under the EPA Registration No. 8660-167.
- 5. Submit one (1) copy of the final printed latel, before you release the product for shipment under the stamped enclosed label.

SYMBOL	
SURNAME	~ **
DATE	* P * * * * * * * * * * * * * * * * * *

----

Page 1 of 2

# DIMENSION® 6-25G

A GRANUE PREFERENCE TURF & ORNAMENTAL HERBICIDE

Dimension® \_-G is a selective herbicide that provides control of listed annual grasses and broadleaf weeds in ornamental landscape areas, established lawns, and ornamental turf, including golf course fairways, roughs and tee boxes. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes. For use on plants intended for asethetic purposes or climatic modification and being grown in interior plantscapes, ornamental gardens or parks, or on golf courses or lawns and grounds.

In New York State this product may only be used by professional applicators at no more than xxx pounds (0.5 pound active ingredient) per acre, per year and is prohibited from use in Nassau and Suffolk Counties.

**ACTIVE INGREDIENT:** 

50 lb. Bag Treats up to xx,xxx Sq.Ft. for Crabgrass Control \*Dithiopyr, 3,5-pyridinedicarbothicic acid, 2-(difluoromethyl)-4-(2-methylpropyl)-6-(trifluoromethyl)- S,S-dimethyl ester -INERT INGREDIENTS:

0.06% 100.00% Total

\*This product contains \*\_\_\_\_\_pounds of the active ingredient, dithiopyr, per 50 pound bag.

Product protected by U.S. Patent No. 4,692,184. Other patents pending. Dimension® is a Reg. T.M. of Rohm & Haas Company

EPA REG No. 8660-\_\_\_\_\_ EPA Est. No. 8660-AL-1

NOTICE: Before using this product, read the entire Precautionary Statements, Conditions of sale and Warranty, Directions for Use, Use Restrictions and Storage and Disposal Instructions. If the Conditions of Sale and Warranty are not acceptable, return the product unopened within thirty days of purchase to the place of purchase.

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements.

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION Causes eye irritation. Avoid contact with eyes or clothing. Wash thor-

oughly with scap and water after handling.
FIRST AID: IF IN EYES - Immediately flush with plenty of water.
ENVIRONMENTAL HAZARDS

This product is toxic to fish. Drift and runoff may adversely affect aquatic organisms. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in any manner inconsistent with its labeling. Observe restrictions for use of this product in the State of New York.

#### **GENERAL INFORMATION**

This product is a selective herbicide that provides preemergence control of crab-grass and other susceptible annual grasses and broadleaf weeds as listed in es-tablished lawns and ornamental turf. This product will not harm nearby established ornamentals when used according to label directions.

**PRECAUTIONS** 

PRECAUTIONS

of this product on golf greens is not recommended. DO NOT apply this product to Colonial bentgrass. For best results, cultural practices that disturb the soll, such as core, spike, hyro-serification, or verticutting, and top dressing should be done before application of this product. This product should not be applied until turfgrasses have recovered from stresses related to these or other mechanical operations, irrigation or rainfall within 7 days after application will improve the performance of the product. formance of this product.

Reseeding or Sprigging: Reseeding, overseeding, or sprigging of treated areas within 4 months after application of this product may inhibit the establishment of desirable turfgrass. When reseeding or overseeding, proper cultural practices such as soil cultivation, irrigation and fertilization should be followed. For best results, use mechanical or power seeding equipment (slit seeders) designed to give good seed-to-soil contact. This product may be used on seeded, sodded, or sprigged turfgrass that are well-established. Allow the turf to develop a good root system and uniform stand before application. uniform stand before application.

Use of this product on turfgrass not well-established, weakened by lack of moisture, chemical injury, insects, disease, or temperature extremes that cause stress will increase the potential for injury. Allow turfgrass weakened by these stresses to recover before application of this product. DO NOT use clippings from treated turf for mulching around vegetables or fruit trees. DO NOT allow domestic animals to feed or forage on the treated turf. Do not apply this product on grasses grown for

#### **TURFGRASS**

When applied as directed under the conditions described, the following established turfgrasses are tolerant to this product;

#### Cool-Season Grasses

Bentgrass, creeping\* Agroetis stolonifera Bluegrass, Kentucky Fescue, fine\*\* Festuca rubra Fescue, tall

Festuca arundinacea Rya grass, perennial Lollum perenne

Warm-Season Grasses Pespelum notatum Cynodon dactylon Bahlagrass Bermudagrase Buffalograss **Buchloe dactyloides** Carpetgrass Centipedegrass Axonopus affinis Kikuyugrass St. Augustinegrass

Eremochica ophicroides Pennisetum clandestinum Stenotaphrum secundatum Zoysia japonica

DO NOT apply this product to Colonial bentgrass.
"Use of this product on certain varieties of creeping bentgrass, such as "Carmen",
"Cohansey", or "Seaside" will result in undesirable turf injury. Not all varieties of
creeping bentgrass have been tested.
"The following fine fescue varieties have been found to be sensitive to this product: "Atlanta" "Reproduct".

Zoyslagrass

#### STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed or seed by storage or disposal. STORAGE - Store this product only in its original container. In case of spill, sweep up material and dispose of material according to label directions or as follows.

DISPOSAL - Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, State or local procedures. Do not reuse emptied container, Completely empty bag into application equipment. Dispose of emptied bag(s) in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smokel

#### APPLICATION DIRECTIONS

This product provides preemergence control of listed annual grasses and broad-leaf weeds when applied prior to their germination in established turfgrass. Control of Annual Grasses and/or Annual Broadleaf Weeds This product should be applied prior to the germination of annual grasses and/or broadleaf weeds. Use the higher recommended rates where weed infestations are dense and/or applications are made early and longer residual control is desirable. For preemergence control and/or suppression of annual bluegrass and listed winter annual broadleaf weeds, apply this product prior to their germination and emergence. Use the higher recommended use rates where weed infestations are dense.

# Refer to the following table for \*recommended use rates of this product for the preemergence control of annual grasses and/or broadleaf weeds.

## Weeds Controlled and \*Use Rate Recommendations "Apply 0.27 lb. to 0.40 lb. A.I. /Acre which is equivalent to xxx lbs. to xxx lbs. of this product per acre which equals xxx to xxx lbs./1000 sq. ft.

FOR:

OR: Crabgrass; (Large, Smooth, Southern)
Foxtail; (Green, Yellow)
\*\*Apply 0.40 lb. to 0.50 lb. A.I. /Acre which is equivalent to xxx lbs. to xxx lbs.
of this product per acre which equals xxx to xxx lbs./1000 sq. ft.

Barnyardgrass Chickweed Lespedeza, common Kikuyugrass Clover, hop Crabgrass, tropical Crowfootgrass Dichondra, Carolina

Oxalls, Buttercup; Creeping Woodsorrel; Yellow Woodsorrel Pineappleweed

Ryegrass, Annual & Perennial Smutgrass
Speedwell, corn
Spurge, Prostrate &
Spotted

\*\*\*Apply 0.50 lb. A.I. /Acre which is equivalent to xxx lbs. to xxx lbs. of this product per acre which equals xxx to xxx lbs./1000 sq. ft.

FOR:

Bluegrass, annual Henbit Bittercress Parsiey-plert Pineappieweed Geranium, Carolina Chickweed Purslane, common Goosegrass Shepardspurse

\*Do not apply more than 0.5 lb, A.I. per acre; equivalent to xxx lbs. of this product per acre per application and no more than 1.5 lbs. A.I. per acre; equivalent to xxx lbs. of this product (0.5 A.I. lbs. in New York ) per acre, per year. Do not apply in Nassau and Suffolk Counties of New York. \*The higher use rates are recommended where weed infestations are heavy and/or dense. \*\*\*Use of this product at this rate will provide only partial control and/or suppression of listed weeds,

Spreader Settings Pounds / 1,000 sq.ft. 2.29 lbs. 5.74 lbs. 9.57 lbs. 4.59 lbs. 11.48 lbs. 19.13 lbs. Cyclone B-1 xx xx Scott Drop XX 200

CONDITIONS OF SALE AND WARRANTY

Pursell Industries. Inc. warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. Pursell Industries, Inc. MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE, Handling, storage and use of the product by Buyer or User are beyond the control of Pursell Industries. Inc. and Saller

	Pounds /Acre	Pounds of Product /1,000 sq.ft. per Application	Amount of Product / 100 sq.ft.	ice Plant Impatiens	Hosta lahcifolia Carpobrotus edulis	•
	0.5 lbs.	Ibs.	lbs.	ins ins hay English	impatiens walieratia Ins spp Hodera heliv	Wedgewood; Dwarf Blue, Bulgaria; Thorndale,
	To just is a preemergen to weed seed germination or is free of clocks, weeds and deby hand weeding, cultivation obeen made, do not disturb the Only apply this product to e	or wim a postemergence neroicide, of e soil surface as the herbicide barrier <b>PRECAUTIONS</b> stablished ornamentals.	lished weeds. Make applications prior is obtained when applied to soil that application, control existing vegetation noe an application of this product has will be broken.	liv English Jasmine, Asian Juniper	Hosta lahcifola Carpobrous edulis Impatiens walleratia Ins spp Hedera helix Trachelopermum asiaticum Juniperus spp, Juniperus horizontalis Juniperus horizontalis	Arcadia, Armstrong, Bar Harbor, Blue Crup; Blue Pacific; Blue Rug, Blue Carpet, Broadmoor, Buffalo; Calgary Carpet, Emerald Sea; Carpet Green;
	<ul> <li>Do not apply this product di</li> <li>Do not incorporate this produceur.</li> </ul>	rectly to the bare roots of ornamental act into soil. Dilution of active ingredien	t and possible injury to plant roots may	King Palm	Juniperus chinesis Juniperus sabina Archontophoenix cunninghamiana	Scandia: Scopulorum; Moonglow Scopulorum; Skyrocker, Spartan, Tarnariscriolia; Weberi; Youngstown; Yukon Belle,
	fertilizer or soil salts, who posticides or injury due to To avoid foliar damage to	omamental plants that are under strend injury, hall, frost damage, winter insects, nematodes or disease, omamentals, irrigate immediately a	injury, injury from previously applied	King Palm Laurel, Australian Laurel, Mountain Laucothoe Liy, Africian Liy, Africian Blue Liy of the Valley Liyturi	Picosporum tobira Kalmia latifolia Leucothoe fontanesiana Agapanthus africanus	Albus; Peter Pan.
	particles from the foliage.  Do not apply under condition  move product onto sensiti  Do not graze livestock or fe	ons that would affect product distributi the species. Uneven product distributions and forage cut from areas treated with	on. Wind could affect distribution and on will result in uneven weed control, this product.	Lify of the valley. Lifytum, Japanese Lifope, Green Maple, Japanese	Pieris japonica Linope musceri Ligustrum japonicum Linope spicata Acer japonicum	Mt. Fire Evergreen Giant I lac Beauty Majestic, Monroe White Variegata.
	in field trials. However, this pro	TOLERANT ORNAMENT or the conditions on this label, ornamer oduct has not been tested on all cultiva	tals listed below have shown tolerance is of each species or under all possible	Ligustrum, Japanese Linope, Green Maple, Japanese Maple, Norway Maple, Red Maple, Silwer Maple, Silwer Marigold	Ligustrum japonicum Lificope spicatia Acer japonicum Acer patanoides Acer rubrum Acer saccharirum Acer saccharirum Tageles patula	Honeycomb; Wheeler's Dwarf,
	growing conditions. Pollow conditions prior to large scale	directions given above to determine 3 use.	plant tolerance under your growing  Tolerant Cultivars	Mock Orange* Mondo Grass Moss Rose Myrtle, Crape	Philadelphus spp. Ophicpogon japonicus Portulacă grandifiora Lagerstoernia indica	Honeycomb; Wheeler's Dwarf, variegata Golderi, Snowflake Double White. Sunnyside Faurer: Langer; Muskogee; Standard Pink.
	Common Name Abella, Dwarf Ajuga Almond, Flowering Apples Arborvitae	Majus pumila	Nana Bronze Bronze Beauty	Myrite, Wax Nadina Oleander Oak, Laurel Oak, Pin, Oak, Southern L Oak, Willow Ofeospermum Pailm, Bangalow Pampas, Glass Paper, Flower Pachysandra Perwinkle, Dwarf	Myrica cerifer Nacina domestica Nenum obencer Quercus iauniolia Quercus palustris Quercus rupria Quercus virginana Quercus phèlios Osteospermum fruticosum	Compacta: Nana Hardy Red; Petite Pink, Sister Agnes.
	Arbonidae, Golden Aster, Chinese Ash, Green Ash, Mountain Ash, Mountain Ash, Purple Azalpa	Thuia orientalis	Nigra: Pyramidalis: Smaragh Techny; Woodwardii. Dwarf Queen	Oak, Ked Oak, Southern L Oak, Willow Oleospermum Palm, Bangalow Palm, Bangalow	Quercus Yupra Quercus virginiana Ouercus phellos Osteospermum fruticosum	Wirligig
	Ash, Purple Azalpa	Eraxinus ambricana Rhododendron spp.	Brilliant; Buccaneer; Carror; Chimes (Bedjant; Exbury; Fashion; Harditzer Beauty; Hershey Red; Higasa; Hinocrimson; Holland (Hybrid); Marion Lee; Northern Lights; Orange Cup; Orchid Lights; Snow, Southern Charm.	Paper Flower Pachysandra Peach Perwinkle, Dwarf Petunia Photinia, Red Tip	Bougainvillea glabra Pachysandra terminalis Prunus persica Vinca minor Petunia X hybrida	Barbara Karst Picoti
	Azalea, Flame	Rhododendron calendulaceum	Hinocrimson; Holland' (Hybrid); Marion Lee; Northern Lights; Orange Cub; Orchid Lights; Snow, Southern Charm.	Photinia, Red Tip Pieris Pine, Australian Pine, Japanese Black Pine, Lobigly	Cortadaria selicana Bougainvillea glabra Pachysandra terminalis Prunus persica Virica minor Petunia X frasari Pinus nara Pinus nara Pinus teada Pinus myaha Pinus myaha Pinus selicatis Pinus myaho Pinus sylvestris Pinus myaho Pinus sylvestris Pinus myaho Pinus sylvestris Pinus myaho Pinus sylvestris Pinus myaho Pinus yiriniana Pinus synbus Peijoa felicwalana	
	Azalea, Flame Azalea, Kirshima Bamboo, Heavenly Barberry Barberry, Purple Bearberry (common)	Berberis thunbergli Arctostaphylos uva-ursti	Aurea: Dwarf Pigmy, Green: Kobold: Pygmy Red; Rose Glow; Atropurputea Massachusetts	Pieris Pine, Australian Pine, Japanese Black Pine, Longlear Pine, Scotch Pine, Scotch Pine, Stash Pine, Wish Pine, Pine	Pinus palustris Pinus mugho Pinus sylvastris Pinus elliotil Pinus vuodo	
	Barberry, Purple Bealberry (common) Birch, River Blueberry Boxteod, Japanese Boxteod, Weiter	Vaccinium spp. Callistemon citrinus	Bluecrop: Blue Jay: Jersey; North Blue; Northland Japonica	Pine, Willie Pineapple, Guava Pittos porum, Japan Potentilla Privet	Pinus strobus Feijoa fellowaiana Potentiali fruticosa Ligustrum japanicum	Abbotswood Golden Vicary, Regal; Texanum; Yellow Tipped, Wax.
	Boxwood, Weller Broom Broom Bugle Carpet Carex, Vallegated Camellia	Geniste pilosa Carex	Moonlight Vancouver Gold	Privet, Glossy Eyracanina Queen Palm Quince, Japanese* Rhododendron	Ligustrum lucidum Pyracantha koldzumii Arecastrum rammanzoffanum	Gnome; Lalandei; Victory.
	Cedar, Red Cockscomb, Plumosa Coleus	Camellia sasangua Juniperus Virginiana Celosia cristata Coleus humei	Debutante; Mathotiana Supreme; Chansonette. Red Kewpie		Rhododendron spp  Rhododendron carolinianum Rhododendron catawbiense	Album; Cunningham, White; Fashlon; Hardy, PJM; Purple Gem; Silvery Pink,
	Copper leaf Cotoneaster Cycada Coyotebrush Cypress, Bald	Acalypha wilkesiana Cotoneaster apiculatus Cycads revoluta Baccharis pelularis Laxodium distichum		Rhododendron, Carolina Rhododendron, Catawba Rode Max (Rosebay) Tose Rosemary* Rosemary, Bog Salvia Sedum	Rhododendron carolinianum Rhododendron catawbiense Rhododendron maximum Rosa banksiaga Rosmarinus officinalis Apidromeda polifolia Salvia farinacea Sedumm spurium	Luia Nana Rhea Rhod Red: Red
j. t	Cycrese Leviand	Camelila sasangua luniperus virginiana celsa cristara Celsa cristara Celsa cristara Colous biumei Acalypha wilkesiana Cycads revoluta Baccharis pelularis raxoclum distichum Cupressus sempervirens cupressus sempervirens cyprassocypans leviandii cristalescopans cotusa (emissus sep.	Glauca Gracilis King Afred Ariso Gold: Bright Yellow (Hyond): Single Gold (Ever- green); Wilson's Yellow.	Spiraea Spiraea	Astilbe X arendsii Spir <del>aea</del> spp,	Nana Rhea Dragon Blood Red; Red Carbel; Yescw Fanall Anthony Waterer Red; Dolchica; Froebel Pink Goldaniame Red; Snowmound White; Van Houtle White.
		Comus florida	green); Wilson's Yellow.	Spiraea, Garland Spruce, Black Hills Spruce, Norvado Blue Spruce, Norvay Spruce, White	Spiraea spp. Picea glauce Picea pungens Picea ables Picea glauce Oxydendrum arboreum	Conisse .
	Euchymus .	Euonymus Yortunei	Argenteo-variegata; Auereo- marginata; Colorata; Emeraid Galety, Emeraid 'N Gold; Gold Edge; Gold Princess; Silver Kirig; Tricolor; Vegetus.	Spiraea, Garland Spruce, Black Hills Spruce, Colorado Blue Spruce, Norway Spruce, Write Spurwood Sweetlag, Grassyy-Le Sweetlgum Sycamore Tree Fern (Tiki Fern) Tulinpet Flower, Evening Julin Versana, Shrub	Cxycenarum arboreum Liquidambar styracifiua Platanus occidentalis Asparagus virgatus Gelserdium sampacyirens	* • • • • • • • • • • • • • • • • • • •
	Fan Palm, European Fan Palm, Mexican Fescue Fescush Eicus	Chamaerops humilis Washingtonia robusta	1	Tulip Verbana, Shrub Vervain Viburnum	Liquidambar styracifiua Platanus occidentalis Asparagus virgatus Gelsenflum sempervirens Julip, spp Julipana sellowiana Verbena spp. Vibumum spp.	Apeldoorn St. Paul American Oranbarry Bush: Arrow- wood Common Snowbell Suropean Granbarry Bush; Linden; Wolfgan; Wright.
	Forsythia Fir Fraser Gardenia Geranium	Forsythia X intermedia Spies freseri Gardenia jasminoides	Rajnbow Midda Arnold Dwarf; Bronxensis Dwarf; Lymwood Gold; Meadowlark; Weeping. Mystery; Radicans	Windmill Palm Xylosma Yaupon Yaupon	Xyloshla congestum	A AP 4774
	Geranium Gum Hawthom	reiamonium x nonorum Eucalvotus citriodora	Cockspur White: Crimson Soud: Enchantress: Jack Evans; Washington White.	*Ornamental Species Dimension is a Tra	Taxus X media only: Do not use on food producing demark of Rohm & Heas (dim-range-om.p65	108-12-08)
	*Ornamental Spe	Cles only: Do not use on food product		P.O. Bo	ELL INDUSTRIËS, IN ox 540 • Sviacauga, AL 351	rseriei Isovalia