

8660-167

10-31-2002

1/20

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 11-30-93



United States Environmental Protection Agency
Office of Pesticide Programs (H7505C)
Washington, DC 20460

Application for Pesticide:

Registration
 Amendment
 Other

OPP Identifier Number

Section I

1. Company/Product Number 8660-167	2. Product Manager J. Miller	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Herbicide Granules Formula D6-25	PM# 23	
5. Name and Address of Applicant (include ZIP Code) Earth Care, Division of United Industries Corp. P.O Box 142642 St. Louis, MO 63114-0642 <input type="checkbox"/> Check if this is a new address	6 Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labelling to: EPA Reg. No. _____ Product Name _____	

Section II

Amendment - Explain below
 Resubmission in response to Agency letter dated _____
 Notification - Explain below.

Final printed label in response to Agency letter dated March 6, 2001
 "ME TOO" Application.
 Other - explain below

NOTIFICATION
OCT 31 2002

Explanation: Use additional page(s) if necessary. (For section I and Section II)

Notification per PR Notice 98-10 to add the following marketing claims: Controls Crabgrass and 25 other Grassy & Broadleaf Weeds Before they Starty (See back for complete list of weeds controlled), Apply either in Spring or Fall, Provides up to 4 months of Weed Control. We are also correcting the 4th bullet in the Directions for Use by adding the text "Do not" which was omitted with the label was retyped.

Section III

1. Material in Which This Product Will Be Packaged:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes * <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water-Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted.		If "YES," Unit package wgt			
No. per container		No. per container			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label Is Affixed To Product <input type="checkbox"/> Lithographed <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

Section IV

1. Contact Point (Complete items directly below for identification of the individual to be contacted, if necessary, to process this application)		
Name Glenda L. Mah	Title Senior Regulatory Affairs Specialist	Telephone No. (Include Area Code) 1-800-242-1166 Ext 3415
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate, and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6 Date Application Received (Stamped)
2. Signature 	3. Title Senior Regulatory Affairs Specialist	
4. Typed Name Glenda L. Mah	5. Date OCT 22, 2002	

2/10

United Industries Corp.

NOTIFICATION PER PR NOTICE 98-10

October 22, 2002

Document Processing Desk (NOTIF)
Office of Pesticide Programs
United States Environmental Protection Agency
Room 266A Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Attention: Joanne Miller
Product Manager 23

Subject: Notification per PR Notice 98-10
Herbicide Granules Formula D-6-25
EPA Reg. No. 8660-167

Dear Ms. Miller:

Please find enclosed our notification per PR Notice 98-10 to add the following marketing claims, which are variations of claims already found on the EPA approved label:

- Controls Crabgrass and 25 other Grassy & Broadleaf Weeds Before They Start (See back for complete list of weeds controlled)
- Apply either in Spring or Fall
- Provides up to 4 months of Weed Control

We are also taking this opportunity to correct a typing error by adding the text "Do Not" to the fourth bullet in the Directions for Use. The four bullet should read "Do not use product on new lawns or grass that has been weakened or stressed by drought, excessive temperatures or pests".

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.


The following documents are enclosed in support of this submission:

1. Application for Pesticide (EPA Form 8570-1)
2. Five copies of the proposed label with changes highlighted
3. One copy of the final printed label.
4. One copy of the EPA stamped approved label with subsequent notifications.

Please call me at 1-800-242-1166, Ext. 3415 if you have questions or need further information. Thank you very much for your attention to our application.

Sincerely,

Glenda L. Mah
Glenda L. Mah
Senior Regulatory Affairs Specialist



FRONT PANEL – HOMEOWNER USE LABEL

Herbicide Granules Formula D6-25

For Outdoor Residential Use Only

Pre and Early Post Emergence Control of Crabgrass

- A selective herbicide that provides control of crabgrass and other weeds on established lawns and ornamental landscapes.
- Provides early post emergence control of crabgrass when applied within four weeks of germination. [Claim for rates 0.22 – 0.25 pounds of AI per acre]
- Contains the active ingredient found in Dimension® Turf Herbicide

[See Appendix A for consolidated list of marketing claims]

Active Ingredient:

Dithiopyr*	0.06% - 0.250%
Other Ingredients:	99.94% - 99.750%
TOTAL	100.00% 100.000%

*CAS #97886-45-8

[Other ingredients in this product are clay granules used as a carrier and dipropylene glycol to adhere the active ingredient to the clay.

KEEP OUT OF REACH OF CHILDREN

CAUTION See back panel for additional precautionary statements

NET WT: 17 LBS [pounds] (7.7 kg)

BACK PANEL

[If the Final Product is formulated such that the application rate exceeds 0.25 pounds of AI per acre. The following statement must appear on the final printed product: In New York: Not for sale in Nassau and Suffolk Counties]

STOP. Read This Entire Label Before Use

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For outdoor residential use only.

IMPORTANT: Follow label directions

Using these directions

These "Directions for Use" are designed to help you determine the appropriate application procedure this product.

Before using this product, make sure that you read the entire "Directions for Use" section of this label.

Before you Use

Read and follow these use precautions when you use this product:

- Apply only to lawns and ornamental turf that are well established.
- Wait at least 12 weeks after using this product before reseeding, overseeding or sprigging of grass into areas that have been treated.
- Do not use product on new lawns or grass that has been weakened or stressed by drought, excessive temperatures or pests.
- When applying around ponds or other bodies of water, do not apply in windy conditions or where product can be moved into water by wind and washing rains.
- Keep people and pets off treated areas until dust has settled.
- Do not use grass clippings as mulch around vegetables or fruit trees.
- This product may be applied to flowers listed on this label.
- Do not make more than 1 application to the same area in the same year.

HOW TO USE

1. Apply this product at the rate of: 3.4 lbs. per 1000 sq. ft. (1 bag treats 5,000 sq. ft.).
2. Calibrate your spreader according to the spreader manufacturer's directions. Adjust settings as needed to apply the recommended rate of product.
3. Using a drop-type or rotary spreader, apply granules evenly over grass, avoiding streaking, skips or overlaps. Avoid using spreaders that apply product in narrow or concentrated bands.

NOTIFICATION

OCT 31 2002

3/10

4. Check calibration of spreader frequently to insure spreader is functioning properly and applying product evenly.

Spreader Settings

This 17 pound bag covers 5,000 sq. ft. Use the settings below to apply at a rate of **3.4 lbs.** per 1000 sq. ft.

Rotary Spreaders

X
X
X
X
X

Drop Spreaders

X
X
X
X
X

WHERE TO USE

This product can be used on the following types of grass when applied as directed:

Cool Season Grasses: *Agrostis Stolonifera*, Bentgrass (creeping), Bluegrass (Kentucky), Fescue fine, Fescue tail, *Festuca arundinacea*, *Festuca rubra*, *Lolium* (perenne), *Poa pratensis*, Ryegrass (perennial)

Warm Season Grasses: *Axonopus affinis*, Bahia, Bermuda, *Buchloe dactyloides*, Buffalograss, Carpetgrass, Centipede, *Cynodon dactylon*, *Eremochloa ophiuroide*, Kikuyugrass, *Paspalum notatum*, *Pennisetum clandestinum*, St. Augustine, *Stenotaphrum secundatum*, *Zoysia japonica*, Zoysiagrass

WHEN TO APPLY

- Product may be applied either in the Spring or Fall for the control of weeds.
- [Claim of rates 0.18 – 0.25 pounds of active ingredient per acre] Product will provide up to 4 months of weed control when used as directed.
- [Claim of rates 0.15 – 0.17 pounds of active ingredient per acre] Product will provide up to 3 months of weed control when used as directed.
- To get control of listed weeds other than crabgrass, applications must be made before weeds emerge.
- Herbicide Granules Formula D6-25 crabgrass preventer for home lawns will control crabgrass if applied before it emerges.
- [Claim for rates 0.22 – 0.25 pounds of AI per acre] Herbicide Granules Formula D6-25 crabgrass preventer for home lawns will provide early post emergence control of crabgrass when applied within 4 weeks of germination.

Weeds Controlled

Pre- and Early Post Emergent • Crabgrass

Pre-Emergent (Preventative)

Grass Weeds:

Annual Bluegrass, Annual Ryegrass, Barnyardgrass, Crabgrass, Crowfootgrass, Goosegrass, Green Foxtail, Kikuyugrass (seedling), Perennial Ryegrass, Smutgrass (seedling), Yellow Foxtail

Broadleaf Weeds:

Bittercress, Buttercup Oxalis, Carolina Geranium, Chickweed, Common Lespedeza, Common Purslane, Corn Speedwell, Creeping Oxalis, Henbit, Parsley-piert, Pineappleweed, Prostrate Spurge, Spotted Spurge, Yellow Woodsorrel

TOLERANT TREES, SHRUBS, AND FLOWERS**

When applied as directed under the conditions on this label, trees, shrubs, and flowers listed [below] have shown tolerance in field trials. However, this product has not been tested on all cultivars of each species or under all possible growing conditions. Follow directions given [below] to determine plant tolerance under your growing conditions. A limited area involving only a few plants should be treated and observed for signs of yellowing, wilting, or lack of growth prior to large-scale application.

****FULL LIST OF TOLERANT TREES, SHRUBS, AND FLOWERS ARE LISTED IN APPENDIX B.**

STORAGE AND DISPOSAL

Take the following precautions: Keep out of reach of children. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. **Storage:** Store product in original container in a cool, dry location. The storage area should be locked and inaccessible to children and pets. **Disposal: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION Causes eye irritation, if in eyes. Harmful if inhaled. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. If product gets on clothes, wash before reuse. Prolonged or repeated skin contact may cause allergic skin reactions in some individuals.

1/17

FIRST AID

The table below describes the first aid procedures for incidents involving this product.

If in Eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a Poison Control Center or doctor for further treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. [Active Ingredient: Dithiopyr, CAS # 97886-45-8]

Environmental Hazards

- This product is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift and runoff from treated turf may adversely affect aquatic organisms in adjacent aquatic sites. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas.
- Do not contaminate water when cleaning equipment or disposing of equipment washwater.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

[Satisfaction Guaranteed: If you apply this product as directed and are not completely satisfied, just send proof of purchase from this package and the original cash register receipt to the address below. We will refund the purchase price you paid.

When applied as directed, this product meets the guidelines for metals adopted by the Association of American Plant Food Control Officials.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-sb.com>.

[Product Information] [Questions or comments?] Call 1-800-332-5553

Made in USA by Earth Care,
Division of United Industries Corp.
P.O. Box 142642
St. Louis, MO 63114-0642

EPA Reg. No. 8660-167

EPA Est. No. 9688-MO-1

© 2002

APPENDIX A**HERBICIDE GRANULES FORMULA D6-25 CLAIMS**

1. Preemergence and early Post Emergence Control of Crabgrass
2. Covers 5,000 sq. ft.
3. Money-Back Guarantee
4. Look for other quality PURSELL lawn and garden products. For more information this products visit us on the Internet at www.fertilizer.com or call our Consumer Service Hotline at 1-800-874-8892.
5. Non-Staining
6. Provides up to 4 months control of crabgrass
7. Controls crabgrass for up to 120 days
8. IMPORTANT – It is important to follow directions as indicated on this quality lawn care product as over application may cause injury to your lawn. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied, and roughness of area treated. Be sure to calibrate spreader before beginning, and check calibration during application, adjusting if necessary. Consult Owner's Manual.
9. Controls Crabgrass & [20] 25 other [listed] weeds.
10. Controls Crabgrass and 25 other Grassy & Broadleaf Weeds Before They Start (See back for a complete list of weeds controlled)
11. Active Ingredient in this Crabgrass Preventer is ranked #1 by Golf Course Superintendents
12. Effective up to 4 weeks after Crabgrass germination [sprouts]
13. Pre-emergence control of crabgrass for up to 90 days
14. Contains Dimension® for pre-emergence control of Crabgrass, Poa Annua, Foxtail, Goosegrass, Oxalis, Spurge and many other grassy broadleaf weeds
15. Prevent Crabgrass up to 4 WEEKS After Germination
16. Controls [Weeds* For] Up to 4 MONTHS
17. "To Do" List √ Subtract Non-Lawn Areas: √ Apply at recommended rate
18. Visit Us on the Internet or Call Our Customer Satisfaction Hotline 1-800-XXX-XXXX
19. GENERAL USE DIRECTIONS
 - a. Determine size of area to be treated – measure length and width in feet, then multiply to determine coverage are in sq. ft. (length x width). Next, subtract non-lawn areas.
 - b. Use the spreader setting chart to determine the appropriate setting.
 - c. Treat as directed – thorough coverage is important.
19. Apply either Spring or Fall
20. Provides up to 4 Months of Weed Control

APPENDIX B

TOLERANT TREES, SHRUBS, AND FLOWERS When applied as directed under the conditions on this label, trees, shrubs, and flowers listed below have shown tolerance in field trials. However, this product has not been tested on all cultivars of each species or under all possible growing conditions. Follow directions given above to determine plant tolerance under your growing conditions. A limited area involving only a few plants should be treated and observed for signs of yellowing, wilting, or lack of growth prior to large-scale application.

Common Name	Botanical Name	Tolerant Cultivars
Abella, Dwarf	Abella X grandiflora	Nana
Ajuga	Ajuga reptans	Bronze
	Ajuga genevensis	Bronze Beauty
Almond, Flowering	Pruhus glaudulosa	
Apple*	Malus pumija	
Arborvitae	Thuja occidentails	Nigra; Pyramidalis; Smaragh Techny; Woodwardii.
Arborvitae, Golden	Thuja orientails	
Aster, Chinese	Callistephus chinensis	Dwarf Queen
Ash Green	Fraxinus pennsylvanica	
Ash, Mountain	Sorbus aucuparia	
Ash, Purple	Fraxinus americana	
Azalea	Rhododendron spp.	Brilliant; Buccaneer; Carror; Chimes (Belgian); Exbury; Fashion; Hardijzer Beauty; Hershey Red; Higasa; Hinocrimson; Holland (Hybrid); Marion Lee; Northern Lights; Orange Cup; Orchid Lights; Snow; Southern Charm.
Azalea, Flame	Rhododendron calendulaceum	
Azalea, Kirishima		
Bamboo, Heavenly		
Barberry	Berberis thunbergii	Aurea; Dwarf Pigmy; Green; Kobold; Pygmy Red; Rose Glow
Barberry, Purple		Atropurpurea
Bearberry(common)	Arctostaphylos uva-ursti	Massachusetts
Birch, River	Betula nigra	
Blueberry*	Vaccinium spp.	Bluecrop; Blue Jay; Jersey; North Blue; Northland
Bottlebrush	Callistemon citrinus	
Boxwood, Japanese		Japonica
Boxwood, Weller	Buxus semperirens	
Broom	Cytisus spp.	Moonlight
Broom	Genista pilosa	Vancouver Gold
Bugle Carpet		
Camellia	Camellia japonica	Chansonette; Debutante; Mathotiana Supreme
Camellia	Camellia sasangua	
Carex, Variegated	Carex	
Cedar, Red	Juniperus virginiana	
Cockscomb, Plumosa	Celosia cristata	Red Kewpie
Coleus	Coleus blumei	
Copper leaf	Acalypha wilkesiana	
Cotoneaster	Cotoneaster apiculatus	
Coyotebrush	Baccharis pelularis	
Cycads	Cycads revoluta	
Cypress, Bald	Taxodium distichum	
Cypress, Italian	Cupressus sempervirens	Glauca
Cypress, Japanese False	Chamaecyparis obtus	Gracilis
Cypress, Leyland	Cupressocyparis leylandii	

*Ornamental Species only. DO NOT USE ON FOOD-PRODUCING TREES, SHRUBS, AND FLOWERS

Daffodil	Narcissus spp.	King Alfred
Daylily	Hemerocallis spp.	Aztec Gold; Bright Yellow (Hybrid); Single Gold (Evergreen); Wilson's Yellow
Dogwood	Cornus florida	
Dogwood, American	Cornus sericea	Flavarimaea
Douglas Fir	Pseudotsuga menziesii	
Dusty Miller	Senecio cineraria	
Elm, Drake	Ulmus parvifolia	
Euonymus	Euonymus fortunei	Argento-variegata; Auereo-marginata; Colorata; Emerald Gaiety; Emerald N Gold; Gold Edge; Gold Princess; Silver King; Tricolor; Vegetus.
Fan Palm, European	Chamaerops humilis	
Fan Palm, Mexican	Washingtonia robusta	
Fescue	Festuca glauca	
Fetterbush	Leucothoe fontiana	Rainbow
Ficus	Ficus retusa	Nitidia
Forsythia	Forsythia X intermedia	Arnold Dwarf; Bronxensis Dwarf; Lynwood gold; Meadowlark; Spring Glory; Weeping.
Fir Fraser	Abies fraseri	
Gardenia	Gardenia jasminoides	Mystery; Radicans
Geranium	Pelargonium X hortorum	
Gum	Eucalyptus citriodora	
Hawthorn	Crataegus spp.	Cockspur white; Crimson Cloud; Enchantress; Jack Evans; Washington White
Heather, Twisted	Erica cinerea	Mediterranean Pink
Hibiscus	Hibiscus spp.	Blue Bird; Brilliant; hula Girl
Hemlock, Canada	Tsuga canadensis	
Holly	Ilex spp.	Blue Boy; Blue Girl;
	Ilex X meserveae	Burfodii; China Girl; Compacta; Forsteri; Hellerie; Japanese Northern Beauty; Needlepoint; nellie R. Stevens; Savannah
Holly	Ilex X attenuata	
Holly, Chinese	Ilex cornuta	
Holly, Japanese	Ilex crenata	
Holly, Yaupon	Ilex vomitoria	
Honeysuckle	Lonicera japonica	Clavey's Dwarf; Halliana; Tatarian Canadian White; Zebelli Red Hosta
Hosta	Hosta spp.	Albo Marginata
Hosta	Hosta lancifolia	
Ice Plant	Carpobrotus edulis	
Impatiens	Impatiens wallerana	
Iris	Iris spp.	Dwarf Blue; Wedgewood
Ivy, English	Hedera helix	Bulgaria, Thorndale
Jasmine, Asian	Trachelopermum asiaticum	
Juniper	Juniperus spp.	Arcadia; Armstrong; Bar Harbor
Juniper	Juniperus horizontalis	Blue Chip; Blue Pacific; Blue Rug; Blue Star; Broadmoor; Buffalo; Calgary Carpet; Emerald Sea; Emerald Spreader; Endora Compacta; Fruitlandi; Green; Gold Tip; Hetzi; hughes; Manhattan Blue; Parsoni; Pfizeriana; Plumosa; Prince of Wales; Procumbens Dwarf; San jose; Sargent Blue; Sargent Green; Scandia; scopulorum Moonglow; Scopulorum skyrocker; Spartan
Juniper	Juniperus chinensis	Tamariscifolia
Juniper	Juniperus sabina	Weberi; Youngstown; Yukon Belle
King Palm	Archontophoenix cunninghamiana	
Laurel, Australian	Pittosporum tobina	
Laurel, Mountain	Kalmia latifolia	
Leucothoe	Leucothoe fontanesiana	

*Ornamental Species only. DO NOT USE ON FOOD-PRODUCING TREES, SHRUBS, AND FLOWERS

Lily, African	Agapanthus africanus	Albus; Peter pan
Lily, African blue		
Lily of the Valley	Pieris japonica	Mt. Fire
Lilyturf	Liriope muscari	Evergreen Giant; Lilac Beauty; majestic; monroe White; Variegata
Ligustrum, Japanese	Ligustrum japonicum	
Liriope, Green	Liriope spicata	
Maple, Japanese	Acer japonicum	
Maple, Norway	Acer platanoides	
Maple, Red	Acer rubrum	
Maple, Silver	Acer saccharinum	
Maple, Sugar	Acer saccharum	
Marigold	Tagetes patula	Honeycomb; Variegata; Wheeler's Dwarf
Mock Orange*	Philadelphus spp.	Golden; Snowflake Double White
Mondo Grass	Ophiopogon japonicus	
Moss Rose	Portulaca Grandiflora	Sunnyside
Myrtle, Crape	Lagerstoemia indica	Faurei; Langer; Muskogee; Standard Pink
Myrtle, Wax	Myrica cerifer	
Nadina	Nadina domestica	Compacta; Nana
Oak, Laurel	Quercus laurifolia	
Oak, Pin	Quercus palustris	
Oak, Red	Quercus rubra	
Oak, Southern L	Quercus virginiana	
Oak, Willow	Quercus phellos	
Oleander	Nerium oleander	Hardy Red; Petite Pink; Sister Agnes
Oteospermum	Osteospermum fruticosum	Wirligig
Palm, Bangalow		
Pampas Grass	Cortadaria selloana	
Paper Flower	Bougainvillea glabra	Barbara Karst
Pachysandra	Pachysandra terminalis	
Peach*	Prunus persica	
Periwinkle, Dwarf	Vinca minor	
Petunia	Petunia X hybrida	Picoti
Photinia, Red Tip	Photinia X fraseri	
Pieris	Pieris japonica	
Pine, Australian	Pinus nigra	
Pine, Japanese Black	Pinus thumbergiana	
Pine, Loblolly	Pinus teada	
Pine, Longleaf	Pinus palustris	
Pine, Mugho	Pinus mugho	
Pine, Scotch	Pinus sylvestris	
Pine, Slash	Pinus ellioti	
Pine, Swiss Mt.	Pinus mugo	
Pine, Virginia	Pinus virginiana	
Pine, White	Pinus strobus	
Pineapple, Guava	Feijoa fellowaiana	
Pittosporum, Japan		
Potentilla	Potentilla fruticosa	Abbotswood
Privet	Ligustrum japonicum	Golden Vicary; Regal; Texanum; Wax; Yellow Tipped
Privet, Glossy	Ligustrum lucidum	
Pyracantha	Pyracantha koidzumii	Gnome; Lalandei; Victory

*Ornamental Species only. DO NOT USE ON FOOD-PRODUCING TREES, SHRUBS, AND FLOWERS

Queen Palm	Arecastrum rammanzoffanum	
Quince, Japanese*		
Rhododendron	Rhododendron spp.	Album; Cunningham White; Fashion; Hardy; PJM; Purple Gem; Silvery Pink
Rhododendron, Carolina	Rhododendron carolinianum	
Rhododendron, Catawba	Rhododendron catawbiense	
Rodie Max (Rosebay)	Rhododendron maximum	
Rose	Rosa banksiaae	Luta
Rosemary*	Rosmarinus officinalis	
Rosemary, Bog	Andromeda polifolia	Nana
Salvia	Salvia farinacea	Rhea
Sedum	Sedum spurium	Dragon Blood Red; Red Carpet; Yellow
Spiraea	Astilbe X arendsii	Fanall
Spiraea	Spiraea spp.	Anthony Waterer Red; Dolchica; Froebeli Pink; Goldenflame Red; Snowmound White; Van Houtte White
Spiraea, Garland	Spiraea spp.	
Spruce, Black Hills	Picea glauca	
Spruce, Colorado Blue	Picea pungens	
Spruce, norway	Picea ables	
Spruce, White	Picea glauca	Conica
Sourwood	Oxydendrum arboreum	
Sweetflag, Grassy-Le		
Sweetgum	Liquidambar styraciflua	
Sycamore	Plantanus accidentails	
Tree Fern (Tiki Fern)	Asparagus virgatus	
Trumpet Flower, evening	Gelsemium sempervirens	
Tulip	Tulip.spp.	Apeldoorn
Verbana, Shrub	Lantana sellowiana	
Vervain	Verbena spp.	St.Paul
Viburnum	Viburnum spp.	American Cranberry Bush; Arrowood; Common Snowball; European Cranberry Bush; Linden; Mohican; Wright
Windmill Palm	Trachycarpus fortunei	
Xylosma	Xylosma congestum	
Yaupon	Ilex vomitoria	Dwarf
Yew	Taxus cuspidatra; Taxus X media	Denisiformis

* Ornamental Species only. DO NOT USE ON FOOD-PRODUCING TREES, SHRUBS, AND FLOWERS

10/10