



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

8660-250

Date of Issuance:

FEB 24 1999

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Sta-Gone Snail & Slug
Killer Pellets

Name and Address of Registrant (include ZIP Code):

Pursell Industries, Inc.
P.O. Box 540
Sylacauga, AL 35150

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c) (7) (A) provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c) (5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 8660-250".

Signature of Approving Official:

Tina E. Levine

Tina E. Levine, PhD, Chief
Insecticide-Rodenticide Branch
Registration Division (7505C)

Date:

FEB 24, 1999

Page Two
8660-250

3. Submit two (2) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

(
Enclosure:

1 Pound Treats
up to 2,000 sq.ft.

SNAIL & SLUG KILLER PELLETS FOR HOME/RESIDENTIAL USE

For use around Homegrown Fruits and Nuts, Vegetable Gardens, Ornamental green plants such as, Spathiphyllum, in FLOWER GARDENS, and ON THE SOILS OF HOME GREENHOUSES, AROUND BEDDING PLANTS, IN LANDSCAPE PLANTINGS AND BORDERS. For DICHONDRA, CLOVER, and GRASS LAWNS and IN TURF AND various varieties of GROUND COVERS.

ACTIVE INGREDIENT:
Metaldehyde (2,3,4,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane)2%
OTHER INGREDIENTS : 98%
Total 100%

**KEEP OUT OF REACH OF CHILDREN
WARNING**
This pesticide may be fatal to children and dogs or other pets if eaten. Keep children and pets out of treated areas. See back panel for additional precautionary Statements.

STATEMENT OF PRACTICAL TREATMENTS
IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. **To physician:** gastric lavage -sodium bicarbonate for neutralization; carbo medicalis for decontamination. **IF INHALED:** Remove from further exposure and treat symptomatically. **IF IN EYES:** Flush with plenty of water. See a physician. **IF ON SKIN:** Wash with water and mild soap.

EPA Reg No. 8660-XXX EPA Est. No. 8660-CA-1
Pursell Industries, Inc.
P.O. BOX 540 - Sylacauga, AL 35150 U.S.A.
Net weight (2 1/2 Pounds) ; (10 Pounds)

STA-GONE SNAIL & SLUG KILLER PELLETS
Read entire label. Use strictly in accordance with label warnings and directions.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**
WARNING: Keep out of reach of children. May be fatal if swallowed. Avoid breathing dust. Avoid contact with skin, eyes and clothing. Wash hands with soap and water after handling and before eating or smoking.

ENVIRONMENTAL HAZARDS
This pesticide may be fatal to children and dogs or other pets if eaten. Keep children and pets out of treated area. Follow directions and use with care. Dogs and chickens may be attracted to this bait. This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

DIRECTIONS FOR USE
1 Pound Treats up to 2,000 sq.ft.
It is a violation of Federal law to use this product in a manner in consistent with its labeling. Not for use on turf or plants being grown for sale or for commercial use such as sod, or for commercial seed production or for research purposes. Water area to be treated thoroughly. Broadcast Sta-Gone Snail and Slug Killer Pellets late in the day in the areas likely to be infested. Apply to the soil and not directly to plants. Do not apply to edible parts or to foliage. Scatter the bait evenly, do not leave in piles. In gardens and lawn areas insure pellets are applied around base of bedding plants and other low growing plants where snails and slugs hide. To avoid early damage to your garden, apply before snails and slugs appear at spring planting. Continuous watering and high temperatures cause this bait to gradually lose some of its effectiveness. Repeat applications every week to ten days during the spring and summer months. Treatment every two weeks during fall and winter months is usually satisfactory. Repeated treatments provide control of new broods emerging during this period. Three applications ten days apart usually gives control of new snails and slugs.

1 Pound Treats up to 2,000 sq.ft.
HOME VEGETABLE GARDENS
TO control Snails and Slugs around the following vegetables and fruit crops, apply to soil surface around plants and trees. Do not contaminate edible parts or foliage. May be used up to day of harvest.

VEGETABLE PLANTS: Asparagus, Beans, Blackeyed Peas, Broccoli, Brussels Sprouts, Cabbage, Melons, Carrots, Cauliflower, Corn, Cucumbers, Eggplant, Endive, Garlic, Kale, Kohlrabi, Horseradish, Leeks, Lettuce, Okra, Onions, Peas, Peppers, Potatoes, Pumpkins, Radishes, Rutabagas, Salsify, Shallots, Spinach,

HOME I
Almonds, Apples, Boysenberries, Loganberries, N Plums, R
FOR control of TAL AND FLOW OF HOME GRE PLANTS, IN LAN DER; ON DICH LAWNS; IN TU GROUND COVE
Distribute pellets

STO
Storage: Store pro place out of reach or contaminate oth feed. Return spillag as directed. Dispos empty container in card in trash.

IMPORTANT
By using this pro
Pursell Industries, forms to the chem product is reasonab subject to the inher in accordance with warnings, cautions based upon respon tests of effectiveness plants, of residues experience. Testing of food crops, an application, weathe There are no expre herein. Pursell ne authorize any ager warranty, express and disclaims all fitness for particul quality or performa and the user shall damage which res manner which is i warnings or cau Pursell's sellers' s damage, or injury r product, whether s strict liability in to Pursell's option, to purchase prices for which damages ar Seller be liable for ages resulting from
(66-2% methyde.p05/11-044)
FOR THE FOLLOWING EMER TRANSPORTATION: CACHE

