



008660-00251-040699

Printed: 13:00:36 Friday, 21 May, 1999 # 51 / 2917

Systems Integration Group, Inc.



Sta-Gone!

SNAIL & SLUG KILLER MEAL

**1 Pound Treats
up to 2,000 sq.ft.**

FOR HOME/RESIDENTIAL USE

For use around Homegrown Fruits and Nuts, Vegetable Gardens, Ornamental green plants such as, Spathiphyllum, in FLOWER GARDENS, and ON THE SOILS OF HOME GREENHOUSES, AROUND BEDDING PLANTS, IN LANDSCAPE PLANTINGS AND BORDERS. For DICHONDRA, CLOVER, and GRASS LAWNS and IN TURF AND various varieties of GROUND COVERS.

ACTIVE INGREDIENT:

Metaldehyde (2,3,4,8-tetramethyl-1,3,5,7-tetraoxycyclo-octane) 2%

OTHER INGREDIENTS: 98%
Total 100%

KEEP OUT OF REACH OF CHILDREN

WARNING

This pesticide may be fatal to children and dogs or other pets if eaten. Keep children and pets out of treated areas. See back panel for additional precautionary Statements.

STATEMENT OF PRACTICAL TREATMENTS

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. **To physician:** gastric lavage -sodium bicarbonate for neutralization; carbo medicalis for decontamination. **IF INHALED:** Remove from further exposure and treat symptomatically. **IF IN EYES:** Flush with plenty of water. See a physician. **IF ON SKIN:** Wash with water and mild soap.

EPA Reg No. 8660-251 EPA Est. No. 8660 CA-1

Pursell Industries, Inc.

P.O. BOX 540 - Sylacauga, AL 35150 U.S.A.

Net weight (2 1/2 Pounds) ; (10 Pounds)

STA-GONE SNAIL & SLUG KILLER MEAL

Read entire label. Use strictly in accordance with label warnings and directions.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Keep out of reach of children. May be fatal if swallowed. Avoid breathing dust. Avoid contact with skin, eyes and clothing. Wash hands with soap and water after handling and before eating or smoking.

ENVIRONMENTAL HAZARDS

This pesticide may be fatal to children and dogs or other pets if eaten. Keep children and pets out of treated area. Follow directions and use with care. Dogs and chickens may be attracted to this bait. This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

DIRECTIONS FOR USE

1 Pound Treats up to 2,000 sq.ft.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on turf or plants being grown for sale or for commercial use such as sod, or for commercial seed production or for research purposes. Water area to be treated thoroughly. Broadcast Sta-Gone Snail and Slug Killer Meal late in the day in the areas likely to be infested. Apply to the soil and not directly to plants. Do not apply to edible parts or to foliage. Scatter the bait evenly, do not leave in piles. In gardens and lawn areas insure pellets are applied around base of bedding plants and other low growing plants where snails and slugs hide. To avoid early damage to your garden, apply before snails and slugs appear at spring planting. Continuous watering and high temperatures cause this bait to gradually lose some of its effectiveness. Repeat applications every week to ten days during the spring and summer months. Treatment every two weeks during fall and winter months is usually satisfactory. Repeated treatments provide control of new broods emerging during this period. Three applications ten days apart usually gives control of new snails and slugs.

1 Pound Treats up to 2,000 sq.ft.

HOME VEGETABLE GARDENS

To control Snails and Slugs around the following vegetables and fruit crops, apply to soil surface around plants and trees. Do not contaminate edible parts or foliage. May be used up to day of harvest.

VEGETABLE PLANTS: Asparagus, Beans, Blackeyed Peas, Broccoli, Brussels Sprouts, Cabbage, Melons, Carrots, Cauliflower, Corn, Cucumbers, Eggplant, Endive, Garlic, Kale, Kohlrabi, Horseradish, Leeks, Lettuce, Okra, Onions, Peas, Peppers, Potatoes, Pumpkins, Radishes, Rutabagas, Salsify, Shallots, Spinach,

...nonds
Boysent
Loganbe
PI

**FOR CONT
TAL AND
OF HOME
PLANTS,
DER; ON
LAWNS;
GROUND
Distribute r**

**Storage: S
place out o
or containi
feed. Return
as directed.
empty cont
card in tras**

**IMPO
By using**

Pursell Indu
forms to th
product is r
subject to t
in accorda
warnings, c
based upon
tests of effe
plants, of re
experience.
of food cr
application.
There are n
herein. Pu
authorize a
warranty, e
and disclai
fitness for
quality or p
This warrant
solely resp
from the u
inconsisten
tions. Use
exclusive li
resulting fr
or not base
or other w
replacemer
the quantity
claimed. In
special, ind
the use or
251.p05/11-04-
FOR THE FOLLO

ACCEPTED
 APR 6 1999
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 8660-251

0000000000

0000000000