

safe for
NYLON
ORLON
DACRON

TIME SAVER



USE FOR WHITE AND FAST COLORS ONLY

ACCEPTED

Sept 29 1972

8703-1

**DO NOT
USE
ON SILK, WOOL
OR ACETATE**

BLEACH

NET CONTENTS 32 FL. OZ. (1 QT.)

Do not use in copper, aluminum or iron vessels. Use in porcelain or enameled lined vessel.

Distributed by **WALLACE CHEMICAL COMPANY**, Tampa, Florida 33610

DIVISION OF REVENUE CORPORATION LTD

**TIME
SAVER**



BLEACH AND DISINFECTANT

safe for
NYLON
ORLON
DACRON

**TIME
SAVER**



DIRECTIONS

USE FOR WHITE AND FAST COLORS ONLY

STAIN REMOVER:

BATHROOM & KITCHEN:

TO CLEANSE--DEODORIZE--DISINFECT.

CAUTION:

EPA Reg. No. 8703-1

Do not use on silk, wool, or acetate. Use on polyester, nylon, and dacron.
KEEP BOTTLE UPRIGHT IN COOL PLACE

**DO NOT
USE
ON SILK, WOOL
OR ACETATE**

BLEACH

CAUTION Keep Out of Reach of Children
May irritate skin and eyes (see back panel for cautions).

PIGGLY WIGGLY



9-29-72

OMICRON ON BEAST
NO 8702-1

8703-1

BLEACH

DISINFECTANT, STAIN REMOVER, DEODORIZER
Active Ingredient: Sodium Hypochlorite 5.25% by Wt.
Inert Ingredients 94.75% by Wt.

PIGGLY WIGGLY



BLEACH AND DISINFECTANT

USE FOR WHITE AND FAST COLORS ONLY

[illegible]

**DO NOT
USE
ON SILK, WOOL
OR ACETATE**

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTRATION
ED UNDER NO. 8703-1

8703-1

DISINFECTANT, STAIN REMOVER, DEODORIZER
Active Ingredient: Sodium Hypochlorite 5.25% by Wt.
Inert Ingredients 94.75% by Wt.

**PIGGLY
WIGGLY**



BLEACH AND DISINFECTANT

DIRECTIONS

USE FOR WHITE AND FAST COLORS ONLY

IN THE LAUNDRY: As a disinfectant add 1/8 cup of Bleach per each 2 gallons of water. Boiling is unnecessary. Mix well. Wash in usual way. As a bleach add 1/8 cup or 1 oz. per 2 gallons of water or one cap bleach per each washing machine load (16 gallon top loading machine). Rinse in several waters before drying. In automatics bleach should be added to suds water before clothing is placed in machine. If added while clothing is in suds, dilute with 1 quart of water before adding.

STAIN REMOVER: To remove spots, ink, fruit, tea, coffee, grass, or other stains, add 1/4 cup of bleach to quart of water. Mix well and allow to soak until stains disappear. Rinse thoroughly.

BATHROOM & KITCHEN: Use 1/3 cup bleach per quart of water. To clean sinks, toilet, bathtub, porcelain, etc., spread solution with cloth. Let stand 2 minutes. Rinse well. DO NOT use on silverware. **TUB & BOWLS:** Use 1/2 cup, pour in bowl and scrub with brush. Let stand for 10 minutes and then flush. DO NOT use with other toilet bowl or sewer cleaning or household chemical.

TO CLEANSE — DEODORIZE — DISINFECT: For sinks, bathtubs, tile, porcelain, porcelain enameled metal, etc., use 1/2 cup bleach per gallon of water. Wash thoroughly with warm water, rinse, then spread above solution with a cloth to wet surfaces thoroughly. Let stand for 10 minutes and then rinse well.

CAUTION: Undiluted bleach will irritate the skin and eyes. Avoid contact with skin and eyes. Rinse immediately. Call Physician. Harmful if swallowed. If taken internally feed bread soaked in milk followed by cooking oil. Call Physician. Not for personal use.

Do not use in copper, aluminum or iron vessels. Use in porcelain or enamel lined vessel.

KEEP BOTTLE UPRIGHT IN COOL PLACE

EPA Reg. No. 8703-1-AA-11998

Distributed by PIGGLY WIGGLY CORPORATION — Jacksonville, Florida 32202

ACCEPTED
1-27-72
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND FUNGICIDE ACT
FOR E.C. NO. 8727-1
REGISTERED UNDER E.C. NO. 8727-1

DIRECTIONS FOR USE DAIRY FARM USE

Wash clean, then use 1 ounce EM-BEE SOLUTION to each three gallons water to sanitize cans, pails, bulk coolers, milking machines, strainers, etc., also cows udders, teats and milkers hands.

For further information check with parts per million table at right side of label.

FOR FOOD PROCESSING AND MILK EQUIPMENT

Sanitize with 200 ppm available chlorine for all non-porous surfaces; for porous surfaces use 800 ppm available chlorine.

All surfaces should be exposed to the sanitizing solution for a period of not less than 2 minutes. Surfaces treated with sanitizing solutions exceeding 200 ppm available chlorine should be rinsed with a potable water supply.

WATER CHLORINATION

Use 0.1 to 0.5 ppm of available chlorine. Use a chlorine test set for the determination of proper concentrations and amount of residual chlorine.

LOCAL, STATE REGULATIONS

Where local or State regulations are in effect, consult authorities for proper sanitizing concentrations and procedures.

STORAGE

DO NOT STORE Sodium Hypochlorites longer than six months from the date of manufacture.

EPA Reg. No. 8727-1



CAUTION: Keep Out of Reach of Children.
SEE SIDE PANEL FOR ADDITIONAL CAUTION

POISON

IRRITATING TO EYES, SKIN AND LUNGS

ANTIDOTE

EXTERNAL
WASH WITH WATER

INTERNAL

DRINK MUCILAGE, RAW EGG WHITE, MILK OR RICE GRUEL. FOLLOW WITH EMETIC (TABLE-SPONFUL OF MUSTARD IN GLASS OF WATER).

CALL A PHYSICIAN

DO NOT MIX EM-BEE CL-8 WITH ACID DETERGENTS.
USE DILUTE SOLUTIONS ONLY AS DIRECTED ON LABEL.

"EM-BEE" "CL-8"

TABLE OF PROPORTIONS

AVAILABLE CHLORINE:

800 P.P.M. —
Use 4 oz. in 3 gallons water.
200 P.P.M. —
Use 1 oz. in 3 gallons water.
0.5 P.P.M. —
Use 1 oz. in 1200 gallons water.

DO NOT SOAK OVERNIGHT. KEEP IN COOL, DARK PLACE AS LIGHT AND HEAT WILL REDUCE STRENGTH.

Degrades with age. Use a test kit and increase dosage as necessary to obtain required level of available chlorine.