

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

JUN 17 2013

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Bob MacDonald, Agent Mars Fishcare North America, Inc. 50 East Hamilton Street Chalfont, PA. 18914-0218

Subject:

Product Name: AlgaeFix

EPA Registration Number: 8709-8

Amendment Application Date: April 30, 2013

Dear Mr. MacDonald:

The Agency has reviewed your submission in accordance with continuing registration under the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as amended, and determined the action acceptable.

In summary, your request to add some use directions and logos, optional marketing text and to reduce the prominence of the KOOROC is accepted. You have also added new web sites. Should you wish to retain a reference to the company's website on your label, then please be aware that such a reference transforms the website into labeling under the Federal Insecticide Fungicide and Rodenticide Act sec 2 (p)(2) and then the website is subject to review by the Agency. If the website content is false or misleading, the product would be misbranded and its sale or distribution unlawful to sell or distribute under FIFRA section 12(a)(1)(E). In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Although EPA has not yet determined the extent to which it will routinely review company websites, if the Agency finds or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from claims approved through the registration process, the website may be referred to the EPA's Office of Enforcement and Compliance Assurance.

A copy of your stamped accepted label is enclosed. Please provide a finished copy of your complete labeling to this Office for our files. Should you have any questions or comments concerning this letter, please contact Tom Luminello at (703) 308-8075.

Sincerely,

Jacqueline Hardy,

Product Manager 34

Regulatory Management Branch II Antimicrobials Division (7510-P)

ALGAEFIX

Aquarium Algaecide


Pond Algaecide

Products / designed / developed / with the / for the / specialist / in mind

Administrative note: This Master Label contains use directions for various size containers and may be marketed as sub-labels with some or all of the use sites given on this label}

20% More FREE 9.6 oz at the 8 oz price 6 oz at the 4 oz price

GUIDE Water Problem Solving Regular Care / week / Algae / Control



















- Benefits / Tips:
- Will not harm / safe for / fish / turtles / or other / aquatic / or / semi-aquatic / reptiles / and / or / amphibians / pond / plants / as well as / surrounding wildlife / and / pets / when used as directed
- Works / fast / quickly / to control algae growth
- Controls many types of algae in / freshwater / vivariums / marine / reef / saltwater / aquariums / water gardens / container water gardens / Koi / and / goldfish / ponds / ornamental fountains / containing / live / plants / and / or / fish / reptiles / amphibians / while keeping water / clean / and / clear
- Controls many types of algae in marine / and / reef / aquariums containing live corals, invertebrates and fish
- Safe / for / use in / freshwater / vivariums / marine / reef / saltwater / aquariums / ornamental / ponds / fountains / containing / fish / and / live / plants
- Effectively / controls / green / water / pond / algae / algal / blooms / String / or/ Hair algae (Cladophora) / Blanketweed (Oedogonium) / Green algae

JUN 17 2013

Under the Federal Insecticids, Fungicide, and Reducation, Act as assembled, for the

न्यां (प्राप्त , राज्यंका कांब्र्स प्राप्तिवा

- Effectively controls many / most / types of / algae / on / in / aquariums / vivariums / ponds / glass / ornaments / and /
- Helps resolve algae problems
- Controls / unsightly / algae / growth /in / aquariums / vivariums / and / or / ponds
- Reduces aquarium maintenance
- Controls the formation of new algae
- Proven to control algae / growth
- Broad spectrum / fast acting / algae control
- Why use / API / Pondcare / ALGAEFIX / ALGAE DESTROYER ADVANCED ?
- Controls many types of algae in / outdoor / indoor / and / table-top / ornamental / fountains
- Controlling algae for / many / 10 / 15 / 20 / 25 / 30 / 35 / 40 / 45 / 50 / years
- For /#1 / superior / algae / control / in the USA
- Keeps / freshwater / marine / reef / saltwater / aquariums / and / Koi / and /goldfish / ornamental /ponds / water gardens / fountains / clean / and / clear
- Helps remove Red Slime / algae
- Does not alter / the / pH
- Does not discolor / the / water / or / cause foaming
- Does not contain copper
- Great for GloFish / Betta / Goldfish / aquariums / tanks / bowls
- PondCare is becoming API / Pond
- Will not harm / Safe for / use with / live / aquatic / pond / aquarium / plants / and / or / koi / goldfish / freshwater / vivariums / saltwater / marine / fish / turtles / or other aquatic / or semi-aquatic / reptiles / amphibians /Following text authorized only for saltwater Algaefix offerings / and / or / corals / and / or / other / invertebrates

{Following bullet authorized only for saltwater Algaefix offering}

When used / safe for use / in salt water / aquariums / containing / will not harm / snails / clams / scallops / shrimp / anemones /sea cucumbers / coralline algae / feather dusters / corals / soft corals / hard corals / and other invertebrates

ACTIVE INGREDIENT: Poly[oxyethylene(dimethyliminio)ethylene (dimethyliminio)ethylene dichloride]

4.50%

OTHER INGREDIENTS:

95.50%

(for packages greater than 64 fl oz) Total:

100%

Keep Out of Reach of Children

CAUTION

See back panel for precautionary and first aid statements

See blister card for precautionary and first aid statements, directions for use and storage and disposal information. Do not throw blister card away

See pullout / peel back / label for precautionary / first aid statements / directions for use / storage and disposal information / peel back here

To open / with one hand, push red tab left with thumb while unscrewing cap with free hand / squeeze both sides / of / the / cap and turn

Administrative Note: Wording found above the double line may appear on the front panel of the various sub-labels

Net: {actual volume of each package size is inserted here}

Treats 300 / U.S. / gallons / (1,134 1) / of / fresh / or / salt / water

Treats 370 / U.S. / gallons / (1,399 1) / of / fresh / or / salt / water

{Page 2 - Algaefix Master label April 2013}

```
Treats 1,200 / U.S. / gallons / (4,536 l) / of / fresh / or / salt / water
  Treats 1,475 / U.S. / gallons / (5,575 1) / of /fresh / or / salt / water
  Treats 1,800 / U.S. / gallons / (6,804 l) / of / fresh / or / salt / water
  Treats 2,400 / U.S. / gallons / (9,072 1) / of / fresh / or / salt / water
 Treats 2,840 / U.S. / gallons / (10,735 1) / of / fresh / or / salt / water
 Treats 2,880 / U.S. / gallons / (10,900 1) / of / fresh / or / salt / water
 Treats 3,000 / U.S. / gallons / (11,3401) / of / fresh / or / salt / water
                                                                                     JUN 17 2013
 Treats 4,800 / U.S. / gallons / (18,144 l) / of / fresh / or / salt / water
                                                                                     the Foderal broodloide, Fungicide, and
                                                                                     र्राट्यंत्र, राज्य का कास्त्रहरू, राज प्रांत
 Treats 9,600 / U.S. / gallons / (36,288 l) / of / fresh / or / salt / water
Treats 19,200 / U.S. / gallons / (72,576 l) / of / fresh / or / salt / water
Treats 38,400 / U.S. / gallons / (145152 l) / of / fresh / or / salt / water
Treats 96,000 / U.S. / gallons / (362,880 l) / of / fresh / or / salt / water
Treats 192,000 / U.S. / gallons / (725760 !) / of / fresh / or / salt / water
```

[Benefits: / Algaefix effectively controls these types of / freshwater / algae: Green or Green water algae (Chlorella) / Blue-Green algae (Aphanizomenon) / Black Beard algae (Audouinella) / String or Hair algae (Cladophora) / Blanket weed (Oedogonium) / in freshwater aquariums / ornamental ponds / fountains / containing live plants and fish.]

[Benefits: / Algaefix effectively controls these types of / saltwater / algae: Green algae (Cladophora) / "Red Slime" (Oscillatoria / Spirulina major) / "Brown Algae" (Cyclotella) / in marine aquariums / reef aquariums / saltwater aquariums / containing live corals, invertebrates and fish.]

[Algal / Algae / growth can appear as "green water" blooms / filamentous algae on plants / floating algal / algae / mats (blanket weed) / algae / brown / growth on aquarium glass / ornaments / rocks / fountains / waterfalls.]

{To maintain segmentation between individual brand names, five sets of "Directions" are provided. One of the following statements will be used on each applicable label}

Directions For Use {for aquarium AlgaeFix and Algae Destroyer Advanced label}

It is a violation of federal law to use this product in a manner inconsistent with its labeling. [For indoor aquarium use only] [Before use, read and follow all label directions / Use only in established aquariums at least / 4 / four / weeks old] [The most effective use of / AlgaeFix / is achieved by first cleaning the aquarium glass and ornaments / Trim plant leaves that are covered with algae / For best results remove activated carbon during treatment.] [Turtles / and / other / aquatic / reptiles / amphibians / can remain in the aquarium / vivarium / during treatment]. [Use / API / Dosing cap on bottle]. Add the following two dosages are for 1.25 oz bottle} [2 / two / drops / (0.1 ml) / per 1 / U.S. / gal / gallon / (3.8 L)] [5 / five / drops / (0.2 ml) / per 2 / U.S. / gal / gallons / (7.6 L)] (the following dosages is for the 4 oz bottle) [3 / three / drops / (0.2 ml) / for each 2 / U.S. / gal / gallons / (7.6 L)] [7 / seven / drops / (0.5 ml) / for each 5 / U.S. / gal / gallons / (19L)] [14 drops {due to differences in applicator orifice the drops used will vary in packages of 4 ounces or less, see chart at end of label for drop dosage for each size container} / [(] 1 ml[)] / [(] 1/5 tsp. [)] / empty contents into / for each / 10 U.S. / gallons / gals /

(38 L) [[(] 5 ml[)]/[(] 1 / teaspoon / tsp. [)] / for each 50 U.S. gallons / gals / (190 L)] [[(] 2 / teaspoons / tsp. [)] / [(] 10 ml[)] / for each 100 U.S. gallons / gals / (378 L)] [[(] 10 / teaspoons / tsp. [)] / [(] 50 ml[)] / for each 500 gallons / gals / (1890 L)] [[(] ½ cup[)] [(] 60 ml[)] / for each 600 gallons / gals / (2275 L)] [[(] 20 / teaspoons / tsp. [)] / [(] 100 ml[)] / for each 1 000 gallons / gals / (3780 L)] [[(] ½ cup[)] [(] 120 ml[)] for each 1 200 gallons / gals / (4536 L)] [[(] 2 cups[)] [(] 480 ml[)] for each 4 800 gallons / gals / (18144 L)] of aquarium water. Repeat dose every / three / 3 / days until algae is controlled. Siphon or scrape any dead algae from aquarium. [As algae dies, remove as much of the dying algae as possible]. Once algal / algae / growth is under control, add one dose per week. Weekly doses will control algal / algae / growth and reduce aquarium maintenance. CAUTION: Do not use with freshwater crustaceans, including shrimp, crabs and lobsters.

[Dose	1 ml	5 ml	10 ml	1/2 cup/600H 17 2013
Gallons treated	10 / U.S. / Gallons	50 / U.S./ Gallons	100 / U.S./ Gallons	U 3600 / एउड / Gailons] ngir de, and
				Conticion, respetting until 9-8

Directions For Use {for saltwater AlgaeFix label}

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Before use, read and follow all label directions] [Use only in established aquariums at least / 4 / four / weeks old] [The most effective use is achieved by first cleaning the aquarium glass and ornaments. For best results remove activated carbon during treatment.] [Use / API / Dosing cap on bottle]. Add [14 drops] {due to differences in applicator orifice the drops used will vary in packages of 4 ounces or less, see chart at end of label for drop dosage for each size container} / [(]1 ml[)] / [(]1/5 tsp.[)] / for each 10 U.S. gallons (38 L) / [(]5 ml[)] / [(]1 / teaspoon / tsp.[)] / for each 50 U.S. gallons (190 L) / [(]2 / teaspoons / tsp.[)] / [(]10 ml[)] / for each 100 U.S. gallons (378 L) / [(]10 / teaspoons / tsp.[)] / [(]60 ml[)] for each 600 gallons (2 275 L) / [(]20 / teaspoons / tsp.[)] / [(]100 ml[)] / for each 1000 gallons (3 780 L) / [(]½ cup[)] [(]120 ml[)] for each 1 200 gallons (4 536 L) / [(]2 cups [)] [(]480 ml[)] for each 4 800 gallons (18 144 L)] of aquarium water. Repeat dose every [three / 3] days until algae is controlled. Siphon or scrape any dead algae from aquarium. [As algae dies, remove as much of the dying algae as possible]. Once algal / algae / growth is under control, add one dose per week. Weekly doses will control algal / algae / growth and reduce aquarium maintenance.

[Dose	1 ml	5 ml	10 ml	¼ cup/60 ml
Gallons treated	10 / U.S. / Gallons	50 / U.S./ Gallons	100 / U.S./ Gallons	600 / U.S./ Gallons]

Directions For Use {for pond AlgaeFix and Algae Destroyer Advanced label}


It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For ornamental / synthetically lined / pond / and / or / fountain / use only, where all water is contained without any outflow. [Before use, read and follow all label directions / Use only in established ponds at least / 4 / four / weeks old] Warm weather caution: Before using, make certain that the pond / and /or / fountain / has vigorous aeration, i.e., a fountain or aeration device [to avoid fish loss due to low oxygen levels]. When algae is controlled and removed by the filter or settles to the bottom of the pond, the oxygen level may drop to harmful levels if adequate aeration is not provided. In warm weather, pond water carries much less oxygen. Therefore, when using during warm weather and high

water temperatures, vigorous, 24 hour aeration is required for the duration of the treatment. Do not shut off pond pumps and aeration devices at night. [Use / API / Dosing cap on bottle] [To ensure accurate dosing, determine pond volume before use Add [[(] 5 ml[)]/[(] 1 / teaspoon / tsp.[)]/ for each 50 U.S. gallons (190 L) / [(] 2 / teaspoons / tsp. [)] / [(] 10 ml [)] / for each 100 U.S. gallons (378 L) / [(] 10 / teaspoons / tsp. [)] / [(] 50 ml [)] / for each 500 gallons (1 890 L) / [(] ¹/₄ cup [)] [(] 60 ml [)] for each 600 gallons (2 275 L) / [(] 20 / teaspoons / tsp. [)] / [(] 100 ml [)] / for each 1 000 gallons (3 780 L) / [(] ½ cup [)] [(] 120 ml [)] for each 1 200 gallons (4 536 L) / [(] 2 cups [)] [(] 480 ml [)] for each 4 800 gallons (18 144 L)] of [pond / fountain] water. Thoroughly mix into [pond / fountain] water by adding near the pump outflow, waterfall, or aeration device. It can be mixed in a bucket of [pond / fountain] water and dispersed evenly around the [pond / fountain. Repeat dose every / three / 3 / days until algae is controlled. Be prepared to siphon out dead filamentous algae. Siphon out dead algae as it dies in the pond and filter to avoid fish being deprived from oxygen]. Once algal / algae / growth is under control, add one dose per week [dose weekly / to keep pond or fountain clean and clear to reduce maintenance]. As algae dies, remove as much of the dying algae as possible \[\] Thoroughly mix into pond water by adding near the pump outflow or mix in a bucket of pond water before distributing evenly around the pond 1. Weekly doses will control algal / algae / growth and reduce [pond / fountain] maintenance. CAUTION: Do not use with freshwater crustaceans, including: shrimp, crabs and lobsters.

[Dose	1 ml	5 ml	10 ml	¼ cup/60 ml
Gallons treated	10 / U.S. / Gallons	50 / U.S./ Gallons	100 / U.S./ Gallons	600 / U.S./ Gallons

Directions For Use {to be used for a label having both aquarium and pond claims}

It is a violation of federal law to use this product in a manner inconsistent with its labeling. For synthetically lined pond / and / or / fountain / use only, where all water is contained without any outflow. Warm weather caution: Before using, make certain that the pond has vigorous aeration, i.e., a fountain or aeration device to avoid fish loss due to low oxygen levels. When algae is controlled and removed by the filter or settles to the bottom of the pond, the oxygen level may drop to harmful levels if adequate aeration is not provided. Therefore, when using during warm weather and high water temperatures, vigorous, 24 hour aeration is required for the duration of the treatment. Do not shut off pond pumps and aeration devices at night. Add 1 ml / 1/5 tsp / for each 10 U.S. gallons (38 L) / 5 ml / 1 tsp / for each 50 gallons (190 L) / 10 ml / 2 tsp / for each 100 gallons (378 L) / 50 ml / 10 tsp / for each 500 gallons (1890 L) / 1/2 cup / 60 ml / for each 600 gallons (2 275 L) / of 1 aquarium / pond \ water. Thoroughly mix into / pond / water by adding near the pump outflow, waterfall, or aeration device. It can be mixed in a bucket of pond water and dispersed evenly around the pond. Repeat dose every 3 days until algae is controlled. Siphon or scrape any dead algae from aquarium. Be prepared to siphon out dead filamentous algae. Once algal growth is under control, add one dose per week. Weekly doses will control algal growth and reduce / aquarium / pond / maintenance. CAUTION: Do not use with freshwater crustaceans, including: shrimp, crabs and lobsters.



Directions For Use {for fountain label}

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For best results, start with a clean fountain. Scrub away algae and dirt, rinse, and fill with clean water.

[Use / API / Dosing cap on bottle] Add [14 drops] {due to differences in applicator orifice the drops used will vary according to package size, see chart at end of label for drop dosage for each size container} /[(]1 ml[)]/[(]1/5 tsp.[)]/ for each 10 U.S. gallons (38 L)/[(]5 ml[)]/[(]1/5 teaspoon / tsp.[)]/ for each 50 / U.S. / gallons / (190 L)] of water. Repeat dose once a week to keep fountains clean and clear [dose weekly / to keep fountain clean and clear to reduce maintenance]. Add a dose every time you change water in the fountain. Weekly doses will control algal / algae / growth and reduce fountain maintenance.

Dose	1 ml	5 ml	10 ml	¼ cup/60 ml
Gallons treated	10 / U.S. / Gallons	50 / U.S./ Gallons	100 / U.S./ Gallons	600 / U.S./ Gallons

PRECAUTIONARY STATEMENT: HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION: Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. NOTE: This product contains a chemical known to the state of California to cause cancer. FIRST AID: IF ON SKIN, thoroughly wash with soap and water and remove contaminated clothing. IF IN EYES, hold eye open and gently flush with water for 15 minutes. IF SWALLOWED, call a Poison Control Center or Doctor immediately for treatment advice. STORAGE AND DISPOSAL: {for containers 64 fl. Ounces or less} Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Rinse thoroughly before disposing of empty container. Do not contaminate water or feed by storage or disposal. STORAGE AND DISPOSAL: {for containers greater than 64 fl. ounces} Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Rinse thoroughly before disposing of empty container. Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

EPA Reg. No. 8709-8

EPA Est. No. 8709-PA-1

Mars Fishcare North America, Inc. [50 / E / East / Hamilton Street / St] [PO Box 218] Chalfont, PA 18914

[Questions or comments? / For more information / contact our Technical Services Department / call / us / at / 1-800-847-0659 / or visit / us / on the web / our web site / at / www.marsfishcare.com / www.pondcare.com / www.apifishcare.com]

[Calculate the volume of your pond before using / ALGAEFIX / ALGAE DESTROYER ADVANCED / by visiting www.apifishcare.com/www.apifishcare.com/www.apifishcare.com/www.apifishcare.com

JUN 17 2013

Under the Federal Insecticide, Fungicide, and Roderticide, Act as amended, for the posticide, registered under

SPA Reg. No.

[Calculate the volume of your pond before using / ALGAEFIX / by visiting www.pondcare.com / <a href="www.pondcare.

[API MAKES POND CARE EASIER /SIMPLER / Helping pond owners maintain clean / clear water / and healthy / active / fish is our goal at API / Visit www.apifishcare.com / www.apifishcare.com</a

{Number of drops per 10 gallons based upon package size}

{1 oz size : Dose =}

[14 drops (1 ml)]

{1 \(\text{oz size} : Dose = \)

[25 drops (1 ml)]

{4 oz size: Dose =}

[14 drops (1 ml)]

{Administrative note: any language which appears between { } and is italicized will NOT appear on final printed labels. Any language that appears between [] and/or is separated by a front slash (/) is considered interchangeable language and may or may not appear on final printed labeling}

