DIRECTIONS FOR WAR

WATER FARM USE

Wash clean, then use 1 ounce EM-BEE SOLU-TION to each three gallons water to sanitize cans, pails, bulk coolers, milking machines, strainers, etc., also cows udders, teats and milkers hands.

For further information check with parts per million table at right side of label.

AND TOOD PROCESSING

Sanitize with 200 ppm available chlorine for all non-porous surfaces; for porous surfaces use 800 ppm available chlorine

All surfaces should be exposed to the sanitizing solution for a period of not less than 2 minutes. /Surfaces treated with sanitizing solutions exceeding 200 ppm available chlorine should be rinsed with a potable water supply.


1977 李龙 蒙古蒙古代的安徽市。

Use 0.1 to 0.5 ppm of available chlorine. Use a chlorine test set for the determination of proper concentrations and amount of residual chlorine.

Where local or State regulations are in effect, consult authorities for proper sanitizing concentrations and procedures.

DO NOT STORE Sodium Hypochlorites longer than six months from the date of manufacture

EPA Reg. No. 8727-1



POISON

ARITA ING TO SEE TO SEE THE

118 18 N 41

DRINK MUCILAGE, RAW EGG WHITE. MILK OR RICE GRUEL FOLLOW WITH EMETIC (TABLE-SPOONFUL OF MUSTARD IN GLASS OF WATER).

DO NOT MIX EM-BEE CL-8 WITH ACID DETERGENTS.
USE DILUTE SOLUTIONS ONLY AS DIRECTED ON LABEL.

"EM-2-22"

AVAILABLE CHLORINE:

800 P.P.M. --Use 4 oz. in 3 gallons water.
200 P.P.M. --Use 1 oz. in 3 gallons water
0.5 P.P.M. --Use 1 oz. in 1200 gallons water.

DO NOT SOAK OVERNIGHT. KEEP IN COOL, DARK PLACE AS LIGHT AND HEAT WILL REDUCE STRENGTH.

Degrades with age. Use a test kit and increase dosage as necessary to obtain required level of available chlorine.



ACCEPTED

UNDER THE FEDERAL INSECTION WORM water. FUNCIOE AND TO TENTICIDE LOTE

FOR ECHNOMIC POISUN REGISTERED UNDER NO. 8797 ->

CAUTION: Keep Out of Reach of Children.

BLEACHES, DISINFECTS AND DEODORIZES

Active Ingredient: Sodium Hypochlorite (Available Chlorine - 10% by Volume) Inert Ingredients:

9.2%

90.8%

For bleaching and sanitizing white or color fast cottons, linens, nylon, dacron, ofton regun-Su cup per 4 gals water or 1/2 cup per washing ma hine loca in top-loading machines, 1 cup in front-loading machines of H bleach in washing machine or first rinse

Wash or soak for 10 minutes. Rinse well if clothes are c ready in machine, dilute bleach before using

REMOVING STAIRS for stubborn stains from fruit, grass, tea, coffee, scorch, ink, mildew, etc. use 🦌 cup bleach per quart of water. Soak stained area in breach solution for 5 minutes. Rinse well. Repeat if necessary Colored fabrics - Test small piece before using. Use in glass, rubber, porcelain or dameled containers.

CLEANING KITCHEM & Society OM To cean sinks, diothtubs, tile, linoleum, porcelain enameled metal, etc., use 🕯 cup bleach per quart of water. Spread bleach solution with each. Let stand for only 2 minutes. Rinse well.

WHITENING ACE YELLOWED MYLON To whiten nylon that has yellowed with age use & cup per 4 quarts of

CAUTION

Harmful if swallowed. Skin and eye contact may cause severe irritation. Avoid contact with skin and eyes

ANTIDOTE AMERICAN Seed looked cerebl or egg white followed by olive oil or cooking oil Call a Physician

EXTERNALLY Immediately flood with cold water Call a Physician.

WRIGHT LAUNDRY SUPPLY, INC. FORT WORTH, TEXAS 76119

NET 1 GALLON

USDA Reg. No. 8727 - 2

WRIGHT LAUND