

**HERCON LURETAPE BAGWORM**

HERCON LURETAPE BAGWORM is a highly effective flycatcher for the control of the adult male bagworm moth. It is a highly effective flycatcher for the control of the adult male bagworm moth. It is a highly effective flycatcher for the control of the adult male bagworm moth.

Each trap is made of a highly effective flycatcher for the control of the adult male bagworm moth. It is a highly effective flycatcher for the control of the adult male bagworm moth.

**TARGET STAGE: ADULT MALE BAGWORM MOTH**  
Baits in the traps are most effective when the adult male bagworm moth is present. The traps may be completely effective if the traps are placed in the areas where the characteristic signs of the moth are present. The traps are composed of a highly effective flycatcher for the control of the adult male bagworm moth.

Start traps in late summer, the beginning of the fall season, when the adult male bagworm moth is present. The traps are most effective when the adult male bagworm moth is present. The traps are most effective when the adult male bagworm moth is present.

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**  
Keep out of reach of children. Wash hands after handling.

**STORAGE AND DISPOSAL**

**Storage:** Store in a cool, dry place.  
**Disposal:** Do not reuse empty traps. Dispose of traps in a safe manner.  
How do I use my LURE N' KILL Trap?

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Remove LURETAPE BAGWORM from the end of the trap and from the end of the trap hanger. From the end of the trap top, in opposite end of trap hole through hole. Bend the end of the bait up so that it is in the hole of the trap. Place trap hanger through hole in top of trap and fasten trap together and suspend trap from a tree limb or at 15 ft. Use four (4) traps per acre (about one trap per 1000 sq. ft.). For best results, it is important to hang the trap at the beginning of Stage 2, which is usually early August, and keep them up through the time of moth flight. Contact local specialists for information on start and duration of bagworm moth presence. Check traps periodically. For more information, further action needed.

EPA Reg. No. 8730-33 EPA Est. No. 87-9154-01


**NOTICE:** Buyer assumes sole responsibility for safety and effectiveness of this product when used with caution.

**MANUFACTURED BY**  
Hercon Division  
**HEALTH CHEM CORPORATION**  
1107 Broadway  
New York, NY 10010

FROM HEALTH-CHEM

**HERCON**

**LURETAPE/  
BAGWORM**



**ADULT BAGWORM MOTH  
TRAP BAIT**

**FOR USE IN THE LURE N' KILL™  
BAGWORM TRAP**

**FOR USE ON FLYING MOTHS  
FROM AUGUST THROUGH OCTOBER**

<b>ACTIVE INGREDIENT:</b>	
1-methylbutyl decanoate	5.2%
<b>INERT INGREDIENTS</b>	94.8%
<b>TOTAL</b>	<b>100.0%</b>

**CONTENTS ONE HERCON LURETAPE BAGWORM TRAP BAIT**

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

8730-33