

U.S. ENVIRONMENTAL PROTECTION AGENCY  
OFFICE OF PESTICIDES PROGRAMS  
REGISTRATION DIVISION (151-167)  
WASHINGTON, DC 20460

EPA REGISTRATION #

DATE OF ISSUANCE

FEB 1990

**NOTICE OF PESTICIDE**

REGISTRATION  
REREGISTRATION

*Under the Federal Insecticide, Fungicide,  
and Rodenticide Act (as amended)*

NAME OF REGISTRANT

REG. #

ADDRESS OF REGISTRANT (include ZIP code)

160-55  
18/1

**NOTE:** Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of the product by the Agency. In the interest of health and the environment, the Administrator, on his motion, may at any time suspend, suspend temporarily, or cancel the registration of any pesticide product. The Administrator may also suspend, suspend temporarily, or cancel the registration of any pesticide product if the registrant fails to comply with the requirements of the Act.

... registered for use as a pesticide product. ...  
... of concern ...  
...  
... product contains the toxicant ...  
... ethylhexyl salicylate.

**BEST AVAILABLE COPY**

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE



6. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca  
Product Manager (15)  
Insecticide-Poedenticide Branch  
Registration Division (H7505C)

Enclosure



HERCULAN WAXPAPER II

HERCULAN WAXPAPER II is a high quality, heavy weight, waxed paper.

It is suitable for use in the following applications:

PRECAUTIONARY STATEMENTS

HERCULAN WAXPAPER II is a non-toxic material.

**CAUTION:** Do not use in contact with food or drink. Do not use in contact with children. Do not use in contact with electrical equipment. Do not use in contact with heat. Do not use in contact with fire. Do not use in contact with water. Do not use in contact with oil. Do not use in contact with grease.

HERCULAN WAXPAPER II is a non-toxic material.

The product is made by the following process: The wax is melted and mixed with the paper and the mixture is heated to form a uniform coating.

DIRECTIONS FOR USE

HERCULAN WAXPAPER II is used in the following applications: 1. Wrapping of electrical equipment. 2. Wrapping of machinery. 3. Wrapping of tools. 4. Wrapping of books. 5. Wrapping of documents. 6. Wrapping of food. 7. Wrapping of drink. 8. Wrapping of children. 9. Wrapping of electrical equipment. 10. Wrapping of machinery. 11. Wrapping of tools. 12. Wrapping of books. 13. Wrapping of documents. 14. Wrapping of food. 15. Wrapping of drink. 16. Wrapping of children.

STORAGE AND DISPOSE

HERCULAN WAXPAPER II should be stored in a cool, dry place. It should be kept away from fire and heat. It should be kept away from water and oil. It should be kept away from children.

**BEST AVAILABLE COPY**

HERCULAN WAXPAPER II is a high quality, heavy weight, waxed paper. It is suitable for use in the following applications: 1. Wrapping of electrical equipment. 2. Wrapping of machinery. 3. Wrapping of tools. 4. Wrapping of books. 5. Wrapping of documents. 6. Wrapping of food. 7. Wrapping of drink. 8. Wrapping of children. 9. Wrapping of electrical equipment. 10. Wrapping of machinery. 11. Wrapping of tools. 12. Wrapping of books. 13. Wrapping of documents. 14. Wrapping of food. 15. Wrapping of drink. 16. Wrapping of children.

HERCULAN WAXPAPER II is a high quality, heavy weight, waxed paper. It is suitable for use in the following applications: 1. Wrapping of electrical equipment. 2. Wrapping of machinery. 3. Wrapping of tools. 4. Wrapping of books. 5. Wrapping of documents. 6. Wrapping of food. 7. Wrapping of drink. 8. Wrapping of children. 9. Wrapping of electrical equipment. 10. Wrapping of machinery. 11. Wrapping of tools. 12. Wrapping of books. 13. Wrapping of documents. 14. Wrapping of food. 15. Wrapping of drink. 16. Wrapping of children.