	EPA REGISTRATION NO.	DATE OF ISSUANCE		
US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS	8730-51	February 9, 199		
REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	TERM OF ISSUANCE	a internet		
	Until Reregistration			
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	Hercon Flea & Tic Cat Collar	Hercon Flea & Tick 10% Dog and		
ME AND ADDRESS OF REGISTRANT (Include ZIP code)				
F	-1			
Hercon Environmental Company Aberdeen Road				
Emigsville, PA 17318				
L				
OTE: Changes in labeling formula differing in substance for ubmitted to and accepted by the Registration Division prio roduct always refer to the above U.S. EPA registration num	r to use of the label in comme	on with this registration must be rce. In any correspondence on th		
n the basis of information furnished by the registrant, the he Federal Insecticide, Fungicide, and Rodenticide Act.	above named pesticide is here	by Registered/Reregistered und		
copy of the labeling accepted in connection with this Re	gistration/Reregistration is re	turned herewith.		
egistration is in no way to be construed as an indorsement				
ealth and the environment, the Administrator, on his motion tide in accordance with the Act. The acceptance of any na ct is not to be construed as giving the registrant a right to y others.	me in connection with the regi	istration of a product under this		
This product is conditionally reg section 3(c)(7)(A) provided that you:	i stered in a ccordanc	e with FIFRA		
 Submit/cite all data required your product under FIFRA section 3(c)(registrants of similar products to sub 	5) when the Agency r			
2. Make the labeling changes lis product for shipment:	ted below before you	relea se t he		
a. Add the phrase "EPA Regis	tration No. 8730-51.	**		
b. On the front panel of you Not Affected by Water."	r label, delete the	statement "Collar		
3. A 1-year storage stability st from the date of this Registration Not		d within 15 months		
	a a la chandraithe in sector a commence	. ••••		
ATTACHMENT IS APPLICABLE	en e	n an		
NATURE OF APPROVING OFFICIAL		I DATE .		

75

Ņ,

ì

ŧ

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the λ -79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

\$

Dennis H. Edwards, Jr. Product Manager (12) Insecticide-Rodenticide Branch Registration Division (H7505C)

<u>_____</u>

ec U

:. ..

3

Enclosures

11

J,





FRONT PANEL/Page 1 of 1

HERCON FLEA & TICK 10% Dog and Cat Collar

Kills Ticks and Fleas up to 6 Months Kills Ticks that Carry Rocky Mountain Spotted Fever

Restraining Collar - Can be Used with a Leash May be Easily Cut for Custom Fit

Collar Not Affected by Water

ACTIVE INGREDIENT:

2-(1-Methylethoxy)phenol methylcarbam	ate	10.0%
INERT INGREDIENTS		90.0%
	TUTAL	100.0%

EPA Reg. No. 8730-XX

EPA Est. No. 8730-PA-01

KEEP OUT OF REACH OF CHILDREN

CAUTION Read Directions and Precautions Before Use

ACCEPTED with COMMENTS In EPA Lotur Dunct

FEB - 9 1990

Net Wt. X.XX oz (XX.XX g)*

Einder the Federal Insecticity, Function and Rolenticide Act as which on the pesticide registered ender F.P.A. Key, No. 8730-51

Manufactured by HERCON ENVIRONMENTAL COMPANY Aberdeen Road Emigsville, PA 17318

* Net ht information for four collar sizes:

CATS: 0.42 oz (11 g), SMALL DOGS: 0.42 oz (11 g); MEDIUM DOGS: 0.96 oz (27.27 g); and LARGE DOGS: 1.33 oz (36 81 g)

DRAFT LABEL

. .

(

Į

REAR PANEL/Page 1 of 2

DRAFT LABEL

HERCON FLEA & TICK 10% Dog and Cat Collar

FITS NECK SIZE TO XX INCHES*

HERCON FLEA & TICK 10% uses a patented controlled-release system to dispense an insecticide which kills fleas and ticks continuously for up to 6 months.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed or chewed. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Do not allow children to handle this collar. Do not open protective pouch until ready to use. Wash thoroughly after handling. Some animals may be sensitive to this product. When collar is first worn, observe neck area and remove collar at first sign of adverse reacuions such as skin irritation or any other symptoms. Collar is intended for use as an insecticide dispenser and is not to be taken internally by man or animals. Do not use on sick or convalescing animals. Do not use other pesticides on animals while collar is worn. Do not use on animals under 6 weeks of age.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat. If on skin: Wash with soap and waer. If in eyes: Flush eyes with plenty of water. Note to Physicians: This product contains a cholinesterase inhibitor. Atropine is antidotal if symptoms of cholinesterase inhibition are present.

*Specified neck size varies according to animal size: The number (XX) appearing on label of pouched collars for cats and small dogs will be 14 inches; for medium dogs, 20 inches; and for large dogs, 27 inches DRAFT LABEL

REAR PANEL/Page 2 of 2

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Place collar around animal's neck. Collar should be worn loosely to prevent irritation. Attach collar so two or three fingers can be inserted easily between collar and animal's neck. Cut off any excess length and dispose properly. The collar starts killing fleas as soon as it is placed around the animal's neck. Fleas on the animal will be killed and new ones which may temporarily appear will also be killed while collar is worn. Replace collar after 6 months or when effectiveness diminishes.

Remove collar when bathing animals or when animals are likely to become wet.

When the collar is first placed on the animal, adult ticks will be killed in a few days and will fall off or may then be easily removed. Immature ticks which are small and difficult to see are also killed by the HERCON FLEA 7 TICK 10% collar. The insecticide released continuously by the collar will also kill ticks that may carry and transmit Rocky Mountain Spotted Fever and tularemia.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry place. PRODUCT DISPOSAL: Securely wrap used collar in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty pouch. Wrap pouch in newspaper and discard in trash.

U.S. Pat. Nos. 3,864,468; 4,102,991; 4,160,335; 4,284,444; 3,852,416

US ENVIRONMENTAL PROTECTION AGENCY	8730-51 DATE OF ISSUANCE February 9, 1990
OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767)	TERM OF ISSUANCE
WASHINGTON, DC 20480	Until Keregistration
NOTICE OF PESTICIDE: PREGISTRATION REREGISTRATION	NAME OF PESTICIDE PRODUCT
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	Hercon Flea & Tick 10% Dog and Cat Collar
ME AND ADDRESS OF REGISTRANT (Include ZIP code)	
F	-
Hercon Environmental Company Aberdeen Road	
Emigsville, PA 17318	
L	· L
	om that accepted in connection with this registration must be to use of the label in commerce. In any correspondence on this ser.
n the basis of information furnished by the registrant, the a le Federal Insecticide, Fungicide, and Rodenticide Act.	bove named pesticide is hereby Registered/Reregistered under
copy of the labeling accepted in connection with this Regi	istration/Reregistration is returned herewith.
alth and the environment, the Administrator, on his motion, ide in accordance with the Act. The acceptance of any nam	or approval of this product by this Agency. In order to protect , may at any time suspend or cancel the registration of a pest- ne in connection with the registration of a product under this exclusive use of the name or to its use if it has been covered
This product is conditionally regi section 3(c)(7)(A) provided that you:	stered in accordance with FIFRA
	for registration/reregistration of
your product under FIFRA section 3(c)(5 registrants of similar products to subm	
 Make the labeling changes list product for shipment: 	ed below before you release the
a. Add the phrase "EPA Regist	ration No. 8730-51."
b. On the front banel of your Not Affected by Water."	label, delete the statement "Collar
3. A 1-year storage stability stud from the date of this Registration Noti-	dy must be submitted within 15 months ce.
ATTACHMENT IS APPLICABLE	

1

¹و

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

N 44

Dennis H. Edwards, Jr. Product Manager (12) Insecticide-Rodenticide Branch Registration Division (H7505C) 275

Enclosures

1

1/5 75

FRONT PANEL/Page 1 of 1

HERCON FLEA & TICK 10% Dog and Cat Collar

Kills Ticks and Fleas up to 6 Months Kills Ticks that Carry Rocky Mountain Spotted Fever

Restraining Collar - Can be Used with a Leash May be Easily Cut for Custom Fit.

Collar Not Affected by Water

ACTIVE INGREDIENT:

2-(1-Methylethoxy)phenol methylcarbamate	•	10.0%
INKRT INGRRDIENTS	•	900%
ΤσΤΑΙ		100.0%

EPA Reg. No. 8730-XX

EPA Est. No. 8730-PA-01

KEEP OUT OF REACH OF CHILDREN

CAUTION

ACCEPTED with COMMENTS EPA Letter Loud


Read Directions and Precautions Before Use

FE^L G

Net Wt. X. XX oz (XX. XX g)*

Under the Federal Insecticity, Functicide, and Rudentscide Act as amender. For the pesticide registered under EPA Reg. No. \$730 - 51

Manufactured by HERCON ENVIRONMENTAL COMPANY Aberdeen Road Emigaville, PA 17318



DRAFT LABEL

REAR PANEL/Page 1 of 2

HERCON FLEA & TICK 10% Dog and Cat Collar

FITS NECK SIZE TO XX INCHES*

HERCON FLEA & TICK 10% uses a patented controlled-release system to dispense an insecticide which kills fleas and ticks continuously for up to 6 months.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed or chewed. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Do not allow children to handle this collar. Do not open protective pouch until ready to use. Wash thoroughly after handling Some animals may be sensitive to this product. When collar is first worn, observe neck area and remove collar at first sign of adverse reactions such as skin irritation or any other symptoms. Collar is intended for use as an insecticide dispenser and is not to be taken internally by man or animals. Do not use on sick or convalescing animals. Do not use other pesticides on animals while collar is worn. Do not use on animals under 6 weeks of age.

STATEMENT OF PRACTICAL TRRATMENT

If swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat. If on skin: Wash with soap and waer. If in eyes: Flush eyes with plenty of water. Note to Physicians: This product contains a cholinesterase inhibitor. Atropine is antidotal if symptoms of cholinesterase inhibition are present.

*Specified neck size varies according to animal size: The number (XX) appearing on label of pouched collars for cats and small dogs will be 14 inches; for medium dogs, 20 inches; and for large dogs, 27 inches

5 g 5

DRAFT LABEL

REAR PANEL/Page 2 of 2

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Place collar around animal's neck. Collar should be worn loosely to prevent irritation. Attach collar so two or three fingers can be inserted easily between collar and animal's neck. Cut off any excess length and dispose properly. The collar starts killing fleas as soon as it is placed around the animal's neck. Fleas on the animal will be killed and new ones which may temporarily appear will also be killed while collar is worn. Replace collar after 6 months or when effectiveness diminishes.

Remove collar when bathing animals or when animals are likely to become wet.

When the collar is first placed on the animal, adult ticks will be killed in a few days and will fall off or may then be easily removed. Immature ticks which are small and difficult to see are also killed by the HERCON FLEA 7 TICK 10% collar. The insecticide released continuously by the collar will also kill ticks that may carry and transmit Rocky Mountain Spotted Fever ar tularemia.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry place. PRODUCT DISPOSAL: Securely wrap used collar in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse empty pouch. Wrap pouch in newspaper and discard in trash.

U.S. Pat. Nos. 3,864,468; 4,102,991; 4,160,335; 4,284,444; 3,852,416 ••