Draft #午

FRONT PANEL

HERCON FLEA & TICK 10% DOG COLLAR FOR SMALL SIZE DOGS

Kills Ticks and Fleas up to 6 Months Kills Ticks That Carry Rocky Mountain Spotted Fever

ACTIVE INGREDIENT:

2-(1-Methylethoxy) phenol methylcarbamate. 10.0%

NEW! Patented, Controlled Release System

*Money-Back Guarantee • May be Easily Cut For Custom Fit •FREE D-Ring Enclosed for ID and Rabies Tags • Restraining Collar - Can Be Used With a Leash • Collar Not Affected By Water

DO NOT ALLOW CHILDREN TO PLAY WITH THIS COLLAR

CAUTION

Read directions and precautions before use.

With COMMENTS in EPA Letter Dated:

SET WT: 0.42 oz. (11.9 grams)

Hercon Division
HEALTH-CHEM COR..
1102 Broadway
New York, NY 10010

JUN 29 1984

Indicate the second price of the second price

BEST DOCUMENT AVAILABLE

HEROON FLEA & TICK 10%

for Small Pogs

(Fits neck size up to 14")

HEROON FLEA & TICK 10% uses a patented controlled-release system to dispense an insecticide which kills fleas and ticks continuously for up to 6 months.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS & DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed or chewed. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Do not allow children to handle this collar. Do not open protective pouch until ready to use. Wash thoroughly after handling. Some dogs may be sensitive to this product. When collar is first worn, observe neck area and remove collar at first sign of adverse reactions. Collar is intended for use as an insecticide dispenser and is not to be taken internally by man or animals. Do not use on sick or convalescing dogs. Do not use other pesticides on dogs while collar is worn. Do not use on dogs under 6 weeks of age.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat.

If on Skin: Wash with soap and wate.

If in Eyes: Flush eyes with plenty of water.

Note to Physicians: This product contains a cholinesterase inhibitor. Atropine is antidotal.

DIRECTIONS FOR USE

🕠 It is a violation of Federal Law to use this product in a manner inconsistent

with its labeling.

Remove collar, buckle and "D" ring from package. Insert one end of the collar into one end of the buckle and close the clamp completely to secure the collar. Slide "D" ring on collar (if desired), place collar around dog's neck, insert and the collar in the other end of the buckle and adjust for proper fit. free end of the collar in the other end of the buckle and adjust for proper fit. Close the remaining clamp coupletely to secure collar. Collar should be worn nosely to prevent irritation. Attach collar so two or three fingers can be inserted easily between collar and deg's neck. Out off any excess length and dispose properly. The collar starts killing fleas as soon as it is placed around the dog's neek. Flear, on the arrival will be killed and new ones which may temporarily appear will also be ailled while collar is worn. Replace collar after 6 months or whom effectiveness demanishes.

When the collar is first placed on the drg, adult ticks will be killed in a few days and will full off or may then be easily removed. Impature ticks which are Small and difficult to see are also killed by the HERON FLIA & TICK 10% collar. The insertionic release countries of by the rollar will also kill ticks that may carry and transmit Booky Membain control bever and tulinema.

STORAGE AND DISPOSAL

STURAGE: Store in a cool dry place.

PROXCT DISPOSAL: Securely wrap used collar an reveral tayors of newspaper and discurs in trash.

CONTAINER DISPOSAL: Do not reuse empty pouch. Wrap pouch in newspaper and discard in trasm.

EPA Reg. No. 87"0-43

MPA Cot. Wo. 0175 MA-01

U.S. ENVIRONMENTAL PROTECTION AGENCY	EPA REGISTRATION NO.	DATE OF ISSUANCE
	Er a He district Ho.	DATE OF ISSUANCE
OFFICE OF PESTICIDES PROGRAMS		1 1 1 1 1 1
REGISTRATION DIVISION (BH-567) GASSING FUN (C.C. 4)	TERM OF ISSUANCE	
		, , 1
NOTICE OF PESTICIDE: THE GISTRATION	NAME OF PESTICIDE PRODU	τ
HOTICE OF PESTICIDE: REAL GISTRATION	Į.	
(Under the Federal Insecticide Function)	1	
and Rodentis ide Act, as aniended)	1	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
,		
r		
	•	
A		
0.00		
<u>L</u>	1	
_		
NOTE Changes in labeling formula differing in substance submitted to and accepted by the Registration Division propoduct always refer to the above U.S. EPA registration null	or to use of the label in commerciable.	e. In any correspondence on this
On the basis of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act.	above named pesticide is herel	y Registered/Reregistered under
A copy of the labeling accepted in connection with this Re	gistration/Reregistration is ret	urned herewith.
icide in accordance with the Act. The acceptance of any n. Act is not to be construed as giving the registrant a right t by others.		•
· · · · · · · · · · · · · · · · · · ·		
		1.0
,		
,		
,		
•		
•		
•	·	
•		
•		
#TTACHMENT IS APPLICABLE	UMENT AVAILABLE	

THE VIEW OF THE MAKE BE USED JUTH SUPPLY IS EXHAUSTED.

EFA Form 8570 6 (Rev 5 76)

- e. The initial percentage of Baygon that was in the orginal collars placed on the dogs and the percentage of Baygon that was in the replacement collars for dogs #327 and #344 must be submitted.
- f. The initial percentage of Baygon that was in the collars placed on rats must be submitted.
- 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.
- If these conditions are not complied with, the registration will be subject to cancellation in accordance with PIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Jay S. Ellenberger Product Hanager (12) Insecticide-Rodenticide Branch Registration Division (TS-767)

Enclosures

RD-IRB:Ellenberger:DCR-28553:WANG-0094K:mar:Raven:479-2013:6/26/84

BEST DOCUMENT AVAILABLE

0 '-