Blue Ribbon Bleach

ANOTHER MEMBER OF THE BLUE RIBBON FAMILY OF FINE HOUSEHOLD PRODUCTS

- LAUNDRY: To bleach and sanitize white and colorfast cotton, linen, nylon, dacron, orion and rayon, use 1 cup BLUE RIBBON BLEACH per load for conventional washing machine and % cup for front load machine. Add to presoak, wash water or first rinse, If clothes are in machine, dilute bleach in quart water before adding.
- STAIN REMOVAL: For stubborn stains due to grass, mildew, ink, scorch, tea, coffee, fruit, berry, etc., mix % cup of BLUE RIBBON BLEACH in 1 quart water, Immerse fabric for 5 to 10 minutes, Rinse well in clear water. Repeat if necessary, Use porcelain, rubber or glass container.
- TO WHITEN NYLON & OTHER SYNTHETICS that have turned yellow or gray. Use 1 tablespoon BLUE RIBBON BLEACH per gallon water. Soak clean fabric in solution 15 to 20 minutes, rinse well. Repeat if necessary.
- TO CLEAN BATHROOM AND KITCHEN: For refrigerator, tile, bathtub, etc., use 2 tablespoons BLUE RIBBON BLEACH to 1 quart of water. Simply wash, rinse and dry.

- **DEODORIZING AND SANITIZING:** For baby clothes, diapers, dish cloths, etc. First wash, then soak in solution of 1 tablespoon of BLUE RIBBON BLEACH to 1 gallon water for 5 minutes. Rinse well. For wooden utensils, floors, breadboards, sinks, etc., wash with soap and water, then soak or wet with a solution of ¼ cup of BLUE RIBBON BLEACH in 1 quart of water. Let stand for 5 minutes, rinse well
- SWIMMING POOLS: Use 2 cups BLUE RIBBON BLEACH for each 6,000 gailons of new water. Add more product, if necessary, until 0.6 to 1.0 ppm residual chlorine is established, as determined by chlorine test kit. Thereafter, repeat above dosage daily or as needed to maintain a chlorine residual of 0.6 to 1.0 ppm. Test pool water frequently with a chlorine test kit. Dilute concentrate (2 cups) with 5 gallons of water and distribute evenly over pool. Will not harm plastic.
- BLEACHING TEST: For testing wash and wear cottons and rayons, a colored fabric, or a fabric of unknown composition before bleaching, apply a mixture of 1 tablespoon of BLUE RIBBON BLEACH in a gallon of hot water to an inconspicuous corner and let stand for 4 - 6 minutes. If fabric color yellows or fades, it is not bleachable.


UNDER THE PRIZERAL INSECTIONS FUNGICIDE AND ROLENTICIDE ACT FOR ECONOMIS POIS A REGISTERED

DO NOT USE ON SILK, WOOL, LEATHER, UNFAST COLORS, SILVERWARE, ALUMINUM, STEEL. KEEP OUT OF THE REACH OF CHILDREN.

CAUTION If splashed in eyes, flood with water. If swallowed, feed milk. Call physician. If splashed on skin, wash with water. Keep upright, tightly capped in a cool place.

DO NOT USE WITH AMMONIA, TOILET BOWL CLEANERS, OR OTHER HOUSEHOLD CHEMICALS.

Manufactured By PATTERSON LABORATORIES, INC., Detroit, Mich. 48217 USDA REG. NO. 8740-1




Blue Ribbon BLEACH

ACTIVE INGREDIENTS: Sodium Hypochlorite 5.25% by Wt. Inert Ingredients 94.75% by Wt.

CAUTION: KEEP OUT OF REACH OF CHILDREN MAY IRRITATE SKIN AND EYES: SEE BACK PANEL FOR CAUTIONS.


NET CONTENTS ONE GALLON


40-1



ALGAE-OUT is compatible with those chemicals normally used to treat pools and is effective at both acid and alkaline pH. ALGAE-OUT is used in pools treated with chlorine chemicals and generally reduces the amount of those chemicals normally required. DO NOT MIX ALGAE-OUT WITH CONCENTRATED DRY OR LIQUID CHLORINE PRODUCTS.

ALGAE-OUT is effective against green, blue-green and black algae.






HARMFUL IF SWALLOWED, CAUSES IRRITATION. Wash thoroughly after handling. Avoid contact with eyes, skin and clothing. Avoid contamination of food.

FIRST AID: If swallowed, or in case of contact with eyes, call a physician. Immediately flush eyes with plenty of water for at least 15 minutes. Wash skin thoroughly. Remove contacted clothing and wash before reuse.

This product is toxic to fish. Treated water should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not reuse container. Rinse with water and destroy.



EPA REG NO. 8743-2