

2 of 3

BEST AVAILABLE COPY


-2-

and 25. For EPA Reg. No. 8764-24, add a statement below the Ingredient Statement which indicates the weight of sodium o-phenylphenate tetrahydrate per gallon of product.

3. For EPA Reg. No. 8764-13, delete the term thiabendazole from the Ingredient Statement since it is not an acceptable ANSI common name. Replace it with 2-(4-Thiazolyl)benzimidazole.

Stamped copies of each label are enclosed for your records.

Sincerely yours,



Henry M. Jacoby
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767)

Enclosure

JOB-10691:Noles:Kendrick & Co.:898-1270:tar:RD:85/12:4/8/65

Freshgard

Fungicide:

ACTIVE INGREDIENT:

Sodium o-phenylphenate, anhydrous

INERT INGREDIENTS:

Equivalent to 3.33 lbs. sodium o-phenylphenate tetrahydrate

KEEP OUT OF REACH OF CHILDREN
CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed, induce vomiting. Obtain medical attention.

In case of skin contact, remove contaminated clothing and wash with soap and water.

In case of eye contact, flush eyes for 15 minutes.

See side panel for additional precautionary statements.

EPA Est. No. 8764-CA-1, 2; WA-
EPA Reg. No. 8764-1-AA
Net Contents: 30 Gallons (114 L)

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling.

ENVIRONMENTAL HAZARD

Do not apply directly to water or wetlands. This product is toxic to fish.
Do not contaminate water by cleaning of equipment or disposal of waste.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of federal law to use this product inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store indoors away from extremes of heat and cold. Protect from freezing.

Prohibitions: Do not contaminate water, food, or feed by storage or disposal.

Pesticide disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, if possible, and dispose of in a sanitary landfill, or by other procedure approved by state or local authorities.

TANK AND SPRAY WASHERS: Charge washer tank with diluted Freshgard 25, treat as indicated for specific products and use with potable fresh water. Test treating solutions for concentration, pH, and temperature. Do not allow concentrations to vary from the recommended values. Raise pH by careful addition of caustic soda solution. The use of Freshgard washers requires very close supervision. Observe the treating time limitations. Do not exceed the maximum treatment during operational shutdowns. Treatment at low pH, or failure to rinse, may cause severe eye and respiratory irritation and fruit injury. A high pH treatment may cause skin injury. Do not use in solvent type washers. Not suitable for use in farm washers.

WAXERS: Dilute Freshgard 25 slowly to diluted or ready-to-use water with constant stirring. Prepare dilution in quantity for immediate use. Actual output of wax applicator as indicated for quantity of product to be applied. Do not rinse. Not suitable for use in solvent type washers. The treating concentration, expressed as percent sodium o-phenylphenate tetrahydrate, is given in () following each section instruction.

PACKING HOUSE SANITATION: Use 1 quart in 100 gal. water (1%) as a general sanitizing spray to reduce mold and mildew on walls, floors, conveyors, and harvesting containers. Do not rinse.

APPLE: Use 1 gal. in 80 gal. water (0.9%), pH 11-12, 40-60°F., 30 seconds to 2 minutes of soak or flood, followed by fresh water rinse.

CANTALOUPE: Alternaria, Cladosporium and Rhizopus rots. Use 3 gal. in 80 gal. water (1.5%) as postharvest soak or spray. Allow to drain. Do not rinse.

CARROT: Alternaria, Rhizopus, and Watery soft rots. Use 1 quart in 100 gal. water (0.1%) as postharvest soak or spray.

FMC Corporation
Citrus Machinery Division
Lakeland, Florida — McAllen, Texas
Riverside, California — Lindsay, California

FMC Corporation
Citrus Machinery Division
Fairway Ave., Box 1708
Lakeland, FL 33802

APR 15 1985

Attention: Harvey H. Hester, Jr.

Gentlemen:

Subject: Freshgard 20
EPA Registration No. 8764-9
Freshgard 25
EPA Registration No. 8764-1
Freshgard 40
EPA Registration No. 8764-6
Freshgard 113
EPA Registration No. 8764-17
Freshgard 500
EPA Registration No. 8764-12
Freshgard 604
EPA Registration No. 8764-23
Sta-Fresh 401
EPA Registration No. 8764-24
Sta-Fresh 413
EPA Registration No. 8764-13
Your Letter Dated December 14, 1984

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted at the next printing.

1. Delete "or wetlands" from labels of the products referred to above.
2. Add a statement below the Ingredient Statement which indicates the product weight per gallon for EPA Reg. Numbers 8764-6, 12, 13, 17,

CONCURRENCES							
SYMBOL ▶							
SURNAME ▶							
DATE ▶							