

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

JUN 30 1989

230148 / 300
18

Mr. [Name] Jr.
[Address]

[Address]

[Address]

Re: [Product Name] containing [Active Ingredient]

EPA Registration No. [Number]

Your submission dated August 11, 1988

The amended formula submitted on [Date] is acceptable and supersedes all previously accepted ones.

1. The label for the product must bear the following information:

- The signal word DANGER and the statement Keep Out of Reach of Children must appear on the front panel of the container. The Declaration and the Statement of Practical Precautions.

2. Submit one (1) copy of your final printed label when you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

The amended formulas are acceptable and supersede all previously accepted ones.

Sincerely yours,

Susan Lewis

Susan Lewis
Acting Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosure

52018:I:Stone:RD-5:KENC0:6/27/89:7/07/89:01:VO:EK:CL

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

25-1/2"

PRECAUTIONARY STATEMENT

Hazard To Humans and Domestic Animals
KEEP OUT OF REACH OF CHILDREN
DANGER CORROSIVE

Read the label on the liquid only Freshgard 25 and eye protection with possible blindness. Irritation may result from contact with skin, eyes, nose, mouth, clothing, and surfaces.

Reentry restrictions: This product is toxic to fish. Do not apply directly to water. Do not contaminate water while cleaning or equipment maintenance. Do not discharge into lakes, streams or public waterways unless in accordance with an NPDES permit. For guidance consult your Regional Office of the EPA.

Physical Hazards: Corrosive with acids and strong oxidizers of heat and combustibles.

STORAGE AND DISPOSAL

Storage: Pallet containers require physical storage. Store in a dry place. Protect against freezing. Store separately from acids. Allow drainage with care at all times. Use with adequate ventilation. Wash thoroughly after handling. Keep containers closed.

Reconditioning: Do not recondition metal, wood or food by storage or disposal.

Possible release: Freshgard 25 is a highly volatile, flammable liquid and is a severe irritant. Avoid contact with skin, eyes, nose, mouth, clothing, and surfaces. Avoid contact with water. Do not discharge into lakes, streams or public waterways unless in accordance with an NPDES permit. For guidance consult your Regional Office of the EPA.

Chemicals: This is a hazardous material. This may be classified as a hazardous material, or particularly and disposal of a hazardous material, or by state provisions approved by state or local government.

DIRECTIONS FOR USE

It is a violation of FIFRA to use this product in a manner inconsistent with its labeling. Read and follow all directions. Charge water tank with diluted Freshgard 25. Treat as in label for specific disease, and avoid over dosage. Keep water tank running continuously for 24 hours. Do not discharge into lakes, streams or public waterways unless in accordance with an NPDES permit. For guidance consult your Regional Office of the EPA. Do not use on ornamentals, trees, and shrubs. A high pH treatment may cause stress to fish. Do not use on ornamentals, trees, and shrubs. A high pH treatment may cause stress to fish. Do not use on ornamentals, trees, and shrubs. A high pH treatment may cause stress to fish. Do not use on ornamentals, trees, and shrubs. A high pH treatment may cause stress to fish.



FMC Corporation
Citrus Nursery & Services Division
Lakeland, Florida - McAllen, Texas
Riverside, California - Linsey, California

Freshgard 25
Fungicide:

Active ingredient: Sodium o-phenylphenate 25.0%
Inert ingredients: 75.0%
100.0%

Equivalent to 3.33 lbs. Sodium o-phenylphenate selenhydrate per gallon

STATEMENT OF PRACTICAL TREATMENT

Eye contact: Flush with water for at least 15 minutes, lifting the upper and lower lids occasionally. See an ophthalmologist.

Skin contact: Wash with plenty of water. See a physician.

Inhalation: Remove to fresh air. Call a physician.

Ingestion: Rinse mouth and drink large quantity of water. Do not induce vomiting. See a physician.

See the panel for additional precautionary statements.

PRECAUCION AL USUARIO: Si utiliza no los orgaos, no use este producto donde que lo etiquetado le haya sido especificado. No use este producto donde que lo etiquetado le haya sido especificado. No use este producto donde que lo etiquetado le haya sido especificado. No use este producto donde que lo etiquetado le haya sido especificado. No use este producto donde que lo etiquetado le haya sido especificado.

EMERGENCY TELEPHONE NUMBERS (24 HOURS)
MEDICAL: COLLECT (303) 595-9048
CHEMTREC: (800) 424-9300

For more information see Material Safety Data Sheet.
EPA Est. No. 8784-CX-1.2; FL-1; TX-1
EPA Reg. No. 8784-1-AA
Net Contents: 55 Gallons (208.2 Liters) Lot No.

Apply as indicated for control of diseases to be treated. Do not reuse. Mix outside for use in warm, dry areas.
The following concentrations are expressed as percent active o-phenylphenate selenhydrate in water (p.p.m.) following each disease instruction.
FRESHGARD HOUSE EXTERIOR: Use 1 quart in 100 gal. water (1.0%) as a general exterioring agent to reduce insect damage. Use 1 quart in 100 gal. water (1.0%) as a general exterioring agent to reduce insect damage. Use 1 quart in 100 gal. water (1.0%) as a general exterioring agent to reduce insect damage.
APPLES: Use 1 qt. in 80 gal. water (1.25%) pH 11-12. 400-600°F. 20 minutes to 2 hours. Do not use. Follow with fresh water wash.
CANTALOUPE: Apply 1 quart in 80 gal. water (1.25%) pH 11-12. 400-600°F. 20 minutes to 2 hours. Do not use. Follow with fresh water wash.
CORN: Apply 1 quart in 80 gal. water (1.25%) pH 11-12. 400-600°F. 20 minutes to 2 hours. Do not use. Follow with fresh water wash.
CUCUMBERS: Apply 1 quart in 80 gal. water (1.25%) pH 11-12. 400-600°F. 20 minutes to 2 hours. Do not use. Follow with fresh water wash.
EGGPLANT: Apply 1 quart in 80 gal. water (1.25%) pH 11-12. 400-600°F. 20 minutes to 2 hours. Do not use. Follow with fresh water wash.
PEPPERS: Apply 1 quart in 80 gal. water (1.25%) pH 11-12. 400-600°F. 20 minutes to 2 hours. Do not use. Follow with fresh water wash.
PUMPKIN: Apply 1 quart in 80 gal. water (1.25%) pH 11-12. 400-600°F. 20 minutes to 2 hours. Do not use. Follow with fresh water wash.
SQUASH: Apply 1 quart in 80 gal. water (1.25%) pH 11-12. 400-600°F. 20 minutes to 2 hours. Do not use. Follow with fresh water wash.
TOMATOES: Apply 1 quart in 80 gal. water (1.25%) pH 11-12. 400-600°F. 20 minutes to 2 hours. Do not use. Follow with fresh water wash.
WATERMELONS: Apply 1 quart in 80 gal. water (1.25%) pH 11-12. 400-600°F. 20 minutes to 2 hours. Do not use. Follow with fresh water wash.

Notice:
Fungicide is a hazardous material. This may be classified as a hazardous material, or particularly and disposal of a hazardous material, or by state provisions approved by state or local government.
Fungicide is a hazardous material. This may be classified as a hazardous material, or particularly and disposal of a hazardous material, or by state provisions approved by state or local government.
Fungicide is a hazardous material. This may be classified as a hazardous material, or particularly and disposal of a hazardous material, or by state provisions approved by state or local government.
Fungicide is a hazardous material. This may be classified as a hazardous material, or particularly and disposal of a hazardous material, or by state provisions approved by state or local government.