

SEP 20 2004

Amy Bittner  
FMC Technologies, Inc.  
1540 Linden Street  
Box 5710  
Riverside, CA 92517

SUBJECT: Label Amendment in Compliance with EPA Label Review Manual and PR Notice  
2001-1  
Freshgard 25  
EPA Reg. No. 8764-1  
Your Submission Dated September 12, 2003

Dear Ms. Bittner:

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) is acceptable provided that you make the following corrections:

1. In the Precautionary Statements, delete the word CORROSIVE on the third line since it is the beginning of the next sentence.
2. As per the Label Review Manual, the Precautionary Statement should read as follows:  
  
"Corrosive. Causes irreversible eye damage. Causes skin irritation. Harmful if inhaled. Do not get in eyes or on clothing. Wear protective eye wear such as goggles and face shield. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.
3. In the First Aid statement, delete the word CORROSIVE on the second line.

A stamped label is enclosed. Submit (1) one copy of your final printed label prior to releasing the product for shipment.

Sincerely,

/s/

Cynthia Giles-Parker  
Product Manager (22)  
Fungicide Branch  
Registration Division (7505C)

Enclosure

PRECAUTIONARY STATEMENTS

Hazard To Humans and Domestic Animals  
DANGER  
CORROSIVE

Corrosive. Causes irreversible eye damage. Causes skin burns. Harmful if swallowed, inhaled, or absorbed through skin. Do not get in eyes, on skin, or on clothing. Avoid breathing vapor or spray mists. Wear goggles and face shield. Wear protective clothing and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark.

Do not contaminate water when disposing of equipment washwaters.

Do not discharge effluent containing this product into lakes, streams, ponds, reservoirs, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the discharge effluent containing this product to sewer systems without previously notifying the local sewerage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Physical: Aqueous liquid. Contact with acids can cause generation of heat and splattering.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Pesticide Storage: Protect containers against physical damage. Store in a dry place. Protect against freezing. Store separately from acids. Avoid contact with skin at all times. Use with adequate ventilation. Wash thoroughly after handling. Keep container closed.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixtures, or dilutions is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Directions for use continued on right side panel.



FMC Technologies, Inc. Riverside, California - Lindero, California  
Fresh Produce Technologies Lantana, Florida - McAllen, Texas

# Freshgard® 25

## A Postharvest Fungicidal Cleaner for Citrus Fruits and Pears

Active Ingredient: Sodium o-phenylphenate.....25.0%  
Other Ingredients:.....75.0%  
100.0%

Equivalent to 3.33 lbs. sodium o-phenylphenate tetrahydrate per gallon.

<b>DANGER</b>	<b>FIRST AID</b>
<b>KEEP OUT OF REACH OF CHILDREN</b>	
<b>CORROSIVE</b>	
If on skin or clothing	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If inhaled	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If swallowed	• Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
Probable mucosal damage may contraindicate the use of gastric lavage.	
Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)	

**NOTE TO PHYSICIAN**

EMERGENCY TELEPHONE NUMBERS (24 HOURS)  
MEDICAL COLLECT (800) 595-5048  
CHEMTEC (800) 424-9300  
For more information see Material Safety Data Sheet.  
EPA Est. No. 8764-CA-1 Lot No.  
EPA Reg. No. 8764-1-AA  
Net Contents: 5 Gallons (18.9 Liters) 30 Gallons (113.6 Liters)

**THINK AND SPRAY WARNERS:** Change weather tank with diluted Freshgard 25, test as indicated for specific product, and then with fresh water. Do not spray for more than 10 minutes. Do not spray for more than 10 minutes. Do not spray for more than 10 minutes. Do not spray for more than 10 minutes.

**REMOVING HOUSE SPIDERWEB:** Use 1 quart in 100 gal. water (0.1%) as a general sanitizing spray to remove mold spore contamination on walls, floor, corners, and harvesting containers. Do not spray.

**APPLES:** Blue mold, Gray mold, Use 1 gal. in 80 gal. water (0.1%), pH 11-12, 407-807F, 30 seconds as dip or foot, followed by fresh water rinse.

**CANTALOUPE:** Alternaria, Cladosporium and Phytophthora rot. Use 3 gal. in 80 gal. water (1.5%) as postharvest dip or spray. Allow to drain. Do not rinse.

**CARRIAGE:** Gray mold, Phytophthora, and Walsby rot. Use 1 quart in 100 gal. water (0.1%) as postharvest dip or spray. Rinse briefly with fresh water.

**CARRIAGE:** Blue mold, Brown rot and Gray mold rot. Use 2 gal. in 80 gal. water (1.0%) as postharvest dip or spray. Rinse briefly with fresh water.

**CITRUS FRUITS:** Blue and Green molds, Gray mold, Stem end, and Nidulcarum rot. Use 1 gal. in 80 gal. water (0.1%), pH 11-12, 407-807F, 2-4 minutes in 10-30 gal. water (0.1% to 0.2%) as dip or spray. Use 1 gal. in 80 gal. water (0.1%) as postharvest dip or spray. Rinse with fresh water.

**CUCUMBERS:** Blue mold, Gray mold, Phyto rot and Phytophthora rot. Use 2 gal. in 80 gal. water (1.0%) as dip, food, or spray. Rinse with fresh water.

**EGGPLANTS:** Stem rot and Phytophthora rot. Use 2 gal. in 80 gal. water (1.0%) as dip, food, or spray. Rinse with fresh water.

**PEACHES:** Brown rot and Phytophthora rot. Use 1 gal. in 100 gal. water (0.01%) as hydrocolloid dip or foot for 15-30 seconds, followed by 2-4 minutes in 10-30 gal. water (0.1% to 0.2%) as dip or spray. Use 1 quart in 100 gal. water (0.1%) as dip or spray. Rinse with fresh water.

**PINEAPPLES:** Blue mold and Gray mold. Use 1 gal. in 80 gal. water (0.1%), pH 11-12, 407-807F, 30 seconds to 2 minutes as dip or food, followed by fresh water rinse.

**POTATOES:** Gray mold and Phytophthora rot. Use 2 gal. in 80 gal. water (1.0%) in postharvest dip. Use 2 gal. in 80 gal. water (1.0%) as spray. Rinse with fresh water for at least 30 seconds.

**PREPARATION:** Postharvest rot such as Phytophthora, Alternaria, and Botrytis. Use 1 gal. in 100 gal. water (0.01%) as hydrocolloid dip or foot for 15-30 seconds, followed by 2-4 minutes in 10-30 gal. water (0.1% to 0.2%) as dip or spray. Use 1 quart in 100 gal. water (0.1%) as dip or spray. Rinse with fresh water.

**PLUMS:** Blue mold, Brown, and Phytophthora rot. Use 1 quart in 100 gal. water (0.1%) as postharvest dip or spray. Rinse with fresh water after treatment. Use 2 gal. in 80 gal. water (1.0%) as dip, food, or spray. Do not rinse.

**SWEET POTATOES:** Black rot and Phytophthora rot. Use 1 gal. in 80 gal. water (0.5%), Apply 1 gal. in 80 gal. water (0.5%) as spray. Rinse with fresh water for at least 30 seconds.

**TOMATOES:** Gray mold, Sour rot, and Phytophthora rot. Use 2 gal. in 80 gal. water (1.0%) as postharvest dip, food, or spray. Rinse with fresh water for at least 30 seconds.

Label Effective Date: August 2003  
Print Date: August 2003