

555

treatment
rus fruits.

idazole 5%
 95%
 100%

ILDREN

EATMENT
on.
ing. Wash skin with soap

Obtain medical attention.
s

No.

Apples (Postharvest): Blue mold rot, bull's eye rot, gray mold (cluster rot) — Dilute one gallon (3.8 liters) of Freshgard 555 to 50 gallons (189.3 liters) with water for 1000 ppm treating suspension. Apply as a dip, flood, or spray. Do not treat for over 3 minutes. Treat before and after storage for maximum disease control. Drain fruit thoroughly and do not rinse after treatment.

Citrus fruits (Postharvest): Blue mold, green mold, and stem-end rot — Dilute one gallon (3.8 liters) of Freshgard 555 to 50 gallons (189.3 liters) with water for 1000 ppm treating suspension. Dip, flood, or spray previously washed fruit in suspension. Drain fruit thoroughly and do not rinse after treatment.

Pears (Postharvest): Blue mold rot, bull's eye rot, gray mold (cluster rot, nest rot) — Dilute one gallon (3.8 liters) of Freshgard 555 to 50 gallons (189.3 liters) with water for a 1,000 ppm treating suspension. Apply as a dip, flood or spray. Do not treat for over 3 minutes.

Treat only once, either before or after storage. Drain fruit thoroughly and do not rinse after treatment.

Notice:

Terms of sale or use: On purchase or use of this product buyer and user agree to the following conditions

Warranty: FMC Corporation warrants that this product as of the time of sale by FMC Corporation, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the directions for use
EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. FMC CORPORATION MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED AND TO THE EXTENT PERMITTED BY LAW FMC CORPORATION SPECIFICALLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions mixture with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk

Use of Product: FMC's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer no guarantee express or implied is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice

DAMAGES: BUYER'S OR USER'S EXCLUSIVE REMEDY FOR DAMAGES FOR BREACH OF WARRANTY OR NEGLIGENCE SHALL BE LIMITED TO DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE PAID AND SHALL NOT INCLUDE INCIDENTAL OR CONSEQUENTIAL DAMAGES.

