Pungicide, and Rodenticide Act.

ACCEPTED

7 15 2004

Fres

A Postharvest Fungicice for Control of Penicillium Mold and Stem-end Rot

Active Ingredient: Thiabendazole	99.5%
Other Ingredients:	0.5%
	100.0%

KEEP OUT OF REACH OF CHILDREN		
CAUTION		
FIRST AID		
If swallowed	 Call poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 	
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 10-20 minutes. Call a poison control center or doctor for treatment advice. 	
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. 	
	duct container or label with you when calling a poison control center or ng for treatment.	

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

EMERGENCY TELEPHONE NUMBERS (24 HOURS)

MEDICAL: COLLECT (303) 595-9048

CHEMTREC: (800) 424-9300

CHEMTREC INTERNATIONAL: (703) 527-3887

For more information see Material Safety Data Sheet.

EPA Est. No. ☐ 8764-CA-1 □ 8764-CA-2

□ 8764-FL-1

EPA Reg. No. 8764-50-AA

Net Contents: 100 lbs.

Lot No.

DIRECTIONS FOR USE

CITRUS FRUITS (Postharvest): Blue mold, green mold, and stem-end rots. Use 15.0 oz. of Freshgard 598 with 110 gallons of water or water wax for a treatment level of 1,000 ppm thiabendazole. Where decay potential is high, additional Freshgard 598 may be added. Do not exceed 5,000 ppm thiabendazole.

PAPAYAS (Postharvest): Stem-end rots. Mix 15.0 - 30.0 oz. of Freshgard 598 with 110 gallons of water or water wax for a treatment level of 1,000 to 2,000 ppm thiabendazole.

Maintain constant agitation of mixture. Apply by spraying at a rate of one gallon per 8,000 - 10,000 pounds of fruit.

BANANAS (Postharvest): Crown rot. Mix 15.0 oz. of Freshgard 598 with 550 gallons of water for a treatment level of 200 ppm thiabendazole.

Dip fruit after it has been dehanded from the stem and passed through the delatexing operation. Keep suspension stirred.

Notice:

Terms of sale or use: On purchase or use of this product buyer and user agree to the following conditions:

Warranty: FMC Technologies, Inc. warrants that this product, & of the time of sale by FMC Technologies, Inc., (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the directions for use. EXCEPT AS SO WARRANTED, THE PRODUCT IS SOLD AS IS. FMC TECHNOLOGIES, INC. MAKES NO OTHER WARRANTY, EXPRESSED OR IMPLIED, AND TO THE EXTENT PERMITTED BY LAW, FMC TECHNOLOGIES, INC. SPECIFICALLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions.

Directions and Recommendations: Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller and are assumed by buyer at his own risk.

Use of Product: FMC FoodTech's recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice.

DAMAGES: BUYER'S OR USER'S EXCLUSIVE REMEDY FOR DAMAGES FOR BREACH OF WARRANTY OR NEGLIGENCE SHALL BE LIMITED TO DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE PAID AND SHALL NOT INCLUDE INCIDENTAL OR CONSEQUENTIAL DAMAGES.

Label Effective Date: June 2004 Label Print Date: June 2004

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed, inhaled, or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, and clothing. Avoid breathing dust. Wear chemical resistant gloves and protective clothing when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARD

Do not apply directly to water. This product is toxic to fish.

Do not contaminate water by cleaning of equipment or disposal of waste.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner in onsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store indoors in a dry place.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Directions for use continued on right panel.

FMC FoodTech

FMC Technologies, Inc.
Fresh Produce Technologies

Riverside, California — Lindsay, California Lakeland, Florida — McAllen, Texas