2-27-70

FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED UNDER NO.

GENERAL INFORMATION

For the Control of Garden Insects-


For use on Roses, Dahlias, Asters and other ornamentals to kill Japanese Beetles, Aphids, exposed Thrips, and Spider Mites. Hold container at least 18 inches from foliage, spray lightly in one-second bursts, spraying both top and underside of foliage.

Do not wet the plant when spraying. Properly treated foliage will be protected from the above named garden insects for about one week.

This ornamental spray may be used on plants, as a multi-purpose spray in small gardens, and for spot treatment of incipient insect infestations to control spreading in large gardens.

This spray may be used on such plants as African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Delphiniums, Dogwood, Geraniums, Crassula, Grape Vine, Kentia Palm, Laurel, Marigolds, Rhododendrons, Roscs, Rubber Plants, Snapdragons, Stocks, Wandering Jew and Zinnias. Move houseplants to porch or patio before spraying

As a fungicide, spray before infection occurs for the prevention of Powdery Mildew and Black Spot on Roses. Spray at five to seven day intervals while danger of fungiinfection persists.



Beetle-0

JAPANESE BEETLE PRESSURIZED

SPRAY BOMB





CAUTION

Keep out of reach of children

See right panel for additional cautions.

NET WEIGHT 1 LB.

CAUTION

Avoid breathing of spray or prolonged or repeated contact with skin. Avoid contact with eyes. Wash thoroughly after using.

Avoid contamination of feed and foodstuffs

Do not spray closer than 18 inches. Do not wet the plant when applying the spray. Do not use near fishbowls or aquariums. Do not spray near open Tame. Do not smoke while using.

CONTENTS UNDER PRESSURE

Never set container on stoves, radiators, nor place where temperature will exceed 120° F, and may cause it to burst. Do not puncture or throw container into fire. Discard empty container. Do not re-use for any purpose.

Active ingredients	
Pyrethrins	0 025 ^ი ე
Technical Piperonyl Butoxide®	0.25€°o
Rotenone	0.1300
Other Cube Extractives	0.205 ^c)
Folpet [N= trichloromethylthio phthalimide]	0 700°
Carbaryl (1-Naphthyl N-Methylcarbamate)	1.0000.
Inert ingredients	97.684°
	,000 <mark>00</mark> 00
Equivalent to 0.204% Butylcarbityl-6-tp piperonyltether and 0.052% of related co	ropyl ompounds

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

USDA, Reg. No. 8766-3

Packed for . . .

Jackson & Perkins Co.

World's Largest Rose Growers and Nurserymen Nedford Oregon 9'501