

Left panel - See notes in right margin and at bottom

Color


- Read Carefully before using.
- WARNING. OXIDIZING material. MAY BE FATAL IF SWALLOWED.
- Keep away from fire, excessive heat and combustible matter.
- Contact with contaminating material may result in fire. Store in a cool dry place. Mix only with water. Do not burn empty container. Rinse thoroughly with water and discard.
- Avoid breathing dust. May be harmful if inhaled. Avoid prolonged contact with skin and eyes. May cause irritation.
- IN CASE OF SKIN CONTACT: Remove excess material. Flush affected part with copious quantities of water for several minutes. Clean contaminated clothing before re-use.
- IN CASE OF EYE CONTACT: Remove excess material. Flush with cold water for at least fifteen minutes. Get medical attention.
- IF SWALLOWED: Drink egg white, milk or rice gruel. Follow with emetic such as mustard in a glass of warm water. Call a physician.
- KEEP OUT OF REACH CHILDREN.

PACKAGED BY BLUE CROSS CHEMICAL CO

TEST DOCUMENT AVAILABLE NORTH CHICAGO, ILLINOIS

TYPE SIZE

The signal word
WARNING
will be 18 pt.
"MAY BE FATAL
IF SWALLOWED"
will be in 14 pt
CAPS.
The balance of
the type on
this panel of
the label will
be in 14 pt. type



LEFT PANEL - Green Color label. Two color - Red and blue. Warning legend to
bottom of left.

Blue Cross Chemical Co.
1317 MORROW ST.

- In a cool dry place. Mix only with water. Do not burn empty container. Rinse thoroughly with water and discard.
- Avoid breathing dust. May be harmful if inhaled. Avoid contact with skin and eyes. May cause irritation.
- IN CASE OF SKIN CONTACT: Remove excess material. Flush part with copious quantities of water for several minutes. Contaminated clothing before re-use.
- IN CASE OF EYE CONTACT: Remove excess material. Flush with water for at least fifteen minutes. Get medical attention.
- IF SWALLOWED: Drink egg white, milk or rice gruel. For emetic such as mustard in a glass of warm water. Call a physician.
- Keep out of reach of children.

Packaged by BLUE CROSS CHEMICAL CO
NORTH CHICAGO, ILLINOIS

ACC

4/

IN
FIRE OR
EXPLOSION
EJECT UNDER
TO ATTACH

RIGHT PANEL

Directions for use: AT TIME OF POOL OPENING ONLY.

1. Test Pool for pH. Adjust pH to 7.0 to 7.6.
2. SUPERCHLORINATE to set up initial chlorine demand of water. Use SUPERCHLOR Stabilized chlorine concentrate at the rate of 1 ounce per 2500 gallons of water. For best result apply late in the day or early evening.
3. Next morning - Condition the pool water by adding Bluegrass Conditioner (cyanuric Acid) at the rate of $\frac{1}{2}$ lb per 2500 gallons. This is equivalent to 30 ppm of stabilizer. NOTE: Be sure to PRE-dissolve conditioner before adding to pool water.

4. Circulate and filter continuously for 24 hours.

YOUR POOL IS NOW READY FOR DAILY TREATMENT.

Directions for daily treatment:

1. Always maintain pH between 7.2 and 7.6. Check pH daily.
2. Maintain chlorine residual at minimum of 0.6 ppm to 1.6 ppm by addition daily or as needed of 1 to 2 ounces of SUPERCHLOR ⁵⁰⁰⁰ per ~~2500~~ gallons of water.
3. Test for chlorine residual daily.
4. On exceptionally hot days, or when the bathing load is heavy, increased dosage may be necessary to maintain recommended chlorine residual. One ounce of SUPERCHLOR per ~~10,000~~ gallons of water will increase chlorine residual by ~~app~~ 0.5 ppm.
5. Once a week - Superchlorinate at a rate of 1/2 oz per 2500 gallons.

