

CENTER

Blue Cross
Algaecide Concentrate - 7.5%
For control of Algae
growth in swimming pools
U.S.D.A. Reg. No. 8772- ()

Active Ingredients n-Alkyl (61%Cl₂, 23%Cl₄, 11%Cl₆, 5%Cl₈) dimethyl
benzyl ammonium chloride 7.5%

Inert Ingredients Water 92.5%
100.0%

CAUTION (18 pt.)

Blue Cross Algaecide is a cationic surface active agent and must not be used with soap or anionic detergents. Concentrated and should be handled with care (Keep out of reach of children (12 pt.)). Use only as directed. Must not come in contact with feed or foodstuffs. Harmful if taken internally. Avoid contact with skin, eyes and mucous membranes. If contact or irritation occurs wash immediately with large amounts of water. If irritation persists, get medical attention. Never mix algaecide directly in container with chlorine compounds. Noxious gases and fumes will result.

ACCEPTED

DEC 18 1968

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND WEEDKILLER ACT
FOR ECONOMIC PEST CONTROL REGISTERED
EQUIPMENT 8772-7 SUBJECT
TO ATTACHED CONDITIONS.

LEFT

Blue Cross Algaecide Concentrate; 7.5% active.

Blue Cross Algaecide is compatible with most swimming pool chemicals and is non-injurious to metal, paint, plastic and tile.

Blue Cross Algaecide when used as directed will improve the appearance and cleanliness of the pool.

Blue Cross Algaecide prevents unsightly growth of algae.

Blue Cross Algaecide may be stored for prolonged periods of time without losing its effectiveness or strength.

Blue Cross Algaecide requires no special equipment for treating water. May be added directly to the pool in any spot or added to the water circulation equipment.

ACCEPTED
12/18/68
UNL... F... F...
FUNGIC...
FOR REG...
ED UNDER NO. 7727
TO ATTACHED COMMENTS.

RIGHT PANEL

DIRECTIONS: Initial dose (first time each season) add 1 ounce per 250 gallons of water, or 4 ounces (approximately 1/2 cup) per 1000 gallons of water. If algae is already visibly present at the time of the initial dose, ~~repeat treatment within 48 hours.~~ *Apply 1/4*

... 35% ...

MAINTENANCE DOSE: 1/4 ounce per 250 gallons of water or approximately 1 ounce per 1000 gallons of water. Apply every 3 to 5 days or as needed to maintain 2 ppm active quaternary. During very hot weather and/or heavy bathing load apply every 3 days. Also add after a heavy rain. Quaternary Test Kits are available for this use.

Note: Some foaming may occur after adding Algaecide, but foam should subside within a few hours.

THE ABOVE DIRECTIONS SHOULD BE FOLLOWED EVEN WHEN THE POOL IS NOT IN USE.

MANUFACTURED BY

Blue Cross Chemical Company
1301 S. Orchard
Maywood, Ill. 60155

Keep from Freezing

Net Contents

