



# Miller Killer

ACTIVE INGREDIENTS:	BY WEIGHT
2.2 Dichlorovinyl dimethyl phosphate ..	0.46%*
Related compounds .....	0.04%*
Xylene .....	29.50%
<b>INERT INGREDIENTS:</b> .....	<b>70.00%</b>
Total.....	100.00%

\*Equivalent to 0.5% Vapona® Insecticide

Vapona® Trade name of Shell Chemical Co.

CONTENTS UNDER PRESSURE

NET CONTENTS 16 OUNCES

## GENERAL DIRECTIONS

Miller Killer is a specially prepared insecticide for use in controlling resistant and non-resistant insects, and may be used in households, restaurants, theaters, food processing plants, industrial plants, warehouses.

**DO NOT USE IN EDIBLE PRODUCTS AREAS OF FOOD PROCESSING PLANTS, RESTAURANTS OR OTHER AREAS WHERE FOOD IS COMMERCIALLY PREPARED OR PROCESSED. DO NOT USE IN SERVING AREAS WHILE FOOD IS EXPOSED.**

**USE AND DIRECTIONS:** For flies, cutworm millers, mosquitoes, gnats, moths, hornets, wasps: spray upwards into four corners of room 10-15 seconds per 1,000 cubic feet of room space. Average room requires 15 seconds spraying. Close windows for 15 minutes after treatment. For wasps and hornets on nest spray nest directly at night. Do not remain in treated areas. Ventilate the area after treatment is complete.

Roaches, ants, ticks, silverfish, spiders: Spray around door and window frames, baseboards, cracks and crevices, and other places insects may congregate or hide. For ticks spray animal sleeping quarters and bedding.

### NOTICE:

**BUYER ASSUMES ALL RISKS OF USE, STORAGE OR HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HEREWITH.**

## CAUTION!

Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing of spray mist. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate utensils, feed, water or foodstuffs. Keep out of reach of children. Do not treat animals or birds. Remove pets, birds and cover fish aquariums before spraying.

**WARNING: CONTENTS UNDER PRESSURE. DO NOT PUNCTURE. DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. EXPOSURE TO TEMPERATURES ABOVE 130°F MAY CAUSE BURSTING. NEVER THROW CONTAINER INTO FIRE OR INCINERATOR.**

EPA Reg. No. 8773 b

ACCEPTED

9/14/72

UNREGISTERED  
FOR USE IN REGISTERED  
ED UNDER 8773.6 SUBJECT  
TO ATTACHED COMMENTS