


16114

5,000 SQ. FT.
35 LBS. NET




ACCEPTED

10-14-71

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC PESTS
REGISTERED UNDER NO. 8788-51

Comments



SEVIN®

LAWN

LAWN INSECT KILLER

TO PREVENT INSECT DAMAGE

Apply first week of JUNE, JULY and AUGUST

(OR)



Use anytime insects are active to stop damage

KILLS THESE INSECTS			
THE LAWN KILLERS	TIME OF ACTIVITY	TIME TO TREAT	OTHER INSECTS CONTROLLED
BLUEGRASS BILLBUG	Cause damage in July and August	Treat in late June to avoid damage	MOSQUITOES CHINCH BUGS EARWIGS FALL ARMYWORMS LEAFHOPPERS MILLPEDES ANTS FLEAS
SOB WEBWORM	Can cause damage throughout the summer and early fall	Because as many as 3 or 4 generations of Webworms may occur in one season, several treatments at monthly intervals may be needed for control	

APPLICATION DIRECTIONS	SPREADER SETTINGS														
Apply SEVIN® insect killer to the entire lawn area, wait 48 hours then water in with 1/2 inch of water. If possible, make the application in the evening when dew is appearing on the grass. If the weather has been dry, water the lawn before treating. If dry weather continues, wait 48 hours after treatment, then begin irrigation. Supply 1 inch of water per week for the duration of the drought. This will avoid placing any additional stress on the lawn. The correct rate of use for this product is 7 lbs. per 1000 sq. ft. (Equivalent to 8 lbs. Carbaryl per acre.) Control of Bluegrass Billbug is limited to New York State.	Due to variations in individual machines, these settings are intended to be a guide. It is important to make certain that your machine is applying the correct amount of material at the setting used. <table><tr><th>MAKE OF SPREADER</th><th>SETTING</th></tr><tr><td>Turf Line®</td><td>4 1/2</td></tr><tr><td>Cyclone®</td><td>4 1/2</td></tr><tr><td>Scott</td><td>4 1/2</td></tr><tr><td>Jackson</td><td>6</td></tr><tr><td>Seers</td><td>6</td></tr><tr><td>Greenfield</td><td>5</td></tr></table>	MAKE OF SPREADER	SETTING	Turf Line®	4 1/2	Cyclone®	4 1/2	Scott	4 1/2	Jackson	6	Seers	6	Greenfield	5
MAKE OF SPREADER	SETTING														
Turf Line®	4 1/2														
Cyclone®	4 1/2														
Scott	4 1/2														
Jackson	6														
Seers	6														
Greenfield	5														

CAUTION: KEEP OUT OF REACH OF CHILDREN	
Harmful if inhaled or swallowed. If eaten induce vomiting and get medical help immediately. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly after using. Avoid contamination of feed and	feedstuffs. Do not contaminate water supplies, streams, and ponds. Use only on home lawns, golf courses, and other turf areas not used for pasture or hay. Do not apply to Boston Ivy.

CAUTION: Do not reuse empty container. Destroy it by burying with waste. Do not burn.



SEVIN[®]


**LAWN
INSECT KILLER**

LAWN INSECT KILLER

Bluegrass Billbug



Larva
Color: White
Size: 1/4" - 3/8"




Adult
Color: Brown or Black
Size: 3/4"

Sod Webworm
(Lawn Moth)



Larva
Color: Light Brown
Size: 1/2"



Adult
Color: Whitish Gray or Brown
Size: 1"

ACCEPTED

10-14-71

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
OR ECONOMIC POISON REGISTERED
UNDER NO.

8780-21
Comments

KILLS THE LAWN KILLERS



KILL THE LAND KILLERS

Manufactured by

THE ROYAL CANADIAN MOUNTED POLICE

1971-72

10-14-71

8780-21

Components