


ACCEPTED
 APR 20 1972
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTERED
 UNDER NO. 276-27 SUBJECT
 TO ATTACHED COMMENTS.



5,000 SQ. FT.
 40 LBS. NET

**CRABGRASS
 PREVENTER-FERTILIZER**
 PLANT GRASS SEED
 THE SAME DAY

1. PREVENTS CRABGRASS FROM
 GROWING IN YOUR LAWN
2. FEEDS YOUR GRASS
 AND MAKES IT GREENER

ACTIVE INGREDIENTS:
 Siburon (2-methylcyclohexyl-3-phenylurea) 4.4%

INERT INGREDIENTS: 95.6%

GUARANTEED ANALYSIS:

Total Nitrogen (N)	12%
Available Phosphoric Acid (P ₂ O ₅)	4%
Water soluble Potash (K ₂ O)	4%
Iron (Fe)	2%
Sulfur (S)	1%
Magnesium (Mg)	5%

*Registered trademark of
 E.I. du Pont de Nemours, Inc. U.S. Pat. Reg. No. 8760-27

**CAUTION: KEEP OUT OF REACH OF CHILDREN
 SEE OTHER SIDE FOR ADDITIONAL CAUTIONS AND DIRECTIONS**

ACCEPTED
 4/20/72
 FOR THE...
 ALL UNDER NO. 276-27 SUBJECT
 TO ATTACHED COMMENTS.

**CRABGRASS
 PREVENTER-FERTILIZER**
 PLANT GRASS SEED
 THE SAME DAY

IMPORTANT:
 This product is for preventive control of CRABGRASS, FOXTAIL, and BANXYARD GRASS in newly seeded lawns of bluegrass, fescue, perennial ryegrass, fescue, and the following bentgrasses: Fennelgrass, Seaside, Highland, Aurora, Nuisance, C-1, C-7, and C-19. Do not use this product on other types of bentgrass, or on Bermuda grass, as injury to turf may result. Do not use on food or feed crops.

WHEN TO USE:
 Apply in the spring, before crabgrass germinates.

HOW TO USE:
 Apply 8 lbs. per 1,000 sq. ft. with a good fertilizer spreader before crabgrass germinates in the spring. The 40 lb. bag will cover 5,000 sq. ft. of lawn. Water the soil surface after application, and if it is watered in within 2 days of treatment at least 1/2 inch of water must be provided by rainfall or irrigation. Use the following spreader settings as a guide. Individual spreaders should be checked to make sure they are spreading the correct amount of material.

SPREADER MAKE	SETTING
TRU-ONE	4 1/2
CYCLONE	4 1/2
STOUT	2
JACKSON	2
STARS	2
GREENFIELD	2 1/2

CAUTION: FERTILIZER...
 Avoid breathing dust. Avoid contact with skin, eyes, and clothing. Wash after use. Avoid contamination of feed and foodstuffs. Do not use for water supply streams or surface water. Do not use on golf courses and other areas of special interest.

Do not use on lawns that are dormant or have been recently mowed. Do not use on lawns that contain trace water by cleaning of equipment, or disposal of wastes.

Do not reuse empty containers. Destroy it by burying with waste. Do not burn.

FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC PEST CONTROL REGISTERED UNDER NO. 8780-27 SUBJECT TO ATTACHED COMMENTS.

CRABGRASS PREVENTER-FERTILIZER

PLANT GRASS SEED THE SAME DAY

CRABGRASS PREVENTER-FERTILIZER

PLANT GRASS SEED THE SAME DAY

1. PREVENTS CRABGRASS GROWTH
 2. MAKES GRASS GREEN
- Contains SIDURON WEED KILLER*

2. MAKES GRASS GREEN AND MAKES IT GREENER

GUARANTEED ANALYSIS

ACTIVE INGREDIENTS:	GUARANTEED ANALYSIS
Siduron [1-(2-methylcyclohexyl)-3-phenylurea] 1.44	Total Nitrogen (N) 12 %
	Available Phosphoric Acid (P ₂ O ₅) 4 %
	Water soluble Potash (K ₂ O) 4 %
INERT INGREDIENTS 98.56	Iron (Fe) 2 %
	Sulfur (S) 1 %
	Magnesium (Mg) 3 %

*Registered Trade Mark of E. I. du Pont de Nemours, Inc.

E.P.A. Reg. No. 8780-27

CAUTION: KEEP OUT OF REACH OF CHILDREN
SEE OTHER SIDE FOR ADDITIONAL CAUTIONS AND DIRECTIONS

INSTRUCTIONS

This product is for preemergence control of CRABGRASS, FOXTAIL, and BARNYARD GRASS in newly seeded lawns of bluegrass, fescue, perennial ryegrass, redtop, and the following bentgrasses: Penncross, Seaside, Highland, Astoria, Nimisho, C-1, C-7, and C-19. Do not use this product on other types of bentgrass, or on Bermuda grass, as injury to turf may result. Do not use on food or feed crops.

WHEN TO USE

Apply in the spring before crabgrass germinates.

HOW TO USE

Apply 5 lbs. per 1000 sq. ft. with a good fertilizer spreader before crabgrass germinates in the spring. (The 40 lb. bag will cover 8000 sq. ft.) Do not rake or disturb the soil surface after application, until it is watered in. Within 3 days of treatment at least 1/4 inch of water must be provided by rainfall or irrigation. Use the following spreader settings as a guide. Individual spreaders should be checked to make sure they are spreading the correct amount of material.

WALK-BEHIND SPREADERS

- TURF LINE
- CYCLONE
- SCOTT
- JACKSON
- SEARS
- GREENFIELD

TRAILING

- 4 1/2
- 4 1/2
- 5
- 5
- 5
- 5 1/2

CAUTION: KEEP OUT OF THE REACH OF CHILDREN. May irritate eyes, nose, throat, or skin. Avoid breathing dust. Avoid contact with skin, eyes, and clothing. Wash after using. Avoid contamination of feed and foodstuffs. Do not contaminate the water supply, streams, lakes, ponds, or other water bodies. Do not use on golf courses and other turf areas not used for pasture or hay.

Do not contaminate water by cleaning of equipment, or disposal of wastes.

Do not reuse empty container. Destroy it by burying with waste. Do not burn.

Cameraman's Note
Poor Copy