


5,000 SQ. FT.

40 LBS. NET

\$9<sup>95</sup>



ACCEPTED  
11-10-71  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
BY 

**1 PREVENTS CRABGRASS  
AND CERTAIN OTHER WEEDS**

**2 FERTILIZES  
MULTIPLIES GRASS AND  
MAKES IT GREEN**

ACCEPTED  
11-10-71  
UNDER THE FEDERAL FERTILIZER ACT  
FOR SALE IN THE UNITED STATES  
ED. ORDER NO. 8780-29

**NON-BURNING**

**ACTIVE INGREDIENTS:**

Dimerbutyl ester of tetrahydro-2H-pyridin-2-one 1.2%

**INERT INGREDIENTS**

**GUARANTEED ANALYSIS**

Total Nitrogen (N) 12%  
Available Phosphoric Acid (P<sub>2</sub>O<sub>5</sub>) 4%  
Water Soluble Potash (K<sub>2</sub>O) 4%  
Iron (Fe) 2%  
Sulfur (S) 1%  
Magnesium (Mg) 1.5%

**CAUTION: KEEP OUT OF REACH OF CHILDREN**  
SEE OTHER SIDE FOR ADDITIONAL CAUTIONS AND DIRECTIONS

Manufactured by  
**HIGH POINT MILLS, INC.**  
1225 Lehigh Station Road,  
Henrietta, N.Y. 14467

# CRABGRASS KILLER PLUS - CONTROLS WEEDS WHILE IT FERTILIZES

KILLS THESE WEEDS AS THEY GERMINATE

CRABGRASS (HAIRY & SMOOTH)  
YELLOW FOXTAIL  
GREEN FOXTAIL  
GOOSE GRASS  
BARNYARDGRASS  
PURSLANE

WITCHGRASS  
CARPETWEED  
LAMBSQUARTER  
JOHNSONGRASS  
LOVEGRASS  
COMMON CHICKWEED\*

11-10-71  
8780-29

## DIRECTIONS

### USE CRABGRASS

#### WHEN TO USE

To control CRABGRASS, YELLOW FOXTAIL, GREEN FOXTAIL, GOOSE GRASS, apply in the SPRING before MAY 15th. For yellow foxtail, apply this drop of fertilizer before May 15th.

\*To control COMMON CHICKWEED, apply before May 15th.

#### HOW TO APPLY

1. Rake lawn if necessary to remove excess grass seed and debris to insure uniform application. Do not mow lawn for 2 weeks after application.
2. Use a good fertilizer spreader or hand broadcast spreader. Refer to the list. Due to variations in soil conditions, the rate of application is intended to be a guide. Do not apply more than the rate shown. If a machine is applying the fertilizer, use the rate shown for the machine used.

#### MAKE OF SPREADER

- TRU-TINE
- CYCLONE
- SCOTT
- ATKINSON
- SEARS
- GREEN

3. Make a test application in a small area before applying to the whole lawn.

### USE SEEDING

Seeding may take place 60 days after treatment.

### USE IN FLOWER GARDENS AND ORNAMENTAL SHRUB PLANTINGS

CRABGRASS KILLER PLUS -- kills crabgrass and other annual weeds as they germinate, but not after they are established.

#### HOW TO APPLY

Apply in flower gardens and ornamental plantings as directed. Do not apply after the first mowing or after the first rain.

#### HOW TO APPLY

1. Apply to the ground in areas of established weeds.
2. Do not apply to areas where the lawn is thin. Apply with a fertilizer spreader or hand broadcast spreader if possible. Do not apply to areas where the lawn is thin.
3. Do not apply to areas where the lawn is thin.
4. Do not apply to areas where the lawn is thin.
5. Do not apply to areas where the lawn is thin.
6. Treat again at half the given rate in 2 months.

#### KEEP OUT OF REACH OF CHILDREN

Do not reuse container. Destroy by burying in a safe place. Do not burn.