




5,000 SQ. FT.

\$6⁹⁵



SPACE SAVER
PACKAGE



KILLS DANDELIONS - PLANTAIN
CHICKWEED-AND SIMILAR
BROADLEAF AND VINEY WEEDS

NET WEIGHT 35 LBS.

ACTIVE INGREDIENTS:

Dimethylamine salt of 2 (2-methyl 4-chlorophenoxy)
propionic acid* 16.8%

2,4-Dichlorophenoxyacetic acid, sodium salt monohydrate 0.62%

INERT INGREDIENTS 98.77%

* Equivalent to 2,4-D (2-methyl 4-chlorophenoxy) propionic acid

** Equivalent to 2,4-Dichlorophenoxyacetic acid


EPA Reg. No. 0730-39

CAUTION: KEEP OUT OF REACH OF CHILDREN
SEE OTHER SIDE FOR ADDITIONAL CAUTIONS AND DIRECTIONS

Manufactured by

HIGH POINT MILLS, INC.

1225 Lehigh Station Road
Henrietta, N.Y. 14467





SPACE SAVER PACKAGE



XANTHIG

**LAWN
WEED KILLER**

KILLS THESE WEEDS WHEN THEY ARE PRESENT

FRANDELION	ENGLISH MARSH
BUCKHORN	YARROW
PLANTAIN	COMMON N. FLEET
CURLED DOCK	MOUSE EAR N. FLEET
GROUNDIVY	
KNOWWEED	

DIRECTIONS

WHEN TO USE

BASIC RULES

Use when weeds are present in the lawn and the soil moisture is such that the lawn has been growing normally.
Delay application for 48 hours after rain in 12 hours and 1 course do not water during this period.

SPRING '78 'MENT

Best time is when DANDEL CARS is in the room

SUMMER TREATMENT

Use if weeds are a problem but observe the basic rule concerning soil moisture or results may be disappointing. A/c do not apply when temperature is much above 85°F

PALL TREATMENT

FALL TREATMENT
Use anytime weeds are a problem and soil moisture is good. Applications made in mid October are excellent for controlling spring gerbions, most of which are already in the seedling stage.

HOW TO APPLY

1. Do not move the lower

3. Use a good fertilizer spreader set according to the following: Due to variations in individual machines these settings are suggested to be a guide. It is important to make certain that you are not applying the correct amount of material at the setting used. Use caution with organic spreaders on windy days.

Corrected 10-20-72 by S. J. S. 10-10-72

MAKE OF SPREADER	SETTING
TURFLINE*	4.
CYCLONE*	4.2
SCOTT	4.2
JACKSON	6
SEARS	9
GREENFIELD	11.

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

Harmful if inhaled or swallowed. If eaten induce vomiting and get medical help immediately. Avoid contact with skin, eyes, or clothing. Wash thoroughly after using. Avoid contamination of feed and feedstuffs. Do not contaminate water supplies, streams and ponds. Use only on home lawns, golf courses, and other turf areas and avoid for pasture or hay.

Do not apply to or on drift on flowers, shrubs, ornamental trees, fruits, or vegetables; not store near fertilizers, seeds, insecticides, or fungicides that may be used on these plants. Do not use on centipede grass. St. Augustine or cordgrass not on centipede turf where desirable burgrass is present. Do not apply to newly seeded lawns until after two mowings. Do not reuse container. Destroy by burning in a safe place. Do not burn.



5,000 SQ. FT.
\$6⁹⁵

NEW
SPACE SAVER
PACKAGE



KILLS DANDELIONS - PLANTAIN
CHICKWEED-AND SIMILAR
BROADLEAF AND VINEY WEEDS

NET WEIGHT 35 LBS
A TREATMENT OF 1/2 OZ. PER 100 SQ. FT. OF LAWN
KILLS DANDELIONS, PLANTAIN, CHICKWEED, AND
SIMILAR BROADLEAF AND VINEY WEEDS.
DO NOT WALK ON LAWN FOR 24 HOURS.
CALL OR WRITE FOR FREE LITERATURE.

Manufactured by
HIGH POINT MILLS, INC.
1225 Lehigh Station Road,
Henrietta, N. Y. 14467



SPACE SAVER
PACKAGE



KILLS THESE WEEDS WHEN THEY ARE PRESENT

DANDELION	ENGLISH DAISY	RED CLOVER
BUCKHORN	YARROW	WHITE CLOVER
PLANTAIN	COMMON CHICKWEED	RED SORREL
CURLED DOCK	MOUSE-EAR CHICKWEED	WILD ONION
GROUND IVY		STITCHWORT
KNOTWEED		WILD GARLIC

DIRECTIONS

WHEN TO USE

BASIC USES

Use when weeds are present in the lawn. Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present.

Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present.

Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present.

Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present.

Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present.

Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present.

Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present.

Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present.

Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present.

HOW TO APPLY

Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present.

Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present.

Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present.

Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present.

Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present.

Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present.

Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present.

Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present.

Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present.

Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present. Apply to the lawn when the weeds are present.