

**TREATS****5,000 to 10,000 SQ. FT.**

FOLLOW DIRECTIONS CAREFULLY

This fertilizer formula
recommended for lawns

- dominant in fine fescue
- better soil areas
- during hot dry weather

Arthro-Ban®

LAWN

INSECT
KILLER*

Plus Fertilizer

CONTROL THESE INSECTS IN TURF

EUROPEAN CHAFER AND
JAPANESE BEETLE GRUBHYPERODES
WEEVIL

SOD WEBWORM



CHINCH BUG

TREAT AT RATE OF 6.6 LBS. PER 1000 SQ. FT.
(PACKAGE TREATS 5000 SQ. FT. 50'x100')TREAT AT RATE OF 3.3 LBS. PER 1000 SQ. FT.
(PACKAGE TREATS 10,000 SQ. FT. 100'x100')

USE WHEN INSECTS ARE ACTIVE

ACTIVE INGREDIENTS:

Chlorpyrifos** 0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl)
phosphorothioate 0.70%

INERT INGREDIENTS 99.30%

**U.S. Patent No. 3,244,586

E.P.A. Reg. No. 8780-42

NET WEIGHT 33 LBS.

GUARANTEED ANALYSIS:

Total Nitrogen (N) 10.0%


Available Phosphoric Acid (P₂O₅) 2.0%Water Soluble Potash (K₂O) 4.0%

Iron (Fe) 0.5%

MANUFACTURED IN NEW YORK STATE FOR USE IN NEW YORK STATE

CAUTION: KEEP OUT OF REACH OF CHILDREN
SEE OTHER SIDE FOR ADDITIONAL CAUTIONS AND DIRECTIONS

Manufactured by
HIGH POINT MILLS, INC.
1225 Lehigh Station Road,
Henrietta, N.Y. 14467



ACCEPTED
 1 FEB 9 1978
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 registered under
 EPA Reg. No. 8280-42

Arthro-Ban®

LAWN



**INSECT
KILLER**

Plus Fertilizer

APPLICATION DIRECTIONS

Treat when insects are active or as recommended by State Agricultural Experiment Station or State Extension Service Specialists.

Apply Arthro-Ban at the rate of 6.6 lbs. per 1000 sq. ft. for European Chaffer Grubs, Japanese Beetle Grubs and Hyperodes Weevil.

Apply Arthro-Ban at the rate of 3.3 lbs. per 1000 sq. ft. for Sod Webworms and Chinch Bugs.

Immediately after spreading water lightly using 30 gals. per 1000 sq. ft.

After 2 to 3 days water again; apply about an inch of water. Rainfall during this period may be counted, but should be measured.

SPREADER SETTINGS

Due to variations in individual machines, these settings are intended to be a guide. It is important to make certain that your machine is spreading the correct amount of material at the setting used.

MAKE OF SPREADER	COVERAGE *	
	5000 sq. ft.	10,000 sq. ft.
Turf Line Rotary -----	3.75 *	2.75 *
Cyclone Rotary -----	3.75 *	2.75 *
Scott Conventional ---	5.0	3.5

*Based on a spreading width of 6 feet.

CAUTION! KEEP OUT OF REACH OF CHILDREN AND ANIMALS MAY BE HARMFUL IF SWALLOWED

Avoid eye contact. Flush contaminated eyes with plenty of water and get medical attention if irritation persists. Wash thoroughly after handling. Wash contaminated clothing before re-use. Keep away from food, feedstuffs and domestic water supplies.

NOTE TO PHYSICIAN: Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

Keep children and pets off treated areas until grass is dry after initial watering with 30 gals. per 1000 sq. ft.

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Use only on home lawns, golf courses and other turf areas not used for pasture or hay.

Do not reuse container. Bury with waste in a safe place. Do not burn.

Do not apply when wind conditions would cause drift from areas treated.