

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF
PEVENTION, PESTICIDES
AIND TOXIC SUBSTANCES

High Point Mills c/o Ms. Verona Sawyer F.P.I. 1902 Tomahawk Ridge New Lenox, IL 60451-2860

DEC 1 3 2001

Dear Ms. Sawyer:

Subject: Amendment - Comply with 2000 Diazinon MOA;

Update First Aid per PR Notice 2001-1; and

Update CSF/replacement diazinon source

Turf Line Diazinon Lawn Insect Control Plus Fertilizer#2

EPA Registration Number 8780-54

Your submission dated June 26, 2001

The amendment referred to above, submitted in connection with registration under FIFRA section 3(c)(7)(a), is acceptable provided that you:

- 1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data.
- 2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
- a. In the ENVIRONMENTAL HAZARDS. revise the sentence beginning "Do not apply directly to water, to areas where..." to read just "Do not apply directly to water.".
- b. The heading SPECIAL PRECAUTIONS TO REDUCE RISKS TO BIRDS and its associated text should appear within an outline box.
- 3. Submit three (3) copies of your final printed labeling before you release the product for shipment.
- 4. Comply with all applicable provisions of the 2000 Memorandum of Agreement Regarding Pesticide Products Containing Diazinon (i.e., the Diazinon MOA). In accordance with the Diazinon MOA you have requested the following revisions to the conditions of registration for this diazinon product with outdoor non-agricultural (i.e., home and garden) uses:
 - a. You have requested under section 6(f) of FIFRA that this registration be voluntarily canceled on a date not later than December 31, 2004.

- b. You may not manufacture, label, or release for shipment this product after June 30, 2003.
- c. You may not sell or distribute this product after August 31, 2003.
- d. The registration for this product shall expire and be canceled on December 31, 2004.
- e. You will send to every person who directly purchases this product (i.e., to every seller) a notification of Product Recovery Program to be conducted by Syngenta and Makhteshim after December 31, 2004.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

The Basic Confidential Statement of Formula (CSF) dated June 26, 2001 which identifies a replacement diazinon source Manufacturing Use Product is acceptable and has been added to this product's registration file.

Sincerely,

George T. LaRocca Product Manager 13 Insecticide Branch Registration Division (7505C)

5,000 SQ. FT. (50' X 100') 23 LBS. NET WT. 3/6

Grubs

TURF LINE DIAZINON LAWN INSECT CONTROL PLUS FERTILIZER #2

Treats up to 5,000 Square Feet

THIS PRODUCT MUST NOT BE USED ON GOLF COURSES AND SOD FARMS

For outdoor use on the home lawn only

DIAZINON L	AWN.	INSECT	CONTROL	KILLS:
------------	------	--------	---------	--------

	DIAZINON LA	WIN THOSECT CONTROL KILLS.	
Ants	Chiggers	Earwigs	Millipedes
Armyworms	Chinch Bugs	European Chafer Grubs	Springtails -
Bermudagrass Mites	Clover Mites	Fleas	Sod Webworms
Billbugs	Crickets	Japanese Beetle Grubs	Sowbugs
Brown Dog Ticks	Cutworms	Leafhoppers	Southern Chafer (
_		-	

Ready-to-use Granules. Contains 2.1% diazinon insecticide.

Net Weight 23 pounds

Active Ingredient:	
Diazinon: 0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl)phosphorothic	
Inert Ingredients:	
Total	100.09
CHADASTRED ANALVOIC	
GUARANTEED ANALYSIS	
Total Nitrogen (N)	
Available Phosphoric Acid (P O)	2.0%
Soluble Potash (K O)	4.0%
Magnesium (Mg)	0․5%
Sulfur (S)	1.0%
Iron (Fe)	0.5%

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 8780-54

EPA Est. No. 8780-NY-1

Manufactured By: HIGH POINT MILLS A Division of Progressive Lawn Research, Inc. Henrietta, NY 14467 ACCEPTED
with COMMENTS
in EPA Letter Dated:
DEC 1 3 2001

TURF LINE & NPK FORTIFIED FORMULA are trademarks of HIGH POINT MILLS Under the benefit Insecticide, and Rodenticide Act,

SUnder the Februal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 8 780 - 54

Revised: A/O 5/17/01 MOA Changes

PRODUCT CODE 0105

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing dust and contact with eyes, skin, or clothing. Wash thoroughly after handling and before smoking or eating. May cause contact sensitization following repeated contact with skin of susceptible individuals. If sensitization reactions result, contact a physician. Do not store near food or feed products. Do not allow children or pets onto the treat area until granules have been watered in and the grass has dried.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

This product contains diazinon, an organophosphate cholinesterase.

insecticide that inhibits

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do

not give anything by mouth to an unconscious or convulsing person.

IF INHALED:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-tomouth if possible. Call a poison control center or doctor for

further treatment advice.

IF ON SKIN

IF IN EYES:

Take off contaminated clothing. Rinse skin immediately with plenty of OR CLOTHING: water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

Hold eye open and rinse slowly and gently with water for 15 to 20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for

treatment advice.

OT STOY

This product is an organophosphate insecticide. If symptoms of

PHYSICIAN: cholinesterase inhibition are present, atropine sulfate by injection is

antidotal. 2-PAM is also antidotal, and may be administered, but only

in conjunction with atropine.

(EDITOR'S NOTE: An emergency phone number may also be included at the end of the

sentence.)

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to birds, fish, and other wildlife. Birds, especially waterfowl (ducks or geese) feeding or drinking on treated areas may be killed. Because of the migratory habits of certain Atlantic Coast waterfowl, do not apply this product to lawns in Nassau County, New York, between November 1 and May 20. Do not exceed maximum permitted label rates. Application rates above those recommended significantly increase potential hazards to birds and waterfowl. Avoid overlapping of granules. Follow all watering instructions in the directions for use, however, stop watering before puddling occurs. Do not apply this product to sites occupied by waterfowl, or within 75 ft. of any body of water that my attract waterfowl, such as ponds or lakes. Do not contaminate ornamental fish ponds. Keep out of lakes, streams, ponds, tidal marshes, and estuaries. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Runoff may be hazardous to fish and other aquatic organisms in neighboring areas. Shrimp and crab

Turf Line Diazinon Lawn Insect Control Plus Fertilizer #2

5/6

may be killed at application rates recommended on this label. Do not apply where fish, shrimp, crab, and other aquatic life are important resources. Do not contaminate water by cleaning of equipment or disposal of equipment wash waters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Reformulation or repackaging of this product is prohibited. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS. If terms are not acceptable, return the unopened product container at once.

OVERALL LAWN APPLICATION

Special Precautions To Reduce Risk To Birds

Birds, especially waterfowl (ducks or geese), feeding or drinking on treated areas may be killed. To reduce risks to birds:

- 1. Do not treat areas larger than 15,000 sq. ft.
- 2. Because of the migratory habits of certain waterfowl, do not apply in Nassau County, New York between November 1 and May 20.
- 3. Do not exceed maximum permitted label rates, since rates above those recommended significantly increase potential hazards to birds, especially waterfowl.
- 4. Avoid overlapping treated areas.
- 5. Follow all watering instructions included within the directions for use, however, stop watering before puddling occurs.
- 6. Do not apply this product to sites occupied by waterfowl or to sites within 75 ft. of any body of water that may attract waterfowl, such as lakes or ponds.
- 7. If it is necessary to repeat application, wait a minimum of 3 weeks between applications. Make no more than four applications per year.

This product controls certain lawn pests on both grass and dichondra lawns. Apply with a fertilizer spreader. Refer to following for use rates and spreader settings.

To control the following lawn insects on both grass and dichondra lawns: Chinch Bugs, Clover Mites, Crickets, Earwigs, Ants, Armyworms, Lawn Moths (Sod Webworms), Bermudagrass Mites, Brown Dog Ticks, Chiggers, Cutworms, Fleas, Leafhoppers, Sowbugs (Pillbugs), Millipedes, and Springtails (Collembola).

Apply at the rate of 4.6 lbs. per 1,000 sq. ft. (an area 20' \times 50'). Apply when grass is dry. Water lawn lightly after application. If necessary repeat application at 3-week intervals, make no more than 4 applications per year.

To control the following insects in the lawns: Billbugs, White Grubs of European Chafer, Japanese Beetle, Southern Chafer, Dung Beetle (Ataenius spretulus)
For the above insects, apply at the rate of 4.6 lbs. per 1,000 sq. ft. (an area 20' x 50'). Water lawn with at least 1/4 inch of water after application, however, stop watering before puddling occurs. For billbug control, apply when activity is first observed or when chewed or brown grass indicates damage from these insects. If necessary, repeat application at 3-week intervals. Make no more than 4 applications per year. For grub control, except dung beetle, treat any time between late July and early October. For dung beetle grub control, apply in Spring or early Summer when damage is first noticed. Water grass with at least 1/4 inch of water after application, however, stop watering before puddling occurs. Treat again in late Summer or early Fall if a second generation occurs.

To Control HYPERODES WEEVILS: Apply 4.6 lbs. per 1,000 sq. ft. Water grass with at least 1/4 inch of water after application, however, stop watering before puddling occurs. Treat problem areas in mid-April and again in mid-May.

Page 4

SPREADER SETTINGS FOR OVERALL LAWNS:

NOTE: The spreader settings listed are approximate. Accurately weight a few pounds into your spreader and apply to a measured area. Then adjust your spreader setting if necessary in order to insure the correct rate of application.

DEADED COTTING NUMBER

SPREADER MAKE	SPREADER SETTING NUMBER To deliver 4.6 lbs. per 1,000 sq. ft.
Scott Precision Flow Spreader Model PF-4	4.5
Cyclone Model B1 Rotary	3.5
Scott Rotary	В
Central Imperial	4.25
Central Rotary	3.5

STORAGE AND DISPOSAL

Storage: Store in original container in a cool, dry, well-ventilated area inaccessible to children and domestic animals. Do not store near fertilizers, herbicides, seeds, food, or feed.

Pesticide Disposal: Securely wrap original container in several layers of newspaper and discard in trash.

Container Disposal: Do not reuse empty bag. Discard bag in trash.

WARRANTY

The Seller warrant that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

(LCI 051701)