



ACCEPTED

SEP 9 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 8781-8 SUBJECT
TO THE FOLLOWING COMMENTS.

METZ CHLORINE SANITIZER

METZ CHLORINE SANITIZER is recommended for use on (porous) surfaces, on dishes, glasses or food processing equipment including dairy and brewery equipment and utensils.

DIRECTIONS FOR USE

Prepare a sanitizing solution by dissolving 1 ounce of METZ CHLORINE SANITIZER per 10 gal. of water. This gives a solution of 100 ppm or 200 ppm available chlorine respectively. Rinse the surface to be sanitized prior to sanitizing. Then place dishes, glasses, etc. in the solution or spread it over the surface to be sanitized for 5 minutes and then wipe excess away. Rinse items and dry prior to use.

The same solution may be used in the feed trough type machines providing 2 to 5 minutes of contact with glasses, food processing equipment and utensils. Rinse items prior to sanitizing. After sanitizing step, rinse well with water. Items are then ready for use.

The sanitizing solution should be used promptly. If the solution is allowed to stand or is reused and tests show it has not been maintained, additional METZ CHLORINE SANITIZER should be added, to maintain a minimum concentration of 100 ppm.

WARNING

DIRECTIONS FOR STORAGE AND DISPOSAL

Store in a cool, dry well ventilated area. Moderate irritating and hazardous chlorine containing compound. Do not mix with other chemicals. Contact with or ingestion of this product may cause severe irritation. Decomposes at 350-475 degrees F with liberation of chlorine gas. Flood with large volume of water if necessary.

Do not reuse empty container. Rinse empty container with clean water before discarding.

This product is toxic to fish. Treated effluent should not be discharged into lakes, streams, ponds or other bodies of water where it will drain into lakes, streams, ponds or other bodies of water by cleaning of equipment or disposal of waste water. Dispose of this product only as specified on this label.

ACTIVE INGREDIENT

Sodium dichloro-s-triazinetriane dihydrate 25%
(provides 14% available chlorine)

INERT INGREDIENTS

75%

WARNING

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Causes eye irritation. May cause skin irritation.

FIRST AID

Do not get in eyes or on the skin. Do not breathe dust.
If swallowed: Feed gruel or cooked cereal followed by olive oil or cooking oil. Call physician.

In case of personal contact: Remove excess material and flush skin or eyes with fresh water for at least 15 minutes. For eyes get medical attention.

Rinse empty container thoroughly with water and discard it. See side panel for use directions.

Manufactured by:

METZ SALES CO.

Martinsburg, Pa. 16662

EPA Reg. No. 8781-8

Net Contents 5 LBS.



CHLORINE SANITIZER

ACTIVE INGREDIENT:
Sodium Dichloro-Triazetrione (Available Chlorine) 26.7%

INERT INGREDIENTS: 73.3%

TO SANITIZE DAIRY EQUIPMENT

After milk is clean equipment is completely dry, immerse in a solution with an alkalinity of 2 minutes and 95 degree solution containing 1 oz of Metz Chlorine Sanitizer for each 10-gals of water required. Solution will contain 100 ppm available chlorine.

WARNING - Keep out of the reach of children.

Metz Chlorine Sanitizer contains Sodium Dichloro-Triazetrione. Do not take internally. Harmful if swallowed. Causes skin and eye irritation. Avoid contact with skin and eyes. Avoid contamination of food. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk (e.g. white gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician. Do NOT MIX WITH ANY DAIRY CLEANSERS.

Container Disposal:
Rinse empty bag thoroughly with water and discard.
Net wt. 5 lbs.

Manufactured by
METZ SALES COMPANY
Martinsburg, Pa. 16662
EPA Reg. No. 8781

57517