

8788-17 Page 1

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (15-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 8788-17	DATE OF ISSUANCE JUN 9 1986
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT Wood Oil and Stain Preservative	

NOTICE OF PESTICIDE: ☒ REGISTRATION ☐ REREGISTRATION
 (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

<div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;"> Registration Consulting Associates 12184 Woodlawn Court Auburn, CA 95603 </div> <div style="border: 1px solid black; padding: 5px;"> L </div>	<div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;"> 161 158470 11 1 </div> <div style="border: 1px solid black; padding: 5px;"> 161 158471 18 1 </div>
---	--

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 8788-17."
 - b. Since an inordinate time has lapsed for responding to you with comments on the "Delayed Contact Hypersensitivity Study in Guinea Pigs" as performed by Hill Top Research, Inc., we are provisionally accepting this application for registration pending a favorable toxicology review. Any objection resulting from the toxicology review must be attended to as soon as you are notified or other measures may have to be taken to suspend or cancel the registration. Accession No. 262951 was assigned to the Hypersensitivity study.


☐ ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL 	DATE 6/9/85
--	-----------------------

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.


Henry M. Jacoby
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

Enclosures

Front Panel

SOUTHLAND
WOOD OIL STAIN AND PRESERVATIVE

Active Ingredients:		
Folpet [n-([trichloromethyl]thio)-		
phthalimide]	0.44%
bis(tri-n-butyltin) oxide	0.475%
Inert Ingredients:	<u>99.085%</u>
Total		100.000%

Keep Out of Reach of Children (12 pt)

WARNING (18 pt)

EPA Reg. No. _____ EPA Est. No. _____

See Back Panel for Additional Precautionary Statements


Net Contents - One U.S. Gallon (3.785 Liters)

Southland Paint Co., Inc.
Gainesville, TX 76240

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUN 9 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
8788-17



Back Panel (1st column)Precautionary Statements
Hazards to Humans (and Domestic Animals)

WARNING

(18 pt)

Contains Petroleum Distillate

Harmful if swallowed. If swallowed, do not induce vomiting. Call Physician Immediately.
Harmful if absorbed through the skin. Causes skin irritation. Wear rubber gloves and goggles when applying and handling freshly treated lumber. In case of contact, remove contaminated clothing immediately and wash skin with soap and water. Wash clothing before reuse. Wash hands thoroughly after handling.
Harmful if in eyes. If in eyes, flush with plenty of water and get medical attention.

Environmental Hazards

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.
Do not use on wood which may come into contact with food, feed or potable water.

Physical and Chemical Hazards

Combustible. Keep away from heat or open flame. Use with adequate ventilation.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

(12 pt)

Securely wrap original container in several layers of newspaper and discard in trash. Do not reuse can. Rinse thoroughly before discarding in trash.

How to Use

Southland Wood Oil Stain and Preservative is designed for use on exterior wood surfaces such as siding, decks, trim, fences, structural wood and similar wood surfaces. It brings out the natural beauty of wood while protecting against wood rot, mildew and decay. It retards warping, swelling, shrinking, and checking.

Southland Wood Oil Stain and Preservative is for use above ground only. It is not intended for protection of wood in ground contact or below.

Southland Wood Oil Stain and Preservative is ready for use. Do not add thinner. Stir thoroughly before using and occasionally while using.

Application

All surfaces must be clean and dry before staining. Scrub unsightly mildew infected areas with a solution of 1 quart household bleach and 3 quarts water. Apply stain only after area is completely dry. Apply by brush, roller, pad applicator, or spray. To prevent lap marks from developing, stain only a few boards at a time, working from top to bottom or side to side, keeping the leading edge wet and stopping at such locations as corners, windows, or door frames. Do not stain in direct sunlight. Do not apply stain if the air temperature is below 50°F. (10°C.). Dries to touch rapidly. Thorough drying requires 24 hours. If desired, a second coat may be applied at any time. Certain woods such as redwood, cedar, etc. contain natural tannins which may bleed through the stain surface. Although they may be unsightly, they will not damage the stain and may be removed by a mild detergent solution after drying.

Southland Wood Oil Stain and Preservative is not a herbicide. Although it will not harm foundation plants, it is recommended that they be covered with a suitable drop cloth if there is any danger of spillage or drifting.

It is not intended for uses in areas that may be considered animal or livestock contact surfaces. It should not be used on wood subject to frequent or prolonged skin contact (e.g., lawn furniture and playground equipment).

Southland Wood Oil Stain and Preservative will cover 100-200 square feet per gallon on rough, porous, unprimed surfaces. On previously stained surfaces, coverage slightly higher (100-300 square feet) will be obtained.

Clean-Up

Clean brush, rollers, sprayers, etc. promptly with mineral spirits.