

ACCEPTED
8791-4
18 JAN 1977
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO.

E-Z CLOR SUPER-60

Concentrated pool chlorinating compound
KEEP OUT OF REACH OF CHILDREN
DANGER

See first aid and other precautions on back panel.
Active ingredient: Sodium dichloro-S-triazinetriene 100%
Available chlorine: 63%

Net contents: 10 lbs (4.54 Kg)

CLOR
PER-60
Concentrated pool chlorinating compound
OUT OF REACH OF CHILDREN
DANGER
First aid and other precautions on back panel
Active ingredient Sodium dichloro-s-triazinetriene 100%
Available chlorine 63%
Net contents: 10 lbs (4.54 Kg)

DIRECTIONS AND DOSAGE

1. Before using SUPER-60 for the first time, pool water should be stabilized with CLOR SAVE chlorine stabilizer. Follow directions on the label for that product. Stabilizer increases the effective life of SUPER-60 by reducing chlorine loss caused by the sun's rays.
2. Then treat the pool with a shock dose of chlorinating compound (7 to 10 oz. SUPER-60 per 10,000 gallons pool capacity). After several hours, check the chlorine residual to determine if at least 1.0 to 2.0 ppm has been obtained. If the chlorine residual is less than 1.0 to 2.0 ppm, repeat the shock dose until at least that level is obtained.
3. Thereafter, the pool should be treated with 2 oz. SUPER-60 per 10,000 gallons daily or as needed to maintain a chlorine residual of 1.0 to 2.0 ppm. Give a shock dose whenever algae first become visible.
4. If pool water is not first treated with chlorine stabilizer, give a shock dose as in No. 2 above until a chlorine residual of at least 1.0 to 2.0 ppm is obtained. Then apply 4 oz. SUPER-60 per 10,000 gallons daily for 4-6 weeks to bring stabilizer to the required level. Thereafter, treat with 2 oz. per 10,000 gallons daily or as needed to maintain a chlorine residual of 1.0 to 2.0 ppm. Give a shock dose whenever algae first become visible.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, or ponds.

POOL FORMULA

Rectangular or Square Pools: Length x width x average depth (in feet) x 7.5 (gives you pool capacity in gallons).

Round Pools: Diameter x diameter x average depth (in feet) x 5.9 (gives pool capacity in gallons).

DANGER
Irritation to eyes
Causes severe
burns
FIRST AID
If in eyes, flush
with water
DANGER
Corrosive
Hazardous
flammable
Decomposes
water
thorax
ENVIRONMENTAL
Not biodegradable
not a
product
DO NOT

E-Z
A-G
4 CE

DIRECTIONS AND DOSAGE

1. Before using SUPER-60 for the first time, pool water should be stabilized with CLOR SAVE chlorine stabilizer. Follow directions on the label for that product. Stabilizer increases the effective life of SUPER-60 by reducing chlorine loss caused by the sun's rays.
2. Then treat the pool with a shock dose of chlorinating compound (7 to 10 oz. SUPER-60 per 10,000 gallons pool capacity). After several hours, check the chlorine residual to determine if at least 1.0 to 2.0 ppm has been obtained. If the chlorine residual is less than 1.0 to 2.0 ppm, repeat the shock dose until at least that level is obtained.
3. Thereafter, the pool should be treated with 2 oz. SUPER-60 per 10,000 gallons daily or as needed to maintain a chlorine residual of 1.0 to 2.0 ppm. Give a shock dose whenever algae first become visible.
4. If pool water is not first treated with chlorine stabilizer, give a shock dose as in No. 2 above until a chlorine residual of at least 1.0 to 2.0 ppm is obtained. Then apply 4 oz. SUPER-60 per 10,000 gallons daily for 4-6 weeks to bring stabilizer to the required level. Thereafter, treat with 2 oz. per 10,000 gallons daily or as needed to maintain a chlorine residual of 1.0 to 2.0 ppm. Give a shock dose whenever algae first become visible.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, or ponds.

POOL FORMULA

Rectangular or Square Pools: Length x width x average depth (in feet) x 7.5 (gives you pool capacity in gallons).

Round Pools: Diameter x diameter x average depth (in feet) x 5.9 (gives pool capacity in gallons).

DANGER: Corrosive, causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wash hands after handling.

FIRST AID: If swallowed, feed gruel, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Remove and wash contaminated clothing before reuse.

DANGER: STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensils. Contamination by moisture, organic matter, or other chemicals may liberate hazardous gases. Store in a cool, dry, well ventilated area away from heat or open flame. Decomposes at 350°F-475°F with liberation of harmful gases. In case of decomposition, if possible, isolate container in open air. Flood with large amounts of water. Keep container tightly closed when not in use. Rinse empty container thoroughly with water to dissolve all material before discarding.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public waters. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

DO NOT REUSE CONTAINER. DESTROY WHEN EMPTY.

EPA REG. No. 8791-4
EPA EST. No. 8791-Mo-1

E-Z CLOR SYSTEMS
A Division of Airwick Pool Products, Inc.
4 CERMAK BLVD., ST. PETERS, MO. 63376