

POOL START superchlorinates swimming pool water and simultaneously provides cyanuric acid (s-triazinetriene) to stabilize chlorine. Superchlorination is intended to destroy algae and bacteria. POOL START is used just once to start your pool off, then use an E-Z Clor automatic chemical feeder together with Super-90 Clor Pacs, or use Super 60 chlorine concentrate to chlorinate your pool.

POOL START is for shock chlorination and stabilization of pool water after original filling or re-filling of pool. Use for regular maintenance of chlorine residual will result in over-stabilization.

HOW TO USE POOL START:

1. Clean or backwash filter.
2. Using a reliable test kit, test the pH level and adjust to 7.2 to 7.6 (if it is above 7.6, add dry acid, if it is below 7.2, add soda ash or sodium bicarbonate.)

3. In the amount shown in the dosage chart, add POOL START slowly through the surface skimmer.
4. Wait two hours and again adjust pH to 7.2 to 7.6.
5. Test chlorine residual with a reliable test kit. Do not allow swimmers in the pool until the chlorine residual has dropped below 2.0 ppm.
6. Add Super-60 Chlorine Concentrate according to package directions to maintain a minimum chlorine residual of 1.0 to 1.5 ppm at all times. Or use the E-Z Clor automatic chemical feeder and Super-90 Clor Pacs.

POOL START

Specifically formulated for starting up swimming pools. Use POOL START just once, then use, Super-60 or Super-90 chlorine concentrate to sanitize your swimming pool water.

Active Ingredient:	Sodium dichloro-s-triazinetriene.....	47.5%
Inert Ingredients:	s-Triazinetrione.....	43.4%
	Sodium Carbonate.....	9.1%
		100.0%

<p>DANGER</p> <p>KEEP OUT OF REACH OF CHILDREN</p>	Strong oxidizer. Harmful if swallowed. May irritate skin, nose and throat. May cause severe eye irritation. Dust may be harmful if inhaled. Do not take internally. Keep out of eyes and off skin. Avoid inhalation of dust.
	See antidote and other precautions on right panel.



900450

NET CONTENTS

JAN 3, 1975
8791-5
UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POLSON REGISTERED UNDER NO.

POOL START

Specifically formulated for starting up swimming pools. Use **POOL START** just once, then use, **Super-60** or **Super-90** chlorine concentrate to sanitize your swimming pool water.

Active Ingredient: Sodium dichloro-s-triazinetriene..... 47.5%
 Inert Ingredients: s-Triazinetrione..... 43.4%
 Sodium Carborate..... 9.1%
 100.0%

DANGER
KEEP OUT
OF REACH
OF CHILDREN

Strong oxidizer. Harmful if swallowed. May irritate skin, nose and throat. May cause severe eye irritation. Dust may be harmful if inhaled. Do not take internally. Keep out of eyes and off skin. Avoid inhalation of dust. See antidote and other precautions on right panel.



NET CONTENTS 3 LBS.

DANGER

DO NOT TAKE INTERNALLY
 ANTIDOTE

Internally, feed bread soaked in milk followed by olive oil or cooking oil. Call a physician. In case of contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes, get medical attention. Clean contaminated clothing before re-use.

Oxidizing material; do not mix with other chemicals. Contact with organic matter may cause fire. Burning will produce chlorine or equally toxic gases. Do not re-use container. Destroy when empty.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as directed on this label.

POOL START DOSAGE CHART

POOL CAPACITY (gals.)	To provide 20 ppm cyanuric acid and 10 ppm available chlorine	To provide 20 ppm cyanuric acid and 8.4 ppm available chlorine
5,000	1 lb. 7 oz.	1 lb. 3 oz.
10,000	2 lb. 15 oz.	2 lb. 6 oz.
15,000	4 lb. 7 oz.	3 lb. 8 oz.
20,000	5 lb. 14 oz.	4 lb. 12 oz.
25,000	7 lb. 6 oz.	5 lb. 14 oz.
30,000	8 lb. 14 oz.	7 lb. 1 oz.
35,000	10 lb. 4 oz.	8 lb. 4 oz.
40,000	11 lb. 11 oz.	9 lb. 7 oz.

EPA Reg. No. 8791-5

EPA EST. NO. 8791-MO-1

KING KRATZ CORPORATION

4 CERMAK BLVD.
 ST. PETERS, MO. 63376

POOL START superchlorinates swimming pool water and simultaneously provides cyanuric acid (s-triazinetrione) to stabilize chlorine. Superchlorination is intended to destroy algae and bacteria. **POOL START** is used just once to start your pool off, then use an E-Z Clor automatic chemical feeder together with Super-90 Clor Pacs, or use Super-60 chlorine concentrate to chlorinate your pool.

POOL START is for shock chlorination and stabilization of pool water after original filling or re-filling of pool. Use for regular maintenance of chlorine residual will result in over-stabilization.

HOW TO USE POOL START:

1. Clean or backwash filter.
2. Using a reliable test kit, test the pH level and adjust to 7.2 to 7.6 (if it is above 7.6, add dry acid, if it is below 7.2, add soda ash or sodium bicarbonate.)

3. In the amount shown in the dosage chart, add **POOL START** slowly through the surface skimmer.
4. Wait two hours and again adjust pH to 7.2 to 7.6.
5. Test chlorine residual with a reliable test kit. Do not allow swimmers in the pool until the chlorine residual has dropped below 2.0 ppm.
6. Add Super-60 Chlorine Concentrate according to package directions to maintain a minimum chlorine residual of 1.0 to 1.5 ppm at all times. Or use the E-Z Clor automatic chemical feeder and Super-90 Clor Pacs.

900450



NET CONTENTS 3

JAN 3, 1975
8791-5

POOL START

Specifically formulated for starting up swimming pools. Use POOL START just once, then use Super 60 or Super 90 chlorine concentrate to maintain your swimming pool water.

100,000 gal. 1.0 oz.
 50,000 gal. 0.5 oz.
 25,000 gal. 0.25 oz.
 10,000 gal. 0.1 oz.

DANGER
 POOL START is a strong oxidizing agent. Contact with organic material may cause fire. Burning will produce chlorine or equally toxic gases. Do not re-use container. Destroy when empty.



DANGER

**DO NOT TAKE INTERNALLY
 ANTIDOTE**

Internally—feed bread soaked in milk followed by olive oil or cooking oil. Call a physician. In case of contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes, get medical attention. Clean contaminated clothing before re-use.

Oxidizing material: do not mix with other chemicals. Contact with organic matter may cause fire. Burning will produce chlorine or equally toxic gases. Do not re-use container. Destroy when empty.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as directed on this label.

STORE in a cool, dry, well ventilated area. Moisture contamination may liberate irritating and hazardous chlorine-containing gases.

963939

POOL START DOSAGE CHART

POOL CAPACITY (GALS.)	To provide 1.0 ppm available chlorine	To provide 2.0 ppm available chlorine
50,000	1.0 oz.	2.0 oz.
100,000	2.0 oz.	4.0 oz.
150,000	3.0 oz.	6.0 oz.
200,000	4.0 oz.	8.0 oz.
250,000	5.0 oz.	10.0 oz.
300,000	6.0 oz.	12.0 oz.
350,000	7.0 oz.	14.0 oz.
400,000	8.0 oz.	16.0 oz.

EPA Reg. No. 8791-5

EPA EST. NO. 8791-MO-1

KING KRATZ CORPORATION
 4 CERMAK BLVD.
 ST. PETERS, MO. 63376

PURE PAC



ACCEPTED
6-5-73
UNDER THE FEDERAL INSECTICIDE AND FUNGICIDE ACT FOR ECONOMIC PEST CONTROL UNDER NO. 4791-6

Comment

AUTOMATIC CHLORINATOR FOR ABOVE GROUND POOLS

CONTAINS: 2 PURE PACS AND MOUNTING BRACKET
Net Wt. 5 lbs. 8 oz. CHLORINE TABLETS SEALED IN PLASTIC CANISTER

EPA Reg. No. 8791-6

Active Ingredient: Trichloro-s-triazinetrione . . . 100%

DANGER — KEEP OUT OF REACH OF CHILDREN

(See antidote statement and other precautions on side panel)